

**Scope of Work****May 2013****WRD****Building Roof Repairs:**

- **Required OHRC License before work is started**
- **Repairs to existing roofing are to be made by a approved Duro-Last Vendor with Duro-Last material**
- **Inspect the entire roof for damages**

**Demolition / Construction Waste Removal:**

- **Sweep and clean existing debris from roof before making repairs**
- **Clean area after completion**

**West Stairway #1 Area**

- **Repair leak South corner where the roofing surface is wedged under the metal wall panel.**
- **Repair roof against the sharp metal wall panel has cut the roof surface and is allowing water to enter the building. Repair the wall panel and corner cover, trimming the metal slightly, patch the holes, and then slip a small piece of walk pad between the metal and the Duro-Last to prevent this from happening again.**
- **Repair hole in roofing west of exit door**

**Scope of Work**

**May 2013**

**WRD**

**Crow Nest # 2 Area**

- **Repair leaking guttering on the back of the Crows Nest booth. Current gutter is fastened to a 24 gage metal deck. The north & south winds lifts rips up and allow air and water under the membrane. Remove existing gutter, and saw the roof deck back even with the metal wall panel. Attach a new gutter (5" x 5") with new brackets and fastened to the perlin. Repair / replace guttering on the back of the Crows Nest booth.**

**West of east Stair way entrance Area # 3**

- **Repair damage / cut in membrane**

**North West Corner # 4 Area**

- **Repair damaged area wind ripping the metal rake trim. Repair / replace 20' of rake trim and re-attach the Duro-Last over the edge.**