

# WorkWrite-Up and Bid Document

Connie Catron

474599 E 1050 RD

Muldrow, OK

74948-

(918) 427-3539

Contractor Name

Contractor Signature

Bid Due Date:

Trade	Area	Description	Comments	Manual Spec	Quantity	Enter Bid
-------	------	-------------	----------	-------------	----------	-----------

Carpentry

## EXTERIOR

1		Storm Door/Vinyl Clad/Replace storm/screen door with new self storing storm door/Vinyl Clad/Use Larson model 298-SS or written approved equal.	replace storm doors	8.B	2	EA <input type="text"/>
---	--	--	---------------------	-----	---	-------------------------

Electrical

## HALLWAY #1

2		Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	replace smoke alarms	13.D.11	2	EA <input type="text"/>
---	--	--	----------------------	---------	---	-------------------------

HVAC

## HALLWAY #1

Wednesday, August 12, 2015

474599 E 1050 RD

Muldrow, OK

Page 1 of 2

Trade	Area	Description	Comments	Manual Spec	Quantity	Enter Bid
-------	------	-------------	----------	-------------	----------	-----------

HVAC

#### HALLWAY #1

3		Central Air (13 SEER) & Heat/1,001 to 1,600sf/Install central air (13 SEER) and heat (gas-80% AFUE)/Complete system/Building sizes between 1,001 and 1,600sf.	replace with 3 on unit, to include lineset, filter, filter grill, and stat	12	1280 SF	<input type="text"/>
---	--	---	--	----	---------	----------------------

Plumbing

#### HALLWAY #1

4		Water Heater/Gas/40 Gallon/Install new 40 gal. gas water heater. Work shall include elevating to 18" (if in garage), replacement of TPR, all combustion air and gas & electrical hook-ups for code legal installation.	replace water heater	11.A	1 EA	<input type="text"/>
---	--	--	----------------------	------	------	----------------------

TOTAL