

# WorkWrite-Up and Bid Document

**Ricky Spencer**  
 20937 E. 34th Street  
 Broken Arrow, OK  
 74464-  
 (918) 313-7709

Contractor Name \_\_\_\_\_

Contractor Signature \_\_\_\_\_

Bid Due Date:

Trade	Area	Description	Comments	Manual Spec	Quantity	Enter Bid
<i>Carpentry</i>						
<b>GARAGE</b>						
1		Door/Exterior/6-Panel Steel/Pre-Hung/Replace. Replace exterior entrance door with new pre-hung-steel six panel. Use Stanley #13757 or written approved equal. Work shall include paint-both sides and trim.	Replace back door in garage area	8.A.	1 EA	<input style="width: 80px; height: 20px;" type="text"/>
2		Storm Door/Vinyl Clad/Replace storm/screen door with new self storing storm door/Vinyl Clad/Use Larson model 298-SS or written approved equal. Replace all storm doors.		8.B	1 EA	<input style="width: 80px; height: 20px;" type="text"/>

*HVAC*

**GARAGE**

<i>Trade</i>	<i>Area</i>	<i>Description</i>	<i>Comments</i>	<i>Manual Spec</i>	<i>Quantity</i>	<i>Enter Bid</i>
<i>HVAC</i>						
	<b>GARAGE</b>					
3		Central Air (14 SEER) & Heat/1,001 to 1,600sf/Install central air (14 SEER) and heat (gas-80% AFUE)/Complete system including ductwork/Building sizes between 1,001sf and 1,600sf. Remove and replace existing units, inside and out. Install 3 1/2 ton unit.		12	2000 SF	<input type="text"/>
<i>Plumbing</i>						
	<b>GARAGE</b>					
4		Water Heater/Gas/40 Gallon/remove and replacel new 40 gal. gas water heater. Work shall include, replacement of TPR, all combustion air and gas & electrical hook-ups for code legal installation.		11.A	1 EA	<input type="text"/>
<b>TOTAL</b>						<input type="text"/>

## *WorkWrite-Up and Bid Document*

**Kimchia Goodman**  
 4805 Stan Watie Street  
 Tahlequah, OK  
 74464-  
 (918) 458-7810

*Contractor Name* \_\_\_\_\_

*Contractor Signature* \_\_\_\_\_

**Bid Due Date:** \_\_\_\_\_

<i>Trade</i>	<i>Area</i>	<i>Description</i>	<i>Comments</i>	<i>Manual Spec</i>	<i>Quantity</i>	<i>Enter Bid</i>
--------------	-------------	--------------------	-----------------	--------------------	-----------------	------------------

*Carpentry*

<b>1</b>	<b>EXTERIOR</b>	Storm Door/Vinyl Clad/Replace storm/screen door with new self storing storm door/Vinyl Clad/Use Larson model 298-SS or written approved equal. Replace all storm doors.		8.B	3 EA	<input style="width: 80px; height: 20px;" type="text"/>
----------	-----------------	---	--	-----	------	---

*Electrical*

<b>2</b>	<b>EXTERIOR</b>	Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hardwired in hallways adjacent to bedrooms. Use Firex #4015 or written approved equal. Install hardwired in		13.D.11	5 ea	<input style="width: 80px; height: 20px;" type="text"/>
----------	-----------------	--	--	---------	------	---

*HVAC*

**EXTERIOR**

<i>Trade</i>	<i>Area</i>	<i>Description</i>	<i>Comments</i>	<i>Manual Spec</i>	<i>Quantity</i>	<i>Enter Bid</i>
<i>HVAC</i>						
	<b>EXTERIOR</b>					
3		Central Air (14 SEER) & Heat/1,001 to 1,600sf/Install central air (14 SEER) and heat (gas-80% AFUE)/Complete system including ductwork/Building sizes between 1,001sf and 1,600sf. Remove and replace existing units, inside and out. Install 3 1/2 ton unit.		12	1 SF	<input type="text"/>
<i>Roofing</i>						
	<b>EXTERIOR</b>					
4		Roofing/Architectural Shingles/30 Year Warranty. Install architectural shingles/Minimum 30 year warranty/Use Heritage or written approved equal. Work shall include removing existing shingles and repair/replacing deteriorated decking.		7.A.	26 S	<input type="text"/>
<b>TOTAL</b>						<input type="text"/>