


PROJECT NO.: 0148

0
4
8
1/8" =1'-0"



BID PACKAGE 02

(100% Set)

CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

HESMAN Group, LLC

7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133

CHEROKEE NATION
Entertainment


PROFESSIONAL SEAL:

DATE: JOB NUMBER: 17-06


SHEET NUMBER: FS100

FOODSERVICE


FOODSERVICE EQUIPMENT OVERVIEW




1 FOODSERVICE EQUIPMENT ARRANGEMENT PLAN - COMP. BEVE. NORTH




FOODSERVICE EQUIPMENT
ARRANGEMENT PLAN - COMP. BEVE. SOUTH



FOODSERVICE EQUIPMENT
ARRANGEMENT PLAN - CASINO BAR & EDR





James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

CONSULTANT LOGO:

HESMAN Group, LLC
FOODSERVICE FACILITY Planners, Designers & Consultant
A hatter American Fan
7645 E. 63RD STREET
SUITE 2011
TULSA, OKLAHOMA 74133



Cherokee

CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

PROJECT PHASE:
BID PACKAGE 02
(100% Set)

REVISIONS
DATE DESCRIPTION

DATE: JOB NUMBER: 17-06

SHEET NUMBER: 17-06

FOODSERVICE EQUIPMENT

ARRANGEMENT PLAN

PROJECT NO.: 0148

FOODSERVICE EQUIPMENT ARRANGEMENT PLAN - GRAB-N-GO KITCHEN

0 4/1

FOODSERVICE EQUIPMENT SCHEDULE

GRAB-N-GO

NO. DESCRIPTION 01GG WALK-IN COOLER/FREEZER

02GG WALK-IN SHELVING

03GG STORAGE SHELVING

04GG STORAGE SHELVING 05GG MOBILE WORK TABLE

06GG MOBILE SLICER STAND 07GG SLICER

08GG VEGE. PREP. TABLE

09GG MOBILE MIXER STAND

10GG COOK OIL SYSTEM (BY OWNER)

11GG 20 QUART MIXER 12GG MOBILE COOLING RACK

13GG MOBILE HEATED CABINET

14GG MOBILE COOK & HOLD CABINET 15GG VENTILATOR W/ FIRE SUPPRESSION SYSTEM

16GG 10 QUART KETTLE W/ STAND & DRAIN CART

17GG 30 GALLON TILT SKILLET 18GG MOBILE CONVECTION OVEN

19GG COMBI OVEN

20GG NUMBER NOT USED 21GG VENTILATOR W/ FIRE SUPPRESSION SYSTEM

22GG SALAMANDER BROILER 23GG MOBILE RANGE

24GG MOBILE REFRIGERATED EQUIPMENT STAND 25GG MOBILE GRIDDLE

26GG MOBILE REFRIGERATED EQUIPMENT STAND

27GG MOBILE CHAR-BROILER

28GG MOBILE FRYER BANK 29GG MOBILE FREEZER

30GG NUMBER NOT USED 31GG MOBILE REFRIGERATED MAKE TABLE

32GG MICROWAVE SHELF

33GG CONVEYOR TOASTER 34GG CHEF'S COUNTER

35GG DRAWER WARMER

36GG TOASTER 37GG WORK TABLE

38GG WAFFLE IRON

39GG PASS-SHELF

40GG NUMBER NOT USED 41GG HEAT LAMP

42GG BACK-UP COUNTER

43GG NUMBER NOT USED 44GG NUMBER NOT USED

45GG UNDERCOUNTER REFRIGERATOR

46GG SERVING COUNTER (BY DIV. 06) 47GG REFRIGERATED DISPLAY CASE

48GG CASH REGISTER (BY OWNER)

49GG ICE CREAM CASE

50GG NUMBER NOT USED

51GG NUMBER NOT USED 52GG NUMBER NOT USED

53GG BEVERAGE COUNTER

54GG CUP DISPENSER 55GG COFFEE MAKER (*BY OWNER*)

56GG LID & STRAW TRAY 57GG CONDIMENT DISPENSER

58GG ICED TEA BREWER (BY OWNER)

59GG CARBONATOR (BY OWNER) 60GG NUMBER NOT USED

61GG ICE & CARBONATED BEVERAGE DISPENSER (*BY OWNER*)
62GG MOBILE ICE CART

63GG BEVERAGE TABLE 64GG SOILED DISHTABLE

65GG DISHWASHER W/ BOOSTER HEATER

66GG CLEAN DISHTABLE 67GG POT SINK

68GG PAN RACK


69GG JANITOR'S SHELVING 70GG NUMBER NOT USED

71GG WALL SHELF W/ MOP HANGERS 72GG MOBILE POWER WASHER

James R. Childers Architect, Inc.

> Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

45 South 4th Street








CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02

(100% Set)

03/27/18 17-06 FS102

FOODSERVICE EQUIPMENT ARRANGEMENT PLAN



0 4/1

PRUJECT NO.: 0148

0 4 8 16

1/8" =1'-0"

6

James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

CONSULTANT LOGO:

HESMAN Group, LLC
FOCOSERVICE FACILITY Planners, Designers & Consultants
A Native American Ferri
7645 E. 63RD STREET
SUITE 201
TULSA, OKLAHOMA 74133



CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO


DJECT PHASE:
BID PACKAGE 02

REVISIONS
DATE DESCRIPTION

(100% Set)

DATE: JOB NUMBER: 17-06
SHEET NUMBER: FS103

FOODSERVICE EQUIPMENT ARRANGEMENT PLAN



PROJECT NO.: 0148

0 4 8 16

1/8" =1'-0"



WAREHOUSE

NO. DESCRIPTION

01WH NUMBER NOT USED 02WH NUMBER NOT USED 03WH WALK-IN COOLER

04WH WALK-IN SHELVING 05WH DUNNAGE RACK

06WH WALK-IN SHELVING 07WH KEG RACK

James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:


HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133




CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02 (100% Set)

03/27/18 FS104 FOODSERVICE EQUIPMENT ARRANGEMENT PLAN





James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:


CONSULTANT LOGO:

HESMAN Group, LLC
FOODSERVICE FACULTY Planners. Designers & Consultants
Abster Armericae Fern
7645 E. 63RD STREET
SUITE 201
TULSA, OKLAHOMA 74133



ROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO


BID PACKAGE 02 (100% Set)




DOB NUMBER: 17-06
HEET NUMBER:

FS105


FOODSERVICE EQUIPMENT ARRANGEMENT PLAN




FOODSERVICE EQUIPMENT SPECIAL CONDITIONS PLAN - COMP. BEVE. NORTH



FOODSERVICE EQUIPMENT SPECIAL CONDITIONS PLAN - COMP. BEVE. SOUTH




? FOODSERVICE EQUIPMENT SPECIAL CONDITIONS PLAN - CASINO BAR & EDR



TYPICAL - IN-FLOOR UTILITY BLOCK OUT NO SCALE



- DIMENSIONS ARE SHOWN FOR THE PURPOSES OF DESIGN AND BIDDING ONLY. CONTRACTOR MUST COORDINATE & VERIFY ALL DIMENSIONS WITH FOODSERVICE EQUIPMENT SHOP DRAWINGS & MANUFACTURER'S DATA.
- PROTECTIVE COVER MUST BE INSTALLED ON WALK-IN WALLS BEFORE INSTALLING CONCRETE FLOORS & CURBS.
- WALK-IN MUST BE VENTILATED WITH DOOR(S) LEFT OPEN WHILE INTERIOR CONCRETE WALK-IN FLOOR CURES.
- G.C. TO FURNISH & INSTALL 16 GA. STEEL BACKING IN WALL FOR MOUNTING OF EQUIPMENT FURNISHED BY SECTION 11400 / 114000. SECTION 11400 / 114000 TO PROVIDE EXACT DIMENSIONED LOCATIONS.



James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133




CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02 (100% Set)

03/27/18 17-06 FS106

FOODSERVICE EQUIPMENT SPECIAL COND. PLAN



6

James R. Childers Architect, Inc.

> 45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

CONSULTANT LOGO:

HESMAN Group, LLC
FOODSERVICE FACILITY Planners, Designers & Consultants
A Plantine American Firm

7645 E. 63RD STREET
SUITE 201
TULSA, OKLAHOMA 74133



CHEROKEE NATION ENTERTAINMENT

TAHLEQUAH, OKLAHOMA

PROJECT PHASE:
BID PACKAGE 02
(100% Set)

REVISIONS
DATE DESCRIPTION

DATE:


03/27/18

17-06

SHEET NUMBER:

FS107

FOODSERVICE
EQUIPMENT
SPECIAL COND.
PLAN



PROJECT NO.: 0148

0
4
8
1/8" =1'-0"

James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133





CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02 (100% Set)

03/27/18 FS108

FOODSERVICE EQUIPMENT SPECIAL COND. PLAN





James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133



 \rightarrow TO UTILITY SOURCE.

- FINISHED FLOOR


REFER TO CURB & DUCT NOTES ON DRAWING FOR EXACT SIZE AND LOCATION.

CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02 (100% Set)

03/27/18 17-06 FS109

FOODSERVICE EQUIPMENT SPECIAL COND. PLAN



James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133




CHEROKEE NATION ENTERTAINMENT TAHLEQUAH CASINO

BID PACKAGE 02 (100% Set)

17-06 FS110

FOODSERVICE EQUIPMENT SLAB-RECESS PLAN



2 FOODSERVICE EQUIPMENT IN-FLOOR M.E.P. PLAN - COMP. BEVE. SOUTH

REFER TO SHEET FS116 FOR ELECTRICAL NOTES & CONNECTION SCHEDULE.

PLUMBING &

 □ DR □ DUPLEX RECEPTACLE WPR WEATHERPROOF RECEPTACLE WPS | WEATHERPROOF SINGLE SERVICE RECEPTACLE SR 1 PHASE SINGLE PURPOSE RECEPTACLE SR 3 PHASE SINGLE PURPOSE RECEPTACLE DCR | DROP CORD RECEPTACLE CSO | CONDUIT STUP-UP or STUB-DOWN CS CONDUIT STUP-OUT ☐ JB JUNCTION BOX IN WALL JBP JUNCTION BOX MOUNTED ON PEDESTAL PMR DUPLEX RECEPT. MOUNTED ON PEDESTAL CSR CONDUIT STUB - BTC AT RECEPTACLE FURNISHED WITH EQUIPMENT. FR | FLUSH FLOOR RECEPTACLE \$ SW WALL SWITCH DFA DROP FROM ABOVE AFF ABOVE FINISHED FLOOR

REFER TO SHEET FS116 FOR PLUMBING & MECHANICAL NOTES & CONNECTION SCHEDULE.

BID PACKAGE 02

(100% Set)

PROJECT PHASE:

CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480

www.childersarchitect.com

HESMAN Group, LLC

7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133

03/27/18 17-06 FS111

FOODSERVICE EQUIPMENT PRELIM. M.E.P. CONNECTION PLAN


ELECTRICAL SYMBOLS EVC EXHAUST VENT CONNECTION SVC | SUPPLY VENT CONNECTION ► FLR DIRECT CONNECTED FLUE RISER DFA DROP FROM ABOVE

MECHANICAL SYMBOLS ⊕ | HW | HOT WATER © CW COLD WATER DR DRAIN © CWS CHILLED WATER SUPPLY © | CWR | CHILLED WATER RETURN FD FLOOR DRAIN FS FLOOR SINK TD TRENCH DRAIN © G GAS SUPPLY

AFF ABOVE FINISHED FLOOR

BTC BRANCH TO CONNECTION

BTC BRANCH TO CONNECTION



FOODSERVICE EQUIPMENT IN-FLOOR M.E.P. PLAN - GRAB-N-GO KITCHEN

PRUJECT NO.: 0148

0 4 8 16

1/8" =1'-0"

REFER TO SHEET FS116 FOR ELECTRICAL NOTES & CONNECTION SCHEDULE.


ELECTRICAL SYMBOLS

	DR	DUPLEX RECEPTACLE
WP	WPR	WEATHERPROOF RECEPTACLE
(F)	WPS	WEATHERPROOF SINGLE SERVICE RECEPTACLE
•	SR	1 PHASE SINGLE PURPOSE RECEPTACLE
\P	SR	3 PHASE SINGLE PURPOSE RECEPTACLE
0	DCR	DROP CORD RECEPTACLE
•	CSO	CONDUIT STUP-UP or STUB-DOWN
•	CS	CONDUIT STUP-OUT
. €	JB	JUNCTION BOX IN WALL
©	JBP	JUNCTION BOX MOUNTED ON PEDESTAL
O)	JB	JUNCTION BOX MOUNTED IN CEILING
Ф	PMR	DUPLEX RECEPT. MOUNTED ON PEDESTAL
	CSR	CONDUIT STUB - BTC AT RECEPTACLE FURNISHED WITH EQUIPMENT.
•	FR	FLUSH FLOOR RECEPTACLE
\$	SW	WALL SWITCH
	DFA	DROP FROM ABOVE
	AFF	ABOVE FINISHED FLOOR
	ВТС	BRANCH TO CONNECTION

REFER TO SHEET FS116 FOR PLUMBING & MECHANICAL NOTES & CONNECTION SCHEDULE.

PLUMBING & MECHANICAL SYMBOLS

⊕	HW	HOT WATER
0	CW	COLD WATER
•	DR	DRAIN
(IW	INDIRECT WASTE (EXTEND TO FD)
©	CWS	CHILLED WATER SUPPLY
©j	CWR	CHILLED WATER RETURN
0	FD	FLOOR DRAIN
0	FFD	FUNNEL FLOOR DRAIN
	FS	FLOOR SINK
	TD	TRENCH DRAIN
©	G	GAS SUPPLY
	EVC	EXHAUST VENT CONNECTION
K	SVC	SUPPLY VENT CONNECTION
•	FLR	DIRECT CONNECTED FLUE RISER
	DFA	DROP FROM ABOVE
	AFF	ABOVE FINISHED FLOOR
	ВТС	BRANCH TO CONNECTION



James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133




CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

BID PACKAGE 02

(100% Set)

03/27/18 FS112



PRUJECT NO.: 0148

0 4 8 16

1/8" = 11-0"

6

James R. Childers Architect, Inc.

45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

CONSULTANT LOGO:

HESMAN Group, LLC

FOODSERVICE FACULTY Planners, Designers & Consultants
A Partie American Firm

7645 E. 63RD STREET
SUITE 201

TULSA, OKLAHOMA 74133

CHEROKEE NATION
Entertainment

CHEROKEE NATION ENTERTAINMENT

TAHLEQUAH, OKLAHOMA


BID PACKAGE 02 (100% Set)

DATE DESCRIPTION

03/27/18 17-06
SHEET NUMBER:
FS113

FOODSERVICE EQUIPMENT PRELIM. M.E.P. CONNECTION PLAN


REFER TO SHEET FS116 FOR PLUMBING & MECHANICAL NOTES & CONNECTION SCHEDULE.



PRUJECT NO.: 0148

0 4 8 16

1/8" =1'-0"



James R. Childers Architect, Inc.

> 45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133



CHEROKEE NATION ENTERTAINMENT TAHLEQUAH CASINO

REFER TO SHEET FS116 FOR PLUMBING & MECHANICAL NOTES & CONNECTION SCHEDULE.

REFER TO SHEET FS116 FOR ELECTRICAL NOTES &

ELECTRICAL SYMBOLS

CONNECTION SCHEDULE.

DR DUPLEX RECEPTACLE

CS CONDUIT STUP-OUT

WPR WEATHERPROOF RECEPTACLE

WPS WEATHERPROOF SINGLE SERVICE RECEPTACLE RECEPTACLE

DCR DROP CORD RECEPTACLECSO CONDUIT STUP-UP or STUB-DOWN

SR 1 PHASE SINGLE PURPOSE RECEPTACLE SR 3 PHASE SINGLE PURPOSE RECEPTACLE

☑ JB JUNCTION BOX IN WALL☑ JBP JUNCTION BOX MOUNTED ON PEDESTAL

PMR DUPLEX RECEPT. MOUNTED ON PEDESTAL

① JB JUNCTION BOX MOUNTED IN CEILING

CSR CONDUIT STUB - BTC AT RECEPTACLE FURNISHED WITH EQUIPMENT.

FR FLUSH FLOOR RECEPTACLE

AFF ABOVE FINISHED FLOOR BTC BRANCH TO CONNECTION

DFA DROP FROM ABOVE

\$ SW WALL SWITCH


MECHANICAL SYMBOLS


MECHANICAL STMDOLS						
\oplus	HW	HOT WATER				
0	CW	COLD WATER				
•	DR	DRAIN				
	IW	INDIRECT WASTE (EXTEND TO FD)				
©	CWS	CHILLED WATER SUPPLY				
٩	CWR	CHILLED WATER RETURN				
0	FD	FLOOR DRAIN				
0	FFD	FUNNEL FLOOR DRAIN				
	FS	FLOOR SINK				
	TD	TRENCH DRAIN				
<u>©</u>	G	GAS SUPPLY				
	EVC	EXHAUST VENT CONNECTION				
X	SVC	SUPPLY VENT CONNECTION				
•	FLR	DIRECT CONNECTED FLUE RISER				
	DFA	DROP FROM ABOVE				
	AFF	ABOVE FINISHED FLOOR				
	ВТС	BRANCH TO CONNECTION				

PLUMBING &

BID PACKAGE 02 (100% Set)

03/27/18 FS114





James R. Childers Architect, Inc.

> 45 South 4th Street Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

PROFESSIONAL SEAL:

CONSULTANT LOGO:

HESMAN Group, LLC
FOODSERVICE FACILITY Planners. Designers & Consultants
A Native American Farin
7645 E. 63RD STREET
SUITE 201
TULSA, OKLAHOMA 74133



CHEROKEE NATION ENTERTAINMENT
TAHLEQUAH CASINO

PROJECT PHASE:
BID PACKAGE 02
(100% Set)

REVISIONS
DATE DESCRIPTION

DATE: JOB NUMBER: 17-06

SHEET NUMBER: FS115

		P	LUMBIN	JG C	ONNECTIONS SCH	EDULE
NO.	CONN.	SIZE	LOCATION	A.F.F.	SERVICE TO	REMARKS
P01	FD		FLOOR	0"		AREA DRAIN
P02	FD		FLOOR	-4"		FLOOR DRAIN LOCATED IN BOTTOM OF FLOOR RECESS.
P03	FD		FLOOR	0"		DIV. 22 IS TO EXTEND EQUIPMENT INDIRECT DRAIN TO FD.
P04	FS	8.5" SQ.	FLOOR	0"		DIV. 22 IS TO EXTEND EQUIPMENT INDIRECT DRAIN TO FS.
P05	FS	12" SQ.	FLOOR	0"		DIV. 22 IS TO EXTEND EQUIPMENT INDIRECT DRAIN TO FS. FURNISH WITH 3/4 GRATE.
P06	FS	12" SQ.	FLOOR	0"		DIV.22 IS TO EXTEND EQUIPMENT INDIRECT DRAIN TO FS. FURNISH WITH 3/4 GRATE. ALL SINKS IN THE FIXTURE CAN BE DRAINED SIMULTANEOUSLY.
P07	TD		FLOOR	0"		DIV. 22 TO FURNISH & INSTALL TD - 2" DRAIN CONNECTION.
P08	H & CW	1/2"	FLOOR	9"	FAUCET	BTC.
P09	H & CW	3/4"	FLOOR	9"	FAUCET	BTC.
P10	H & CW	3/4"	FLOOR	9"	COLLECTOR & TROUGH	BTC - CW ONLY TO COLLECTOR. REFER TO DETAIL 4, SHEET FS???.
P11	H & CW	3/4"	FLOOR	9"	SCRAPPING TABLE	BTC - COUNTER PRE-PIPED TO SINGLE POINT CONNECTION. REFER TO DETAIL 3, SHEET FS1???.
P12	DR	2"	FLOOR	9"	COLLECTOR	BTC.
P13	DR	2"	WALL	4"	COLLECTOR	BTC.
P14	HW (140°F)	3/4"	FLOOR	6"	DISHWASHER	BTC - 57 GPH @ 10.0 PSI., 20 PSI SUPPLY TO DISHWASHER.
P15	FS	12" SQ.	FLOOR	0"	DISHWASHER	DIV. 22 EXTEND & INDIRECT CONNECT DISHWASHER DR. TO FLOOR SINK. PROVIDE 3/4 FS. GRATE. PEAK FLOW OF DISHWASHER DR. IS 62.0 GPM.
P16	cw	1/2"	FLOOR	6"	DRAIN WATER TEMPERING DEVICE	BTC.
P17	HW (140°F)	3/4"	FLOOR	9"	DISHWASHER	BTC - 112 GPH @ 20.0 PSI.
P18	FS	12" SQ.	FLOOR	0"	DISHWASHER & SCUPPER DR.	DIV. 22 EXTEND & INDIRECT CONNECT DISHWASHER DR. & SCUPPER TO FLOOR SINK. PROVIDE 3/4 FS. GRATE. PEAK FLOW OF DISHWASHER DR. IS 15.0 GPM.
P19	CW	1/2"	FLOOR	9"	DRAIN WATER TEMPERING DEVICE	BTC.
P20	H (140°) & CW	1/2"	BAR DIE	8"	GLASS WASHER	BTC - 22 GPH @ 25 - 95 PSI.
P21	H & CW	1/2"	BAR DIE	12"	FAUCET	BTC.
P22	H & CW	1/2"	BAR DIE	12"	HAND SINK	BTC.
P23	CW	1/2"	BAR DIE	12"	CARBONATOR	BTC - DIV. 22 TO PROVIDE & INSTALL ASSE 1012 OR EQUIVALENT BACKFLOW PREVENTER (BFP) IN WATER LINE TO CARBONATOR. NO BRASS OR COPPER DOWNSTREAM OF BFP. NO SOFTENED WATER TO CARBONATOR.
P24	H & CW	1/2"	FLOOR	9"	SERVING COUNTER	BTC - COUNTER PRE-PIPED TO SINGLE CONNECTION POINT.
P25	FS	12" SQ.	FLOOR	0"	DISHWASHER & SCUPPER DR.	DIV. 22 EXTEND & INDIRECT CONNECT DISHWASHER DR. & SCUPPER TO FLOOR SINK. PROVIDE 3/4 FS GRATE. PEAK FLOW OF DISHWASHER DR. IS 115 GPH.

ELECTRIC	CONNECTIONS	SCHEDULE

HEIGHT IS TO CENTER LINE OF PIPE.

HEIGHT GIVEN IS TO BOTTOM OF ELECTRICAL BOX

NO.	CONN.	SERVICE TO	VOLTS	Ø	RATING	LOCATION	A.F.F.	REMARKS
E01	CS	COLLECTOR	460	3	3/4HP	FLOOR	9"	BTC.
E02	CS	BAIN MARIE HEATER	208	3	9.0KW	FLOOR	9"	BTC.
E03	FR	REFRIGERATED DISPLAY	208	1	1HP	FLOOR	0"	
E04	FR	ICE CREAM CASE	120	1	1/4HP	FLOOR	0"	
E05	JBP	DATA LINE				FLOOR	9"	DIV. 16/26 TO RUN EMPTY 1" CONDUIT FROM FROM JB
								TO OWNER DETERMINED LOCATION. DATA LINE RUN
								BY OWNER.
E06	CSR	CASH REGISTER	120	1	12.0A	FLOOR	9"	DEDICATED - EARTH GROUND - RECEPTACLE
								FURNISHED W/ EQUIPMENT.
E07	CS	CHEF'S COUNTER	120/208	3	60.0A	FLOOR	9"	BTC - LOAD CENTER IN EQUIPMENT BY SECTION
								114000. 4-WIRE, LOAD SHOWN IS ACTUAL
								LOAD PLUS 25%.

PLUMBING/MECHANICAL NOTES

THESE PLANS ARE NOT TO BE USED FOR ROUGHING-IN OF UTILITY SERVICES. REFER TO CONTRACTOR'S DIMENSIONED DRAWINGS.

- DIMENSIONS INDICATED ARE TO BE VERIFIED BY FOODSERVICE CONTRACTOR & ADJUSTED AS REQUIRED BY FOODSERVICE EQUIPMENT OR FIELD
- VENTILATE REFRIGERATION MACHINERY ROOMS TO PROVIDE MAXIMUM OF 95°F AMBIENT TEMPERATURE.
- ALL STEAM PRESSURES TO BE VERIFIED WITH ARCHITECT'S ENGINEERING DRAWINGS.
- DUCTS OF MULTIPLE EXHAUST HOODS WITH COMMON CONTROL PANEL MUST BE INTEGRATED FOR USE WITH A SINGLE FAN.
- EXHAUST DUCTS & FANS CONNECTED TO EXHAUST HOODS SHALL NOT SERVE ANY OTHER APPLIANCE OR AREA.
- DIV. 22 TO PERFORM THE FOLLOWING WORK. REFER TO DIVISION 22 DRAWINGS AND / OR SPECIFICATIONS FOR ADDITIONAL INFORMATION:
- FIELD INSTALLATION OF FITTINGS & ACCESSORIES PROVIDED LOOSE WITH THE FOODSERVICE EQUIPMENT.
- SERVICE SINKS, DRINKING FOUNTAINS & LAVATORIES.
- PVC OR STEEL CONDUITS FOR BEVERAGE SYSTEM AND / OR CENTRAL DETERGENT SYSTEMS TO BE WATERTIGHT & HAVE A MINIMUM RADIUS OF 24" LONG SWEEP ELBOWS.
- WATER SUPPLY PIPING FROM EXHAUST HOOD CONTROL PANELS TO SPRAY-WASH HEADS IN HOOD. "DETERGENT SUPPLY" COPPER TUBING, FROM CONTROL PANEL, TO INJECTOR FITTINGS, DOWNSTREAM OF VACUUM
- 10. WATER & GREASE-PROOF EXHAUST DUCTS FROM VENT CONNECTIONS OF DISHWASHERS, UTENSIL WASHERS & EXHAUST HOODS.
- 11. FLUSHING-OUT OF ALL PIPING AND DRAINAGE SYSTEMS PRIOR TO CONNECTION TO FOODSERVICE EQUIPMENT.
- 12. PIPE SLEEVES IN STRUCTURE FOR REFRIGERANT LINES, ETC., LOCATED BY CONTRACTOR'S SHOP DRAWINGS.

ELECTRICAL NOTES

THESE PLANS ARE NOT TO BE USED FOR ROUGHING-IN OF UTILITY SERVICES. REFER TO CONTRACTOR'S DIMENSIONED DRAWINGS.


- VERIFY ALL ELECTRICAL CHARACTERISTICS WITH ARCHITECT'S ENGINEERING DRAWINGS.
- DIMENSIONS INDICATED ARE TO BE VERIFIED BY THE FOODSERVICE CONTRACTOR & ADJUSTED AS REQUIRED BY THE FOODSERVICE EQUIPMENT AND / OR FIELD CONDITIONS.
- REFER TO ARCHITECT'S DRAWINGS FOR CLOCKS, STAFF TIME-CLOCKS & COMMUNICATION SYSTEMS IN FOODSERVICE AREAS.
- DIV. 16 / 26 TO PERFORM THE FOLLOWING WORK. REFER TO DIVISION 16 / 26 DRAWINGS AND / OR SPECIFICATIONS FOR ADDITIONAL INFORMATION:
- FIELD INSTALLATION OF FITTINGS & ACCESSORIES PROVIDED LOOSE WITH THE FOODSERVICE EQUIPMENT.
- ALL RECEPTACLES TO BE GFI PER CODES.
- CONDUIT & WIRING BETWEEN THE WALK-IN COOLER & FREEZER CONDENSING UNITS & THE EVAPORATORS FOR CONTROLS, FAN MOTORS & DEFROST
- CONDUIT & WIRING FROM EXHAUST HOODS FIRE EXTINGUISHING CYLINDER SWITCH TO EXHAUST HOOD DETECTORS, COOKING EQUIPMENT FUEL SHUT OFF DEVICES & ALARM.
- CONTACTOR OR SHUNT-TRIP BREAKER FOR FUEL SHUT-OFF TO ALL ELECTRICALLY HEATED COOKING EQUIPMENT INDICATED ON DRAWINGS. FUEL SHUT-OFF DEVICE SHALL BE ACTUATED BY FIRE EXTINGUISHING SYSTEM DETECTOR LOCATED IN EXHAUST HOOD.
- CONDUIT & WIRING FROM DISPOSER CONTROL TO TIME-DELAY RELAY, MAGNETIC STARTER, MOTOR & SOLENOID VALVE LOCATED BELOW COUNTER
- 10. CONDUIT & WIRING WITHIN THE WALL FROM REMOTE MOUNTED DISPOSER CONTROL PANEL MOTOR & SOLENOID VALVE LOCATED BELOW COUNTER TOP OR DISHTABLE.
- 11. WALL SWITCHES FOR LIGHT FIXTURES IN EXHAUST HOODS.

PLUMBING & MECHANICAL SYMBOLS

\oplus	HW	HOT WATER				
0	CW	COLD WATER				
•	DR	DRAIN				
	IW	INDIRECT WASTE (EXTEND TO FD)				
©	CWS	CHILLED WATER SUPPLY				
©	CWR	CHILLED WATER RETURN				
0	FD	FLOOR DRAIN				
0	FFD	FUNNEL FLOOR DRAIN				
	FS	FLOOR SINK				
	TD	TRENCH DRAIN				
G	G	GAS SUPPLY				
	EVC	EXHAUST VENT CONNECTION				
×	SVC	SUPPLY VENT CONNECTION				
•	FLR	DIRECT CONNECTED FLUE RISER				
	DFA	DROP FROM ABOVE				
	AFF	ABOVE FINISHED FLOOR				
	ВТС	BRANCH TO CONNECTION				

ELECTRICAL SYMBOLS

•	DR	DUPLEX RECEPTACLE
WP	WPR	WEATHERPROOF RECEPTACLE
7	WPS	WEATHERPROOF SINGLE SERVICE RECEPTACLE
•	SR	1 PHASE SINGLE PURPOSE RECEPTACLE
•	SR	3 PHASE SINGLE PURPOSE RECEPTACLE
0	DCR	DROP CORD RECEPTACLE
•	CSO	CONDUIT STUP-UP or STUB-DOWN
•	CS	CONDUIT STUP-OUT
•	JB	JUNCTION BOX IN WALL
•	JBP	JUNCTION BOX MOUNTED ON PEDESTAL
<u> </u>	JB	JUNCTION BOX MOUNTED IN CEILING
•	PMR	DUPLEX RECEPT. MOUNTED ON PEDESTAL
	CSR	CONDUIT STUB - BTC AT RECEPTACLE FURNISHED WITH EQUIPMENT.
•	FR	FLUSH FLOOR RECEPTACLE
\$	SW	WALL SWITCH
	DFA	DROP FROM ABOVE
	AFF	ABOVE FINISHED FLOOR
	втс	BRANCH TO CONNECTION



James R. Childers Architect, Inc.

> Fort Smith, AR 72901 479-783-2480 www.childersarchitect.com

45 South 4th Street

PROFESSIONAL SEAL:

ONSULTANT LOGO: HESMAN Group, LLC 7645 E. 63RD STREET SUITE 201 TULSA, OKLAHOMA 74133



ROKEE NATION ENTERTAINMI
TAHLEQUAH CASINO

PROJECT PHASE: BID PACKAGE 02

(100% Set)

SHEET NUMBER: FS116

03/27/18

17-06