

WorkWrite-Up and Bid Document/By Trade

Judy Hamilton

803 NW 15th Street Wagoner, OK 7-4467
(918) 960-4631

Contractor Name: _____

Contractor Signature: _____

This document must be signed to be a valid bid.

PROJECT TYPE: Rehabilitation

Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
<u>Carpentry</u>				
1	Area: KITCHEN Fire Extinguisher/Install. Install new fire extinguisher.	Div.# 10.G	1 Ea	<input style="width: 80px; height: 30px;" type="text"/>
<u>Electrical</u>				
2	Area: GARAGE Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal. Install in kitchen, hallway and all bedrooms.	Div.# 13.D. 11	5 Ea	<input style="width: 80px; height: 30px;" type="text"/>

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement. Contractor awarded the job will be responsible for conducting safe work practices that comply with OSHA Construction Standards for Asbestos Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See attached Asbestos Sampling Report for location and testing of Planned Work Activities.

Total:

Judy Hamilton-site directions, Norwood addition, Wagoner Ok. Take highway 51 to Wagoner turn left on 16 go to NW16thth St to 69.

803 NW 15th St. Wagoner Ok

918-960-4631