



HACN HOUSING REHAB SITE DIRECTIONS

Name: Stephon Carney

Telephone: (918)914-0038

Address: 518 east canadian ave
vinta, OK 74301

County: craig **Year Built:** _____

GPS Coordinates: _____ **Drive Time:** 1 hour 30 min

Directions: From Cherokee Nation,
Head east toward US-62 E .0 sec (13 ft) Take State Hwy 82 N to N 435 Rd/Carbide
Rd/True Rd in Mayes County
51 min (42.3 mi) Follow N 435 Rd/True Rd to US-69 N
15 min (11.0 mi)
Follow US-69 N to E Canadian Ave in Vinita
18 min (16.5 mi) Turn right onto E Canadian Ave Destination will be on the left
54 sec (0.3 mi)
518 E Canadian Ave Vinita, OK 74301

Tommy Tubbs 918 565 2103
Cost Estimator/Inspector

6/12/2025
Date



Map data ©2025, Map data ©2025 Google 5 mi

Tahlequah
Oklahoma 74464

↑ 1. Head east toward US-62 E

0 sec (13 ft)

Take State Hwy 82 N to N 435 Rd/Carbide Rd/True Rd in
Mayes County

51 min (42.3 mi)

↩ 2. Turn left onto US-62 E/S Muskogee Ave

1.8 mi

↪ 3. Turn right onto US-62 E

2.2 mi

↑ 4. Continue straight onto OK-82 BYP/State Hwy 82
N

📍 Continue to follow State Hwy 82 N

32.2 mi

↩ 5. Turn left onto OK-20 W/E Ferry St

📍 Continue to follow OK-20 W

6.1 mi

Follow N 435 Rd/True Rd to US-69 N

15 min (11.0 mi)

- ➔ 6. Turn right onto N 435 Rd/Carbide Rd/True Rd
📍 Continue to follow N 435 Rd/True Rd
10.5 mi
- ↶ 7. Turn left onto W 390 Rd
0.5 mi

Follow US-69 N to E Canadian Ave in Vinita

- ➔ 8. Turn right onto US-69 N
18 min (16.5 mi)
- ➔ 9. Turn right onto US-60 E/US-69 N/U.S. Bicycle
12.7 mi
Rte 66/U.S. Rte 66
3.8 mi
- ➔ 10. Turn right onto E Canadian Ave
📍 Destination will be on the left
54 sec (0.3 mi)

518 E Canadian Ave
Vinita, OK 74301

WorkWrite-Up and Bid Document/By Trade

Stephon Carney

518 east canadian ave vinita, OK 7-4301

(918) 914-0038

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing				
1 Area: ROOF		Div.# 7.A.	30 Sq	
	Replace Shingles / Install Heritage/30 Yr Warranty, Fiberglass shingles/Use Marlarky/Tamko or approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, Step Flashing & Slant Back Attic vents.			
2 Area: ROOF		Div.# 7.C	30 Sq	
	Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.			

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.

Total: