



HACN HOUSING REHAB SITE DIRECTIONS

unit #13607

Telephone: (918)964-0234

Address: 41574 S 559 Rd
Eucha, OK 74342

County: Delaware **Year Built:** 1994

GPS Coordinates: 36.4150449-94.8830568 **Drive Time:** 1hr



Directions: From Cherokee Nation, Turn left go 2mi turn right go 2mi towards hwy 10 go north 45mi towards jay ok turn left on hwy 20 go west approx 1.5 mi turn left onto n4559rd be first driveway on left

Melvin Blossom
Cost Estimator/Inspector

3/24/2025
Date

unit #13607 **Work Write-Up and Bid Document/By Trade**

41574 S 559 Rd Eucha, OK 7-4342
(918) 964-0234

Contractor Name: _____

Contractor Signature: _____

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date: _____

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
<u>Roofing</u>				
1	Area: ROOF Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarkey/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, Step Flashing & Attic vents.	<i>Div.# 7.A.</i>	22 Sq	<input type="text"/>
2	Area: ROOF Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.	<i>Div.# 7.C</i>	22 Sq	<input type="text"/>
3	Area: ROOF Sheathing/7/16" OSB/Replace. Replace existing sheathing/Use 7/16" OSB Where needed.	<i>Div.# 7.A</i>	160 SF	<input type="text"/>
<u>Sheetmetal & Gutters</u>				
4	Area: ROOF Gutters & Downspouts/Remove and Reinstall. Remove existing gutter and downspouts.Reinstall existing gutters and downspouts using new hardware and fasteners. Clean and recaulk all connections..	<i>Div.# 7.F.</i>	100 LF	<input type="text"/>

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.				Total: <input type="text"/>