

HACN HOUSING REHAB SITE DIRECTIONS

Name: <u>tammie Prince</u> Telephone: (918)575-7736

Address:


474049 hwy 51

stillwell, OK 74960

County: adair

Year Built: ____

GPS Coordinates: <u>35.82718,-94.57551</u> Drive Time: <u>45 min</u>



Directions: From Cherokee Nation, take stste nhwy 82 and ok-100 e to stillwell 32 miles turn left on hwy 59 go 1.5 mile turn right on 51 go 2.88 mike house on left

Jimmy Davis

918 316-1875

04/29/2025

Cost Estimator/Inspector

Date

WorkWrite-Up and Bid Document/By Trade tammie prince Contractor Name: 474049 hwy 51 stillwell, OK 7-4960 Contractor Signature: (918) 575-7736 This document must be signed to be a valid bid. PROJECT TYPE: Emergency Repairs **Bid Due Date:** Trade Work Description / Comments Gen. Spec. Oty Unit Item Bid **HVAC** Area: HVAC Div.# 12 1Ea HVAC Equipment Replacement/Central Heating & Cooling 3 ton /Upflow/ Propane Gas Furnace/3 TON System. INCLUDES: Electrical wiring, Coil Box, new coil, Copper Lines, Condensate Line, Thermostat, Filter Grill, Condenser. size new unit to size of house All construction shall be in accordance with local codes, manufacturers' recommended Total: installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by

Print Date: Tuesday, April 29, 2025

compliance with the more stringent requirement.