

HACN HOUSING REHAB SITE DIRECTIONS


Name: Patricia Maloney

Telephone: (918)533-3547

Address: 718 S Main St
Afton, OK 74331

County: Ottawa **Year Built:** 1900

GPS Coordinates: 36.58266,-95.68290 **Drive Time:** 1 Hr 30 Min



Directions: From Cherokee Nation, Continue to US-62 E/S Muskogee Ave 24 sec (407 ft) Head east 289 ft Turn left toward US-62 E/S Muskogee Ave 118 ft Take State Hwy 82 N to E 240 Rd/490 Rd/E0240 Rd in Delaware County 1 hr 29 min (73.8 mi) Turn left onto US-62 E/S Muskogee Ave 1.8 mi Turn right onto US-62 E 2.2 mi Continue straight onto OK-82 BYP/State Hwy 82 N Continue to follow State Hwy 82 N 46.7 mi Turn left to stay on State Hwy 82 N 15.7 mi Slight right to stay on State Hwy 82 N 325 ft Turn right onto US-60 E/US-69 N 4.3 mi Keep left to continue on US-69 N 3.1 mi Continue on E 240 Rd/490 Rd/E0240 Rd. Take S 510 Rd to S Main Ave in Afton 6 min (2.5 mi) Turn right onto E 240 Rd/490 Rd/E0240 Rd 1.0 mi Turn left at the 1st cross street onto S 510 Rd 1.0 mi Continue onto Ross Ave 253 ft Turn right onto 6th St 0.2 mi Turn right onto S Main Ave 0.2 mi 718 S Main St Afton, OK 74331

Rodney Carman (918) 506-9858
Cost Estimator/Inspector

5/29/2024
Date

WorkWrite-Up and Bid Document/By Trade

Patricia Maloney

718 S Main St Afton, OK 7-4331

(918) 533-3547

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Electrical				
1	Area: ENTIRE STRUCTURE	Div.# 13.D. 22	1600 SF	
Elect. System/Check all wiring, Replace/outlets, switches, fixtures and devices, / Make all repairs necessary to meet NEC requirements.				
2	Area: ELECTRICAL	Div.# 13.D. 1	1 Ea	
Main Service/200 Amp/Replace. Replace existing main service with new 200 Amp main service with 18 branch breakers.				
3	Area: ELECTRICAL	Div.# 13.D. 12	100 LF	
Overhead Wiring/Install new Overhead Service Cable to the house and into the 200 Amp service panel.				

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
	All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.			Total: