



## HACN HOUSING REHAB SITE DIRECTIONS

Name: Shirley Jones

Telephone: (479) 431-7302

Address: 1109 se 10<sup>th</sup> st  
Muldrow, OK 74548


County: Sequoyah

Year Built: 1985

GPS Coordinates: \_\_\_\_\_

Drive Time: 1 hr

35.40163  
94.58094



**Directions:** From Cherokee Nation, turn right on 62 hwy to 82 south to i-40 East to exit 64-b Muldrow turn Right on shawntel smith Blvd turn right on E Sequoyah st turn right on wilson rock rd, onto 10<sup>th</sup> last home on left.

~~James Davis~~ ~~Albert L. Leland~~ ~~(479) 506-9707~~  
Cost Estimator/Inspector

Date

5-6-25

Kaleb Kingfisher 918-506-9856

## WorkWrite-Up and Bid Document/By Trade

**Shirley Jones**

1109 SE 10th st Muldrow, OK 7-4548

(479) 431-7302

Contractor Name: \_\_\_\_\_

Contractor Signature: \_\_\_\_\_

*This document must be signed to be a valid bid.*

**PROJECT TYPE: Emergency Repairs**

**Bid Due Date:** \_\_\_\_\_

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
<b><u>Carpentry</u></b>				
1	Area: EXTERIOR	Div.# 6.P	64 SF	<input type="text"/>
Soffit/Plywood/Install. Install new soffit with new SMART SIDE PRODUCT soffit material.				
<b><u>Roofing</u></b>				
2	Area: ROOF	Div.# 7.A.	17 Sq	<input type="text"/>
Replace Shingles / Install Heritage/30 Yr Warranty, Fiberglass shingles/Use Marlarky/Tamko or approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, Step Flashing & Slant Back Attic vents.				
3	Area: ROOF	Div.# 7.C	17 Sq	<input type="text"/>
Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.				
4	Area: ROOF	Div.# 7.B	128 SF	<input type="text"/>
Sheathing/Replace/Match Existing. Replace existing sheathing. Match existing as closely as possible.				

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
--------------	------------------------------------	-------------------	-----------------	-----------------

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.

**Total:**