

WorkWrite-Up and Bid Document/By Trade

#14588

37419 CR 492 Euchla, OK 7-4342

(918) 230-8621

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Electrical				
1 Area: BATHROOM #1		Div.# 13.D. 1	1 Ea	
Main Service/150 Amp/Install. Install new main Service with new 150 AMP service with 18 branch breakers. . According to NEC				
2 Area: BATHROOM #1		Div.# 13	1 Ea	
Panel Box/Repair. See comments. Install a new LB and weatherhead on exterior of the house out of the new panel box				
HVAC				
3 Area: HVAC		Div.# 12	1 Ea	
HVAC /PACKAGE UNIT/ Heating & Cooling, 2.5 TON/14-15 SEER./NATURAL GAS HEAT; Includes Duct work, floor registers, Plenum, Return Air, Thermostat, and all necessary electrical wiring. This will be a new install There is no existing. Includes all new metal duct work under the floor and all electrical needed for a electric HVAC not natural gas. Size unit to the Sq Ft of the house				

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.				
Total:				