

WorkWrite-Up and Bid Document/By Trade

#14573

474535 E 1073 Rd Muldrow, OK 7-4948

(479) 719-9029

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Carpentry				
1 Area: EXTERIOR	Access Door/Replace. Replace access door. Add access door	Div.#8.A.1. D	1 Ea	
2 Area: EXTERIOR	Door/Exterior/Flush Faced/Pre-Hung Steel/Install. Install new exterior entrance door, pre-hung steel, flush faced. Work shall include paint-both sides, lockset, deadbolt & peephole. Mobile Home	Div.#8.A.	2 Ea	
3 Area: EXTERIOR	Interior Wall/2"x6"x8"Install 2/6/8Interior wall/ 16" O.C. Sister wall studs where	Div.#6.C.	96 LF	
4 Area: ENTIRE STRUCTURE	Siding Metal / Install new Metal siding Remove/Replace with 10ft pieces. Wants 1 whole piece ran from top to bottom. Add insulated bubble wrap for barrier.	Div.#15	1688 SF	

Print Date: Monday, October 5, 2026

474535 E 1073 Rd Muldrow, OK 7-4948

Page 1 of 3

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
<u>Carpentry</u>				
5 Area: EXTERIOR				
Storm Door/Vinyl Clad/Install. Install new self storing storm door, vinyl clad. Use Larson model 298-SS or written approved equal.	Div.#8.B	2 Ea		
6 Area: HALLWAY #1				
Subfloor/Repair. Repair subfloor/See comments. Remove/Replace subfloor match existing	Div.#6.D	81 SF		
7 Area: KITCHEN				
Subfloor/Repair. Repair subfloor/See comments. Remove/Replace subfloor match existing.	Div.#6.D	117 SF		
<u>Flooring</u>				
8 Area: INTERIOR				
Flooring/ Install vinyl Click Lock/waterproof/flooring planks. Install vinyl planks with 20 mil wear layer, 5.0 mil backing with 25 year residential warranty. Work shall include new base trim. Submit color samples to home owner for selection. Kitchen and Hallway where subfloor was replaced.	Div.#9.L	198 SF		
<u>Plumbing</u>				
9 Area: BATHROOM #1				
Commode/High Rise/Handicap /Replace commode with new high rise/Handicap commode with Seat & two (2) grab bars. include new shutoff, supply line, flange and wax ring. Examine condition of the flange . Consult owner for location of grab bars Bathroom next to Washer/Dryer	Div.#16.C.	1 Ea		
<u>Sheetmetal & Gutters</u>				

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Sheetmetal & Gutters				
10 Area: EXTERIOR	Foundation Vent/Install/ Vents. Install foundation vents/16" x 8".	Div.# 5. J.	10 Ea	
All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.				Total: