

WorkWrite-Up and Bid Document/By Trade

#12375

4813 W 730 Rd Hulbert, OK 7-4441
(918) 457-8619

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Carpentry				
1 Area: ROOF	Fascia/Replace/1" x 6". Replace Fascia/ Use SmartSide Textured pre-primed Fascia material. Fastnen using recommended nails. Caulk and paint.	Div.# 6.P	250 LF	
2 Area: ROOF	Roof/Brace. Brace roof. See comments. 2x4s to sister rafters	Div.# 6.I.	200 LF	
3 Area: ROOF	Soffit/Plywood/Install. Install new soffit with new SMART SIDE PRODUCT soffit material. Backside of home only. Add paint	Div.# 6.P	92 SF	
Roofing				
4 Area: ROOF	Replace Shingles / Install Heritage/30 Yr Warranty, Fiberglass shingles/Use Marlarkey/Tamko or approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Roof jacks, Valley Flashing, Step Flashing & Slant Back Attic vents or Ridge vents.	Div.# 7.A.	31 Sq	

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing				
5	Area: ROOF Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.	Div.# 7.C	31 Sq	
6	Area: ROOF Sheathing/Replace/Match Existing. Replace existing sheathing. Match existing as closely as possible.	Div.# 7.B	3100 SF	
<p>All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.</p>				Total: