

* 11651

WorkWrite-Up and Bid Document/By Trade

2010 Mulberry Jay, OK 7-4340
(918) 253-7945

Contractor Name: _____

Contractor Signature: _____

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Fireplace				
1	Area: ROOF Chimney/ Demo/ Remove exterior Chimney & Make all Adjacent repairs. will be removing the outside stove pipe and box in existing hole also will be leaving the inside flu pipe box	Div.# 4.N	1 Ea	<input type="text"/>
Roofing				
2	Area: ROOF Replace Shingles / Install Heritage/30 Yr Warranty, Fiberglass shingles/Use Marlarky/Tamko or approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, Step Flashing & Slant Back Attic vents.	Div.# 7.A.	20 Sq	<input type="text"/>
3	Area: ROOF Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal.	Div.# 7.C	20 Sq	<input type="text"/>
4	Area: ROOF Sheathing/Replace/Match Existing. Replace existing sheathing. Match existing as closely as possible. One area will be around the furnace exhaust pipe	Div.# 7.B	160 SF	<input type="text"/>

Print Date: Monday, March 23, 2026

2010 Mulberry Jay, OK 7-4340

Page 1 of 2

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty</i>	<i>Unit</i>	<i>Item Bid</i>
	<p>All construction shall be in accordance with the manufacturer's recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.</p>				<p>Total: <input type="text"/></p>