

Work Write-Up and Bid Document/By Trade

Deanna Scott
 Rt. 4 Box 687 Stilwell, OK 7-4960
 (918) 696-0003

Contractor Name: _____
Contractor Signature: _____

This document must be signed to be a valid bid.

PROJECT TYPE: Rehabilitation

Bid Due Date: _____

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Carpentry				
1 Area: KITCHEN	Fire Extinguisher/Install. Install new fire extinguisher.	Div.# 10.G	1 Ea	<input type="text"/>
Electrical				
2 Area: INTERIOR	Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	Div.# 13.D. 11	5 Ea	<input type="text"/>
HVAC				
3 Area: GARAGE	HVAC /Central/Cooling & Propane Gas Furnace Heating 3.5 TON/13 SEER, New HVAC Equipment (13 SEER). INSIDE AND OUTSIDE EQUIPMENT/INCLUDING; New Plenum, Duct Work. Ceiling grills. Complete new installation.	Div.# 12	1 Ea	<input type="text"/>
Plumbing				

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Plumbing	<p>4 Area: GARAGE</p> <p>Water Heater/ Natural Gas/40 Gallon. Replace water heater with a new 40 gal. gas water heater. Work shall include elevating to 18" (if in garage), TPR, combustion air, Gas Flex line, Flex water supply connections, and drain Pan. Code Legal Installation.</p>	Div.# 11.A	1 Ea	<input type="text"/>

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement. Contractor awarded the job will be responsible for conducting safe work practices that comply with OSHA Construction Standards for Asbestos Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See attached Asbestos Sampling Report for location and testing of Planned Work Activities.

Total:

Deana Scott-site directions, 918-696-0003 From Tahlequah go east on highway 51 to Wauhillau Road
turn south on Black top, 3rd driveway second house on the right.