

# Work Write-Up and Bid Document/By Trade

**Rose Guttillo**

Contractor Name: \_\_\_\_\_

Rt. 4 Box 686 Stilwell, OK 7-4960  
 (918) 696-3354

Contractor Signature: \_\_\_\_\_

*This document must be signed to be a valid bid.*

**PROJECT TYPE: Rehabilitation**

**Bid Due Date:** \_\_\_\_\_

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
<b>Carpentry</b>				
1	<b>Area: KITCHEN</b> Fire Extinguisher/Install. Install new fire extinguisher.	Div.# 10.G	1 Ea	
<b>Electrical</b>				
2	<b>Area: INTERIOR</b> Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	Div.# 13.D. 11	5 Ea	
<b>HVAC</b>				
3	<b>Area: GARAGE</b> HVAC /Central/Cooling & Propane Gas Furnace Heating 3.5 TON/13 SEER, New HVAC Equipment (13 SEER). INSIDE AND OUTSIDE EQUIPMENT/INCLUDING; New Plenum, Duct Work. Ceiling grills. Complete new installation.	Div.# 12	1 Ea	
<b>Plumbing</b>				

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
<b>Plumbing</b>				
<b>4 Area: GARAGE</b>				
	Water Heater/ Natural Gas/40 Gallon. Replace water heater with a new 40 gal. gas water heater. Work shall include elevating to 18" (if in garage), TPR, combustion air, Gas Flex line, Flex water supply connections, and drain Pan. Code Legal Installation.		Div.# 11.A 1 Ea	<input type="text"/>
	Propane unit			
<b>Roofing</b>				
<b>5 Area: ROOF</b>				
	Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Mafarkey/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, and Metal Slant Back Vents.		Div.# 7.A 30 Sq	<input type="text"/>
<b>6 Area: ROOF</b>				
	Sheathing/5/8" CDX/Replace. Replace existing sheathing/Use 5/8" CDX. Replace all deteriorated decking.		Div.# 7.A 64 SF	<input type="text"/>

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement. Contractor awarded the job will be responsible for conducting safe work practices that comply with OSHA Construction Standards for Asbestos Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See attached Asbestos Sampling Report for location and testing of Planned Work Activities.

Total:

Rose Guttillo-site directions, 918-696-3354 From Tahlequah go east on highway 51 to Wauhillau Road  
turn south on Black top, 3<sup>rd</sup> driveway first house on the right.