

Work Write-Up and Bid Document

Teresa Arteaga

Route 2 Bx 16313

Stilwell, OK

74960-

(918) 575-2330

Contractor Name

Contractor Signature

Bid Due Date:

Trade	Area	Description	Comments	Manual Spec	Quantity	Enter Bid
-------	------	-------------	----------	-------------	----------	-----------

Appliances

INTERIOR

1		Fire protection (Kiddie1-A : 10-B-C rec. fire extinguisher).	remove and replace fire extinguisher	10.F	1	EA <input type="text"/>
---	--	--	--------------------------------------	------	---	-------------------------

Electrical

INTERIOR

2		Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	replace smoke detectors	13.D.11	5	EA <input type="text"/>
---	--	--	-------------------------	---------	---	-------------------------

HVAC

GARAGE

Trade	Area	Description	Comments	Manual Spec	Quantity	Enter Bid
-------	------	-------------	----------	-------------	----------	-----------

HVAC

GARAGE

3		Central Air (13 SEER) & Heat/1,001 to 1,600sf/Install central air (13 SEER) and heat (gas-80% AFUE)/Complete system/Building sizes between 1,001 and 1,600sf.	remove and replace with 3 ton unit to include lineset, filter, filter grill, registers and stat	12	1280 SF	<input type="text"/>
---	--	---	---	----	---------	----------------------

Plumbing

GARAGE

4		Water Heater/Gas/40 Gallon/Install new 40 gal. gas water heater. Work shall include elevating to 18" (if in garage), replacement of TPR, all combustion air and gas & electrical hook-ups for code legal installation. Use Bradford White	remove and replace water heater	11.A	1 EA	<input type="text"/>
---	--	---	---------------------------------	------	------	----------------------

TOTAL

Teresa Arteaga

HWY 51 & 59 junction in Stilwell
Go East 2 & 8/10 mile on HWY 51
(you will pass WPM Clinic)
Turn right on N4740 Rd by Cemetery
First home on right