

Proposed Equipment Plan 65% DD SUBMITTAL

Cherokee Nation OSU CENTER FOR HEALTH SCIENCES

Prepared for Childers Architecture
June 14, 2019

Prepared by:
Interior Logistics



CPCI = CONTRACTOR PROVIDED-CONTRACTOR INSTALLED

OPCI = OWNER PROCURED-CONTRACTOR INSTALLED

OPVI = OWNER PROCURED-VENDOR INSTALLED

OPOI = OWNER PROCURED-OWNER INSTALLED

CNHPI = CHEROKEE NATION HEALTH PROVIDED & INSTALLED

OPVICI = OWNER PROCURED-VENDOR & CONTRACTOR INSTALLED

OPSVI = OWNER PROCURED-SPECIALTY VENDOR INSTALLED

OPSVCI = OWNER PROCURED-SPECIALTY VENDOR & CONTRACTOR INSTALLED

CNH-OSU TAHLEQUAH HEALTH SCIENCES CENTER: EQUIPMENT PLANNING

DEPT TITLE BASEMENT LEVEL: ANATOMY & SUPPORT SPACE**ARCH ROOM NO 3003****ROOM TITLE JANITORIAL, EQUIPMENT**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3037	2	Vacuum,Wet/Dry, Shop Type, Mobile, 16 Gal., Low Design	floor	approx 24" diam x 36"h	E 120V
OPVI	3052a	3	Burnisher-Polisher, Floor, 17 5rpm, Corded	floor/stored	22"w x 17"d x 42"h	E 120V
OPVI	3058	2	Extractor, Carpet, Multi Surface, Walk Behind, Maintenance free batteries	floor	27"w x 19"d x 43"h	E 120 Charging: 6V Batteries; 255Ah
OPVI	3059a	4	Scrubber, floor, Orbital: Walk Behind: Battery Operated 24V; 11 Gal Solution Tank; 14 Gal Recovery	floor	49"l x21"w x43.5"h	E 120 Charging; 2-12V Batteries
OPVI	3060	2	Burnisher, Walk behind, with maintenance free Battery	floor	59"l x24.5"w x42"h	E 120V
OPVI	3065b	6	Blow Dryer for Carpet, 3 speed, Mobile, w/handle	floor	18"w x15"l x24	E 115V
OPVI	3972	2	Cart, Trades Utility; for Facilities Maintenance or I.T. Dept, w/doors/drawers/poly		19.25"w x38"l x33.4"h	None

ARCH ROOM NO B001**ROOM TITLE BASEMENT LOCKERS, LOBBY & CIRCULATION**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
CPCI	1095	96	Lockers, Type & Qty TBD: Either Built In or Mfg	floor	Per Design	None
OPVI	3043	3	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None

ARCH ROOM NO B003**ROOM TITLE LAB, NEURO ANATOMY**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	2	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1340	51	Stool, Backrest, Adj.Ht with footring and casters, for standing height workstations	floor	18"w x17"d x 42"h	None

OPVI	1400a	9 Table, Standing Work Adjustable Height	floor	96"l x 36"d x adjustable ht	None
OPVI	2401	2 Cart, Utility; 3 Shelf; Mobile; Handles on Both Ends	floor	34"l x 19"d x 38"	None
OPVI	2505	1 Board, Bulletin, Rubber Tack, Aluminum Frame	wall	48"w x 48"h x2"d	None
OPVI	2518	12 Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPOI	2540	1 Anatomy Educational Models As Required to meet needs of classroom; Type & Qty TBD	stored	Varies	None
OPSVI	2944	1 Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3040b	4 Wastebasket, END Step-On,Plastic,Rectangular, 24 gallon, Colors: SS with Black Trim, Beige, Red	floor	22.5"w x 12.5"d x 28.75"h	None
CNHPI	3100	5 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3103	5 Dispenser, Soap; Automatic	wall	7"w x5"d x10.25"h	None; Battery Operated
OPOI	3907	2 Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	1 Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4106	1 Camera, Digital For Use in Labs: TO BE SPECIFIED BY OWNER I.T. DEPT	stored	n/a	None
OPOI	4108	1 Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPCI	4131	4 Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	8 Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
OPOI	4228	1 First Aid Kit, Wall Mounted; SPECIFICATIONS BY OSU SAFETY DEPARTMENT: REQUIRES BACKING	wall mount	Typical 7" w x 7.5" h x 3" d	None
OPOI	4229	1 SDS Folder/Manual & Wall Rack; SPECIFICATIONS BY OSU SAFETY DEPARTMENT: REQUIRES BACKING	wall mount	Typical 20"w x14"h x 4"d	None
OPVI	9240	1 Stool, Kik Step, 350# Capacity, Available in Silver, Gray, Black	floor	16" DIAMETER X 14"H	None

ARCH ROOM NO		B004				
ROOM TITLE		OFFICE, FACULTY; ANATOMY LAB				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		B005				
ROOM TITLE		PREP ROOM, NEURO ANATOMY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	3040b	1	Wastebasket, END Step-On,Plastic,Rectangular, 24 gallon, Colors: SS with Black Trim, Beige, Red	floor	22.5"w x 12.5"d x 28.75"h	None
OPVI	3088a	2	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3103	1	Dispenser, Soap; Automatic	wall	7"w x5"d x10.25"h	None; Battery Operated
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPVI	3269a	1	Refrigerator, Commercial, Single Solid Door, SS, on optional legs or casters	floor	27"w x 85"h x 29.5"d	E Ded 115V; 2.2 Amps; NEMA 5-15P
OPOI	4200	2	Autopsy Saw	stored	n/a	E 115V

OPOI	4205	15 Scissors, Dissection, Sharp/Sharp, Straight	stored	n/a	None
OPOI	4209	2 Mallet, Bone; hammer for chiseling or striking bone	stored	n/a	None
OPOI	4212	2 Hammer, Claw, Hardwood Handle	stored	n/a	None
OPOI	4213	15 Scalpel Handle, #4, SS, for use with #22 style blades	stored	n/a	None
OPOI	4214	15 Dissection Probes, Seeker, Bent End	stored	n/a	None
OPOI	4221	100 Towels, Hand, Used	stored	n/a	None
OPOI	4222	60 Clip Boards, Hardboard; 8.5" x 14", Legal Brown	stored	n/a	None
OPOI	4223	20 Containers, Storage, with lids, White, 18"x12"x6"; Polyethylene (Rubbermaid FG350900WHT with LID)	stored	n/a	None
OPOI	4223a	15 Containers, Storage, with lids, White, 18"x12"x3.5"; Polyethylene (Rubbermaid FG350700WHT with LID)	stored	n/a	None
OPOI	4225	2 Containers, Disposable; 165 ounce; 7.75x7.75	stored	n/a	None
OPOI	4227	1 Nalgene, HDPE Carboy with Spigot, (5 gallon/20 liter)	countertop	approx 18"w x 18"d x 24"h	None
OPOI	4230	2 Dissecting Trays, Plastic, 12 Per Pack, Beige 14" x18"x1"	stored	n/a	None
OPOI	4231	15 Forceps, Dressing; 6", SS	stored	n/a	None
OPOI	4232	2 Knife, Autopsy Dissecting, Grooved Handle, Secure Grip, Rigid tapered blade with pointed tip	stored	n/a	None
OPOI	4233	1 Knife, Standard Grade, Disposable, 10 Per PK, Double Honed, Flexible Blade	stored	n/a	None
OPOI	4234	1 Meat Slicer, Commercial Grade, 12", Die Cast Aluminum Body, Counter Plate, blade cover & carriage	countertop	n/a	E 120V; 15 amp
OPOI	4235	9 Office Type Supplies Such As Eraser Board Markers	stored	n/a	None
OPVI	9240	1 Stool, Kik Step, 350# Capacity, Available in Silver, Gray, Black	floor	16" DIAMETER X 14"H	None

ARCH ROOM NO B006**ROOM TITLE CADAVER STORAGE & LOADING**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3040a	1	Wastebasket, Front Step-On, Plastic, Rectangular, 24 gallon, Colors: Gray, Beige, Black, Red	floor	22.5"w x 13.75"d x 32.5"h	None
OPVI	3072	4	Container, 55 Gallon, Plastic with Lids & Dolly, Color TBD; for Cadaver Disected Parts;	floor	26.5" Diameter x 33"h	None
OPVI	3079	1	Bucket, Mop with ringer, Compact 26 Quart, on Casters, Yellow	floor	15.6"w x 18.6"l x 16.7"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3103	2	Dispenser, Soap; Automatic	wall	7"w x5"d x10.25"h	None; Battery Operated
CPCI	3115	4	Robe Hook, Double	wall	6x6x3	None
OPCI	3132	1	Shelf, Stainless, With Raised Edge For Cadaver Storage Area (WILL REQUIRE BACKING)	wall mount	18"w x 6"d x 2"h	None
OPSVCI	3276	1	Refrigerator, Morgue for up to 30 cadaver trays; DETAILS BY MFG	Built In	SEE MFG DESIGN DETAILS	TBD BY MFG
OPSVI	3277	1	Lift, Cadaver, End Operation	floor	95.2"l x33.2"w x29.2 adj ht	Battery Operated
OPSVI	3278b	2	Table, Cadaver, Prosection/Dissection; Style/Features TBD by Owner Review Board/Design Firm	floor	80"l x30"w x32-38" adj ht	None

ARCH ROOM NO B007**ROOM TITLE LAB, GROSS ANATOMY**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	2	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1339	12	Stool, Backrest, Adj.Ht, On Casters, for standing height workstations	floor	18"w x17"dx 42"h	None
OPVI	2401	2	Cart, Utility; 3 Shelf; Mobile; Handles on Both Ends	floor	34"l x 19"d x 38"	None
OPVI	2505	1	Board, Bulletin, Rubber Tack, Aluminum Frame	wall	48"w x 48"h x2"d	None

OPVI	2518	13 Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPVI	2523	2 Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPOI	2540	1 Anatomy Educational Models As Required to meet needs of classroom; Type & Qty TBD	stored	Varies	None
OPSVI	2944	1 Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3040b	4 Wastebasket, END Step-On,Plastic,Rectangular, 24 gallon, Colors: SS with Black Trim, Beige, Red	floor	22.5"w x 12.5"d x 28.75"h	None
OPVI	3088a	13 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
CNHPI	3100	8 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3103	8 Dispenser, Soap; Automatic	wall	7"w x5"d x10.25"h	None; Battery Operated
OPSVI	3278b	15 Table, Cadaver, Prosection/Dissection; Style/Features TBD by Owner Review Board/Design Firm	floor	80"l x30"w x32-38" adj ht	None
OPOI	3907	2 Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	1 Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4106	1 Camera, Digital For Use in Labs: TO BE SPECIFIED BY OWNER I.T. DEPT	stored	n/a	None
OPOI	4108	1 Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPCI	4131	4 Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	12 Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
OPOI	4228	1 First Aid Kit, Wall Mounted; SPECIFICATIONS BY OSU SAFETY DEPARTMENT: REQUIRES BACKING	wall mount	Typical 7" w x 7.5" h x 3" d	None
OPOI	4229	1 SDS Folder/Manual & Wall Rack; SPECIFICATIONS BY OSU SAFETY DEPARTMENT: REQUIRES BACKING	wall mount	Typical 20"w x14"h x 4"d	None
OPVI	8075	15 Bucket,Mobile,Stainless Steel,"Kickbucket", 12.5 Quart, Optional Kickstand & Cover	floor	12" diameter x 10"d	None

OPVI	9241	2	Stool, Rubber Foot Stool Platform, Single Step, Non Skid, 300# Capacity, Steel Construction	floor	14"w x11"d x9" step	None
------	------	---	---	-------	---------------------	------

ARCH ROOM NO B008
ROOM TITLE WORKROOM, ANATOMY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0212	4	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1412	1	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
OPVI	3310	1	Refrigerator, Undercounter, ADA 5.5 cubit ft, auto defrost, 5 YR Compressor Warranty, Color TBD	floor	23.63"w x 23.5"d x 32"h	E Ded 115V

ARCH ROOM NO B009
ROOM TITLE PREP ROOM, GROSS ANATOMY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	3020	1	Washer, Top Load 4.6 Cu Ft, Energy Star, With Sanitize Cycle: Stainless Steel Tub	floor	27"w x27"d install depth x31.5"D	E 120V, 20 Amp, HW,CW,D
OPVI	3021	1	Dryer, Front Load, Electric; Energy Star; High End Residential	floor	27"w x27"d install depth x31.5"D	E 240V
OPVI	3040a	1	Wastebasket, Front Step-On,Plastic,Rectangular, 24 gallon, Colors: Gray, Beige, Black, Red	floor	22.5"w x 13.75"d x 32.5"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3103	1	Dispenser, Soap; Automatic	wall	7"w x5"d x10.25"h	None; Battery Operated
OPSVI	3278b	1	Table, Cadaver, Prosection/Dissection; Style/Features TBD by Owner Review Board/Design Firm	floor	80"l x30"w x32-38" adj ht	None
OPOI	4200	2	Autopsy Saw	stored	n/a	E 115V

OPOI	4201	15 Forceps, Russian Tissue, SS, Ribbed Grip, Rounded Multi Tooth	stored	n/a	None
OPOI	4202	12 Forceps, Liston Bone Cutting, Straight	stored	n/a	None
OPOI	4203	15 Dissecting Kit, Student, 13 PCs, Vinyl Case	stored	n/a	None
OPOI	4204	15 Forceps, Adson, Tissue, 4.75", Standard grade SS, Extra Broad ribbed grip	stored	n/a	None
OPOI	4205	20 Scissors, Dissection, Sharp/Sharp, Straight	stored	n/a	None
OPOI	4206	10 Forceps, Hemostatic, Rochester Pean, with finger ring grip, SS, Curved, Straight, Serrated	stored	n/a	None
OPOI	4207	1 Knife, Standard Grade Sheffield SS, 10 PK, Double honed, flexible blade	stored	n/a	None
OPOI	4208	5 Skull Breaker, Virchow; T handle grip with thin access blade, SS	stored	n/a	None
OPOI	4209	5 Mallet, Bone; hammer for chiseling or striking bone	stored	n/a	None
OPOI	4210	8 Chisel, 1/2 inch, Wood	stored	n/a	None
OPOI	4211	8 Chisel, 1 inch, Wood	stored	n/a	None
OPOI	4213	15 Scalpel Handle, #4, SS, for use with #22 style blades	stored	n/a	None
OPOI	4214	15 Dissection Probes, Seeker, Bent End	stored	n/a	None
OPOI	4215	10 DIS-Spray; Tissue Preservative	stored	n/a	None
OPOI	4216	15 Bio-Perm Concentrate; Tissue Preservative	stored	n/a	None
OPOI	4217	20 Disaster Pouch, Medium Weight, Blue, Envelope Zip, Adult 94"l x 36"w	stored	n/a	None
OPOI	4218	6 Cremation Trays, Plywood Bottom 2 Per Pk	stored	n/a	None
OPOI	4219	15 Head Rest-Vari Pose Head & Body Block	stored	n/a	None

OPOI	4220	50 Sheets, Twin Size, Used	stored	n/a	None
OPOI	4221	250 Towels, Hand, Used	stored	n/a	None
OPOI	4222	60 Clip Boards,Hardboard; 8.5" x 14", Legal Brown	stored	n/a	None
OPOI	4223	10 Containers, Storage, with lids, White, 18"x12"x6"; Polyethylene (Rubbermaid FG350900WHT with LID)	stored	n/a	None
OPOI	4224	4 Meat Saw, Stainless Steel Butcher Hand, with trigger lock, ergonomic handle	stored	n/a	None
OPOI	4225	1 Containers, Disposable; 165 ounce; 7.75x7.75	stored	n/a	None
OPOI	4227	3 Nalgene, HDPE Carboy with Spigot, (5 gallon/20 liter)	countertop	approx 18"w x 18"d x 24"h	None
OPOI	4230	2 Dissecting Trays, Plastic, 12 Per Pack, Beige 14" x18"x1"	stored	n/a	None
OPOI	4235	15 Office Type Supplies Such As Eraser Board Markers	stored	n/a	None
OPOI	4236	30 Spray Bottles, 32 Ounce, for Disinfecting Surfaces	stored	N/A	None
OPVI	8075	1 Bucket,Mobile,Stainless Steel,"Kickbucket", 12.5 Quart, Optional Kickstand & Cover	floor	12" diameter x 10"d	None
OPVI	9240	3 Stool, Kik Step, 350# Capacity, Available in Silver, Gray, Black	floor	16" DIAMETER X 14"H	None

ARCH ROOM NO B012A

ROOM TITLE HOLDING AREA; LAUNDRY & TRASH CARTS (NEAR MAIL RM)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3026	2	Cart, Laundry, On Casters, 2 x 4 Bushel sections, with cover, metal folding frame, vinyl container	FLOOR	24.1"l x 35"w x 33"h	NONE
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3063	1	Waste Container, Mobile, For Curb Side Use, 50 Gallon, Gray	floor	24"w x 30"d x 39.75"h	None
OPVI	3063a	1	Waste Container, Mobile, For Curb Side Use, 50 Gallon, Blue	floor	23.5"w x 28.5"d x 36.5"h	None

ARCH ROOM NO B014

ROOM TITLE MAILROOM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	1094	6 Tote (Bin) for Postage Handling, 3 per pack	stored	17"l x 12.5"w x 11"d	None
OPVI	2254d	1 Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf	floor	36"w x 24" x 72"h	None
OPVI	2406	1 Cart, Utility, Mobile, Plastic, 2 Open Shelves; Heavy Duty 500 # Capacity	floor	39"l x 18"wx 33"h	None
OPVI	2451	1 Dolly, General Use, 4 wheels, open frame, carpeted top	stored	18x30x6	None
OPOI	2455	2 Dolly, Wheeled, Convertible, flatless tires, aluminum, 1000 lb capacity	floor	18"w x 18.75"d x 45.5"h	None
OPVI	2602a	1 Stool, Folding for sitting in front of mail workcounter	floor	20"w x 20"d x 42"h	None
OPVI	2752	2 Mats, Runners, Anti Fatigue, Reconfigurable Available in 2ft and 3ft widths	floor	TBD	None
OPSVI	2941	1 Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1 Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None
OPVI	3269c	1 Refrigerator, Household, 2 Door, Freezer On Top (NO ICEMAKER)	floor	30"w x 31"d x 69"h	E Ded 115V
OPOI	3766	1 Meter, Postage, Semi Automatic up to 60 PPM (TYPICALLY LEASED) TO BE SPECIFIED BY OWNER	desktop	16"w x 15.5"d x 11.5"h	E 115V; Data-Com

ARCH ROOM NO B015
ROOM TITLE OFFICE, SHARED; FACILITIES & HOUSEKEEPING

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary, Std.Back, 5-Legged, On Casters, Ergonomic, Adj. Short Arms	floor	Typical 24.5w x 28"d x 37"h	None
OPVI	0385	1	Bookcase, Non-Sectional, Open, 5 Adj. Shelves	floor	36x12x65	None
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPVI	2254	4	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO B016
ROOM TITLE OFFICE, SHARED; SECURITY (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary, Std. Back, 5-Legged, On Casters, Ergonomic, Adj. Short Arms	floor	Typical 24.5w x 28"d x 37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x 24"d x 32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x 18"d x 64"h	none
OPVICI	1500c	1	Workstation, Open Office Furniture System, Modular, 2 person, To Include Upper Storage	floor	Various	E 115V Quad: Data Com
OPVI	2291b	1	Taser Storage, 4 compartments, 2x2 Configuration, 14 gauge steel with rubber matting	E1-918-04	25"W x 26"H x 22"D	E 115V
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPCI	3131	2	Shelf, Stainless, With Clothing Rod For Security Office (WILL REQUIRE BACKING)	wall mount	24"w x 8"d x 8"h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3915	1	Printer, Badge; Student/Staff ID & Access Control: SPECIFICATIONS BY OWNER/3RD PARTY	desktop	Typical 18.75"w x 20.4"d x 13.2"h	E 115V: Data
OPCI	4137	4	Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x 24.3"h	E 115V; Data

ARCH ROOM NO B018
ROOM TITLE M.D.F. BASEMENT

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254	3	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None

OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3202	2	Bin, Parts, Storage, Mobile, Double Sided Louvered Panel Customize Bins, 5" Swivel Casters w/brake	floor	36"w x 25.75"d x72.5"h	None

ARCH ROOM NO B019

ROOM TITLE ELECTRICAL, MAIN

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2656	1	Ladder, 3FT TYPE IAA FIBERGLASS STEP LADDER WITH SHELF	stored on wall	19.75"W X 8"D X36"H	None
OPVI	2658a	1	Ladder, 10FT REACH HEIGHT FIBERGLASS PLATFORM LADDER W/CASTERS 4FT	stored on wall	25.5"w x10"d x72"h	None
OPCI	2659	1	Rack, Ladder: Wall Mounted: for hanging ladders: Rubbermaid Fastrack Organizer	wall	48" w x 2.5"d x 3"h	None

ARCH ROOM NO B022

ROOM TITLE JANITORIAL, LEVEL BASEMENT

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2265	3	Shelving, Wall; 2 Stainless Steel shelves for supply storage: REQUIRES BACKING	wall mounted	12"d x 36"w	None
OPVI	2609	1	Rack, Wall Mounted to hold mops, etc...	floor	36"w x 1.5"d x 5"h	None
OPVI	3048	1	Truck, Janitorial, Mobile, Locked Storage/2 Buckets/Wringer, Trash collection	floor	20x50x38	None
OPSVI	3049	1	Mops, Mop Heads, Dust Mops, etc...for Janitorial Cleaning TBD & Provided BY Owner Supply	stored	VARIES	None
OPVI	3051	1	Vacuum, Upright; Commercial; with attachments	floor/stored	18"w x 13"d x 44"h	E 120V

ARCH ROOM NO B023

ROOM TITLE TOILET, MENS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	3135	1	Diaper Changing Station, Horizontal Drop Down	wall	22"d x35.5"l x5.25"h	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None
ARCH ROOM NO		B024				
ROOM TITLE		OFFICE, FACULTY; ANATOMY LAB				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		B025				
ROOM TITLE		TOILET, WOMENS				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	3135	1	Diaper Changing Station, Horizontal Drop Down	wall	22"d x35.5"l x5.25"h	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO B026

ROOM TITLE ALCOVE, COPY: (CORRIDOR BETWEEN ANATOMY OFFICES)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3763	1	Shredder, Cross Cut, 12 Gallon Capacity, 18 sheets feed,	floor	11.25" x 21"d x 28"h	E 115V

ARCH ROOM NO B027

ROOM TITLE OFFICE, FACULTY; ANATOMY LAB

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

DEPT TITLE LEVEL ONE: SIMULATION LAB**ARCH ROOM NO 020****ROOM TITLE ALCOVE, SCRUB SINK (NORTH)**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	3104	3	Dispenser, Soap, FOOT OPERATED, TO BE CONFIGURED INTO THE SCRUB SINK	N/A	N/A	TBD
CPCI	3133	1	Shelf, Stainless Steel, of appropriate length & depth, INTEGRATE INTO SCRUB SINK CONFIGURATION	wall	TBD	None

ARCH ROOM NO 030**ROOM TITLE ALCOVE, SCRUB SINK (SOUTH)**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	3104	3	Dispenser, Soap, FOOT OPERATED, TO BE CONFIGURED INTO THE SCRUB SINK	N/A	N/A	TBD
CPCI	3133	1	Shelf, Stainless Steel, of appropriate length & depth, INTEGRATE INTO SCRUB SINK CONFIGURATION	wall	TBD	None

ARCH ROOM NO 1031**ROOM TITLE CORRIDOR, SIMMULATION**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 1032**ROOM TITLE SIMMULATION ROOM, MEDICAL SURGICAL**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1005	1	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1335	1	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	2522	1	Board, Marker, On Mobile Base, Cleanable Surface	floor	24.4" diameter base	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3040b	1	Wastebasket, END Step-On, Plastic, Rectangular, 24 gallon, Colors: SS with Black Trim, Beige, Red	floor	22.5"w x 12.5"d x 28.75"h	None

OPVI	3041	1 Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3088b	1 Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102a	1 Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3102b	1 Dispenser, Soap; Horizontal, ADA, 40 Oz liquid soap capacity, SS,	wall	8 3/16"w x 2 7/8"d x 4 13/16"h	None
CPCI	3175	1 Medical Gases, Piped w/Outlets To Be Located for HEADWALL Access; HORIZONTAL	ceiling/wall	Varies	Med.Gases
OPOI	3902	1 Workstation On Wheels; With Basket; Top To accommodate portable equipment/laptops/etc...	floor	18"w x 20"d x 42"h	E 115V for Charging
OPOI	3908	1 Computer, ALL IN ONE: TO MEET EMS STANDARDS & SPECIFICATIONS BY OWNER I.T.	counter/stored	N/A	E 115V; Data-Com
OPCI	4137	1 Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
OPSVI	5824g	1 Ultrasound Unit, Can be Hand Carried Battery Operated; SONOSITE EDGE II:REFER TO OWNER PROVIDED	stored	12.1"w x 12.8"l x 2.5"h	E 115V for charging
OPSVI	7315	2 Medical Air Flowmeter: Latch Key Chemetron Style Quick Connect: With accessories	stored	stored/attached	Medical Air
OPSVI	7316	2 Oxygen Flowmeter: Latch Key Chemetron Style Quick Connect; With accessories	stored	stored/attached	Medical Air
OPSVI	7317	2 Vacuum Regulator: Latch Key Chemetron Style Quick Connect ; With accessories	Stored	stored/attached	Medical Vacuum
OPSVI	8066	1 Bed, Hospital Patient, Standard, Hi/Lo, Electric with Mattress, Go Bed II by Stryker	floor	94.25l x 40"w x 14.5-29"ht	E 120V; Hospital Grade Plug
OPVI	8160	1 Cart, Emergency; 6 drawer; ADULT with supplies & accessories	floor	29"w x 24.5"d x 46.5"h	E 115V for charging equipment on cart
OPVI	8166	1 Cart, Procedures Set Up, 7 Drawer with basic electronic pushbutton lock	floor	23"w x 25"d x 40"h	None
OPSVCI	8403c	1 Headwall, Patient Service, One Bed with accessories for mounting equipment; 2 Mock EA; O2, Air, Vac	wall/floor	See Details	See Mfg Design for Multiple Power/Data

OPSVI	8407	1	Locator, Bed; With Multiple Power, Data, ? USB,	wall	See Mfg Design	None
OPSVI	8705	1	Monitor, Defibrillator, 12 Lead ECG & Vital Signs; BP, Pulse, SPO2, Resp; Place on #8160 Cart	cart	14"w x 12"d x 12"h	E 115V; Data/Com
OPVI	8801	1	Pump, Infusion; SPECIFICATIONS BY OWNER; UNIT CAN BE MOUNTED TO IV STAND	stored	20diam x65	E 115V(recharging)
OPVI	9241	1	Stool, Rubber Foot Stool Platform, Single Step, Non Skid, 300# Capacity, Steel Construction	floor	14"w x11"d x9" step	None
OPVI	9299	1	Stand, IV, with 4 Rams Horn Hooks, 5 legged, mobile	floor	16" diameter	None
OPVI	9301b	1	Stand, Mayo, Removable Tray,Adj.Ht.With Claw Foot Mobile Base	floor	18" Square Base: 19.5" x 12.5" tray	None
OPSVI	9304a	1	Table, Overbed, Adjustable Height, with tray/Mirror Section	floor	21.25"w x 32"l x adj ht	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:

ARCH ROOM NO 1033

ROOM TITLE CUBBIES, SIM AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CNHPI	3102a	1	Dispenser, Waterless Hand Sanitizer	wall	TBD	None

ARCH ROOM NO 1034

ROOM TITLE CONTROL ROOM, MEDICAL SURGICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150f	1	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms: FUTURE PURCHASE	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181a	2	Chair, Rotary, Std.Back, On Casters, Ergonomic,WITH Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1079f	1	Desk, Single Pedestal, Pencil/Storage/File Drawer	floor	72"l x 24"d x 30"h	None
OPVI	2517	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 18"w x 24"h x 1"d	wall	18"w x 24"h x 1"d	None
OPSVI	2941f	1	Telephone, Standard: FUTURE PLACEMENT	desktop	10"D X 8"W X 4"H	Data-Com

OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907s	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO MEET EMS STANDARDS & BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPOI	3907z	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; FUTURE PURCHASE:TO BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPVI	3940	1	Keyboard Tray, Style, Size TBD	under desk	TBD	None

ARCH ROOM NO 1035

ROOM TITLE OBSERVATION ROOM, MEDICAL SURGICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0182	5	Chair, Rotary, Std.Back, 4-Leg-Static, Ergonomic, Partial Arm, For Standing Height Counters	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 1036

ROOM TITLE ALCOVE, MEDICATION (BETWEEN ER & MED SURGE)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3062a	1	Wastebasket, Office,Tall, 23 gal, with flip lid (Blue Recycling-HIPPA)	floor	20lx11wx30h	None
OPSVI	5030	1	Controlled Dispensing System, 6 Drawer Main + 7 Drawer Auxillary Cabinet + Single Column Auxillary	floor	76.6"w x28"d+5" clearance x79.5"h	E Ded 115V Quad; x2 Data Com

ARCH ROOM NO 1037

ROOM TITLE DEBRIEF, SIM 1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1005	2	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1403g	4	Table, Conference Type, Flip-Top, Nesting	floor	54"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4130	1	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data

ARCH ROOM NO 1038

ROOM TITLE CONTROL ROOM & OBSERVATION, EMERGENCY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150f	1	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms: FUTURE PURCHASE	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181a	3	Chair, Rotary, Std.Back, On Casters, Ergonomic,WITH Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1079f	1	Desk, Single Pedestal, Pencil/Storage/File Drawer	floor	72"l x 24"d x 30"h	None
OPVI	2517	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 18"w x 24"h x 1"d	wall	18"w x 24"h x 1"d	None
OPSVI	2941f	1	Telephone, Standard: FUTURE PLACEMENT	desktop	10"D X 8"W X 4"H	Data-Com
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3039a	3	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None

CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
OPOI	3907s	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO MEET EMS STANDARDS & BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPOI	3907z	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; FUTURE PURCHASE:TO BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPVI	3940	2	Keyboard Tray, Style, Size TBD	under desk	TBD	None

ARCH ROOM NO 1040

ROOM TITLE SIMMULATION ROOM, EMERGENCY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1335	2	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	2522	1	Board, Marker, On Mobile Base, Cleanable Surface	floor	24.4" diameter base	None
OPVI	2524	1	Board, Marker; Chalkless; Cleanable Surface; SPECIAL SIZE REQUEST 3' x 3'	wall	36"w X 36"h X 1"D	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088b	2	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
OPSVI	3089	2	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102a	2	Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3102b	1	Dispenser, Soap; Horizontal, ADA, 40 Oz liquid soap capacity, SS,	wall	8 3/16"w x2 7/8"d x4 13/16"h	None
CPCI	3175	2	Medical Gases, Piped w/Outlets To Be Located for HEADWALL Access; HORIZONTAL	ceiling/wall	Varies	Med.Gases

OPOI	3902	2 Workstation On Wheels; With Basket; Top To accommodate portable equipment/laptops/etc...	floor	18"w x 20"d x 42"h	E 115V for Charging
OPOI	3908	2 Computer, ALL IN ONE: TO MEET EMS STANDARDS & SPECIFICATIONS BY OWNER I.T.	counter/stored	N/A	E 115V; Data-Com
OPCI	4137	2 Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
OPSVI	7315	4 Medical Air Flowmeter: Latch Key Chemetron Style Quick Connect: With accessories	stored	stored/attached	Medical Air
OPSVI	7315	2 Medical Air Flowmeter: Latch Key Chemetron Style Quick Connect: With accessories	stored	stored/attached	Medical Air
OPSVI	7316	4 Oxygen Flowmeter: Latch Key Chemetron Style Quick Connect; With accessories	stored	stored/attached	Medical Air
OPSVI	7317	4 Vacuum Regulator: Latch Key Chemetron Style Quick Connect ; With accessories	Stored	stored/attached	Medical Vacuum
OPSVI	8060	2 Stretcher, Multi Functional; Hydraulic Lift, Roller Bumpers, Side rails,	floor	81"l x31.5"d x22 to 35.5"h	None
OPVI	8160	1 Cart, Emergency; 6 drawer; ADULT with supplies & accessories	floor	29"w x24.5"d x46.5"h	E 115V for charging equipment on cart
OPVI	8166	2 Cart, Procedures Set Up, 7 Drawer with basic electronic pushbutton lock	floor	23"w x25"d x40"h	None
OPSVCI	8403c	2 Headwall, Patient Service, One Bed with accessories for mounting equipment; 2 Mock EA; O2, Air, Vac	wall/floor	See Details	See Mfg Design for Multiple Power/Data
OPSVI	8407	2 Locator, Bed; With Multiple Power, Data, ? USB,	wall	See Mfg Design	None
OPSVI	8705	1 Monitor, Defibrillator, 12 Lead ECG & Vital Signs; BP, Pulse, SPO2, Resp; Place on #8160 Cart	cart	14"w x 12"d x 12"h	E 115V; Data/Com
OPVI	8801	2 Pump, Infusion; SPECIFICATIONS BY OWNER; UNIT CAN BE MOUNTED TO IV STAND	stored	20diam x65	E 115V(recharging)
OPVI	9241	2 Stool, Rubber Foot Stool Platform, Single Step, Non Skid, 300# Capacity, Steel Construction	floor	14"w x11"d x9" step	None
OPVI	9299	2 Stand, IV, with 4 Rams Horn Hooks, 5 legged, mobile	floor	16" diameter	None
OPVI	9301b	2 Stand, Mayo, Removable Tray,Adj.Ht.With Claw Foot Mobile Base	floor	18" Square Base: 19.5" x 12.5" tray	None
OPSVI	9304a	2 Table, Overbed, Adjustable Height, with tray/Mirror Section	floor	21.25"w x 32"l x adj ht	None

CPCI 9993 2 Track, Cubicle Privacy Curtain, of ceiling as required-see layout None:
Appropriate Size & fabric type

ARCH ROOM NO 1041

ROOM TITLE STORAGE, SIMMULATION SUITE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254c	4	Shelving Unit, Open Wire Shelves, Mobile, With Liner for Bottom Shelf; various hts,wtds,depths	floor	72"w x24" x72"h	None
OPVI	2254d	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf	floor	36"w x24" x72"h	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPSVI	5824g	1	Ultrasound Unit, Can be Hand Carried Battery Operated; SONOSITE EDGE II:REFER TO OWNER PROVIDED	stored	12.1"w x 12.8"l x 2.5"h	E 115V for charging
OPVI	7318	2	Oxygen Administration Setup, Mobile, Emergency Use, Complete with 2 Empty tanks	floor	15x15x24	None
OPVI	7320	2	Pump, Surigical Suction, Portable	stored	14"w x12"d x 10"h	E 115V
OPVI	7325	2	Ventilator, Portable Respiratory, Rechargeable, 4 Hou Lithium Ion Battery,Can be Mounted to IV Pole,	stored	11.3" h x 7.1" w x 3.3" d	E 115V for charging
OPVI	8570d	5	Light,Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPVI	8781	4	Otoscope/Ophthalmoscope,Rechargeable Handle,Complete, With Desk Charger	stored	10"w x 6"d x 3"h	E 115V for Charger-Battery

ARCH ROOM NO 1042

ROOM TITLE TOILET, SIM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 1043**ROOM TITLE ALCOVE, STRETCHER**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	9258	1	Stretcher, Ambulance-Cot, Manual	floor	23"w x 80"l x adj ht 13.8"-42.2"	None
OPVI	9259	1	Stretcher, Ambulance-Cot, Powered	floor	23"w x 81"l x adj ht 13.8"-42.2"	None
OPVI	9856	1	Wheelchair,Folding,Adult,Upholstered Seat & Back	floor	24x30x42	None

ARCH ROOM NO 1044**ROOM TITLE TOILET, SIM**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 1045**ROOM TITLE ALCOVE, COFFEE**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3218	1	Brewing System, Automatic, Air Pot, With Hot Water Disp, Single with 2 Extra Air Pots for Mtg Areas	countertop	10"w x 17.5"d x21.75"h	120V;SP;17amp;4 Wire; water supply
OPVI	3349	1	Microwave Oven,Household Type, 2.2 Cu Ft, 1650 watts	countertop	13.75"h x24"w x 19.43"d	E 120V: 13.9 amps

ARCH ROOM NO 1046**ROOM TITLE OFFICE, SIM**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None

OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 1047

ROOM TITLE SIMMULATION ROOM, MATERNITY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1016	1	Chair, Rocking, Simple, for Maternity Simm Room	floor	24"w x 24"d x 38"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1335	1	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	2522	1	Board, Marker, On Mobile Base, Cleanable Surface	floor	24.4" diameter base	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None

CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102a	1 Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3175	2 Medical Gases, Piped w/Outlets To Be Located for HEADWALL Access; HORIZONTAL	ceiling/wall	Varies	Med.Gases
CPCI	3175a	1 Medical Gases, Piped w/Outlets To Be Located for Wall Access; HORIZONTAL	wall	Varies	Med.Gases
OPOI	3902	1 Workstation On Wheels; With Basket; Top To accommodate portable equipment/laptops/etc...	floor	18"w x 20"d x 42"h	E 115V for Charging
OPOI	3908	2 Computer, ALL IN ONE: TO MEET EMS STANDARDS & SPECIFICATIONS BY OWNER I.T.	counter/stored	N/A	E 115V; Data-Com
OPCI	4137	2 Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
OPSVI	7315	2 Medical Air Flowmeter: Latch Key Chemetron Style Quick Connect: With accessories	stored	stored/attached	Medical Air
OPSVI	7316	2 Oxygen Flowmeter: Latch Key Chemetron Style Quick Connect; With accessories	stored	stored/attached	Medical Air
OPSVI	7317	2 Vacuum Regulator: Latch Key Chemetron Style Quick Connect ; With accessories	Stored	stored/attached	Medical Vacuum
OPVI	8051	1 Bassinet, Infant, Standard with stand, add basket & mattress	floor	18.25"w x31.5"l x37.75"h	None
OPSVI	8067	1 Bed, Birthing, Standard, Hi/Lo, Electric with Mattress, LD304 by Stryker	floor	93"l x41"w x17.5-35.5"ht	E 120V; 10 Amp Hospital Grade Plug
OPVI	8160	1 Cart, Emergency; 6 drawer; ADULT with supplies & accessories	floor	29"w x24.5"d x46.5"h	E 115V for charging equipment on cart
OPVI	8166	1 Cart, Procedures Set Up, 7 Drawer with basic electronic pushbutton lock	floor	23"w x25"d x40"h	None
OPSVCI	8403e	1 Headwall, Patient Service, 1 Bed: OB SPECIAL CABINERY CONFIG FOR STORAGE;2 Mock EA;O2, Air, Vac	wall/floor	See MFG Details	See Mfg Design for Multiple Power/Data
OPSVI	8407	1 Locator, Bed; With Multiple Power, Data, ? USB,	wall	See Mfg Design	None
OPSVI	8705	1 Monitor, Defibrillator, 12 Lead ECG & Vital Signs; BP, Pulse, SPO2, Resp; Place on #8160 Cart	cart	14"w x 12"d x 12"h	E 115V; Data/Com
OPOI	8705x	1 Monitor, Fetal Heart; details/technical specifications to be reviewed/decided by owner	stored	13.75"w x 13"d x5"h	E Ded 120; data/com

OPVI	8801	1	Pump, Infusion; SPECIFICATIONS BY OWNER; UNIT CAN BE MOUNTED TO IV STAND	stored	20diam x65	E 115V(recharging)
OPVI	9241	1	Stool, Rubber Foot Stool Platform, Single Step, Non Skid, 300# Capacity, Steel Construction	floor	14"w x11"d x9" step	None
OPVI	9299	1	Stand, IV, with 4 Rams Horn Hooks, 5 legged, mobile	floor	16" diameter	None
OPVI	9301b	1	Stand, Mayo, Removable Tray,Adj.Ht.With Claw Foot Mobile Base	floor	18" Square Base: 19.5" x 12.5" tray	None
OPSVI	9304a	1	Table, Overbed, Adjustable Height, with tray/Mirror Section	floor	21.25"w x 32"l x adj ht	None
OPVI	9849	1	Warmer, Infant with MOCK on board air-O2, hooded light	floor	25.5"w x 47"l x 86"h	E 115V;

ARCH ROOM NO 1048

ROOM TITLE CLEAN ROOM & STORAGE (AIR SUPPLY ABOVE COUNTER)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254d	5	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf	floor	36"w x24" x72"h	None
OPVI	3005	1	Cart, Linen, w/ 4 shelves and Staph Check enclosure: ? BY 3RD PARTY VENDOR	floor	36"w x 21"d x 64"h	None
OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3102a	1	Dispenser, Waterless Hand Sanitizer	wall	TBD	None
OPVI	9258	1	Stretcher, Ambulance-Cot, Manual	floor	23"w x 80"l x adj ht 13.8"-42.2"	None

ARCH ROOM NO 1049

ROOM TITLE CONTROL ROOM, MATERNITY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0181a	2	Chair, Rotary, Std.Back, On Casters, Ergonomic,WITH Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	2517	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 18"w x 24"h x 1"d	wall	18"w x 24"h x 1"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.

OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907s	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO MEET EMS STANDARDS & BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPVI	3940	2	Keyboard Tray, Style, Size TBD	under desk	TBD	None

ARCH ROOM NO 1050

ROOM TITLE OBSERVATION ROOM, MATERNITY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0182	5	Chair, Rotary, Std.Back, 4-Leg-Static, Ergonomic, Partial Arm, For Standing Height Counters	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 1051

ROOM TITLE ALCOVE, STORAGE (BETWEEN MATERNITY & PEDS)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3269c	1	Refrigerator, Household, 2 Door, Freezer On Top (NO ICEMAKER)	floor	30"w x31"d x69"h	E Ded 115V

ARCH ROOM NO 1052

ROOM TITLE SOILED ROOM & LAUNDRY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3005	1	Cart, Linen, w/ 4 shelves and Staph Check enclosure: ? BY 3RD PARTY VENDOR	floor	36"w x 21"d x 64"h	None
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3020	1	Washer, Top Load 4.6 Cu Ft, Energy Star, With Sanitize Cycle: Stainless Steel Tub	floor	27"w x27"d install depth x31.5"D	E 120V, 20 Amp, HW,CW,D
OPVI	3021	1	Dryer, Front Load, Electric; Energy Star; High End Residential	floor	27"w x27"d install depth x31.5"D	E 240V
OPVI	3025	1	Table, Linen (Size/Style/Surface TBD)	floor	48"w x 20"d x 36"h	None

OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102a	1	Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3236a	1	Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPCI	3352a	1	Dishwasher, High End Residential, 44 dcb, Energy Star Rated, 5 Cycle, 3 Racks, SS	floor	Req Cut out: 33 7/8"h x 23 5/8"w x 24"d	E 120V; Ded 12 amp; 1440 watts

ARCH ROOM NO 1053

ROOM TITLE CONTROL ROOM & OBSERVATION, PEDIATRIC

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150f	1	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms: FUTURE PURCHASE	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181a	2	Chair, Rotary, Std.Back, On Casters, Ergonomic,WITH Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1079f	1	Desk, Single Pedestal, Pencil/Storage/File Drawer	floor	72"l x 24"d x 30"h	None
OPVI	2517	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 18"w x 24"h x 1"d	wall	18"w x 24"h x 1"d	None
OPSVI	2941f	1	Telephone, Standard: FUTURE PLACEMENT	desktop	10"D X 8"W X 4"H	Data-Com
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
OPOI	3907s	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO MEET EMS STANDARDS & BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPOI	3907z	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; FUTURE PURCHASE:TO BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com

OPVI 3940 2 Keyboard Tray, Style, Size TBD under desk TBD None

ARCH ROOM NO 1054

ROOM TITLE ALCOVE, LINEN (SIMULATION CORRIDOR)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254b	3	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards, Liner for Bottom Shelf & Unit Cover	floor	TBD	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3764	1	Shredder, Cross Cut, 16 Gallon Capacity, Ultra Quiet, 14 sheets at time shred	floor	19.7"w x15"dx 34.25"h	E Ded 120V

ARCH ROOM NO 1055

ROOM TITLE SIMMULATION ROOM, PEDIATRIC

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1005	1	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1335	1	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	2522	1	Board, Marker, On Mobile Base, Cleanable Surface	floor	24.4" diameter base	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None

CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102a	1 Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3175	2 Medical Gases, Piped w/Outlets To Be Located for HEADWALL Access; HORIZONTAL	ceiling/wall	Varies	Med.Gases
OPOI	3902	1 Workstation On Wheels; With Basket; Top To accommodate portable equipment/laptops/etc...	floor	18"w x 20"d x 42"h	E 115V for Charging
OPOI	3908	1 Computer, ALL IN ONE: TO MEET EMS STANDARDS & SPECIFICATIONS BY OWNER I.T.	counter/stored	N/A	E 115V; Data-Com
OPCI	4137	1 Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
OPSVI	7315	3 Medical Air Flowmeter: Latch Key Chemetron Style Quick Connect: With accessories	stored	stored/attached	Medical Air
OPSVI	7316	3 Oxygen Flowmeter: Latch Key Chemetron Style Quick Connect; With accessories	stored	stored/attached	Medical Air
OPSVI	7317	3 Vacuum Regulator: Latch Key Chemetron Style Quick Connect ; With accessories	Stored	stored/attached	Medical Vacuum
OPSVI	8060	1 Stretcher, Multi Functional; Hydraulic Lift, Roller Bumpers, Side rails,	floor	81"l x31.5"d x22 to 35.5"h	None
OPVI	8160a	1 Cart, Emergency; 9 drawer Pediatric/Braslow cart with supplies	floor	29"w x24.5"d x46.5"h	None
OPVI	8166	1 Cart, Procedures Set Up, 7 Drawer with basic electronic pushbutton lock	floor	23"w x25"d x40"h	None
OPSVI	8181	1 Crib, Stretcher, Adj Height, with accessories to be selected	floor	72"l x 26"w x adj ht	E 115V
OPSVCI	8403d	2 Headwall, Vertical For Pediatric Patient Service, One Bed; 2 Mock EA; O2, Air, Vac	wall/floor	See Details	E,Comm,Med.Gas,RN,Monitor
OPSVI	8407	1 Locator, Bed; With Multiple Power, Data, ? USB,	wall	See Mfg Design	None
OPSVI	8705	1 Monitor, Defibrillator, 12 Lead ECG & Vital Signs; BP, Pulse, SPO2, Resp; Place on #8160 Cart	cart	14"w x 12"d x 12"h	E 115V; Data/Com
OPVI	8801	2 Pump, Infusion; SPECIFICATIONS BY OWNER; UNIT CAN BE MOUNTED TO IV STAND	stored	20diam x65	E 115V(recharging)
OPVI	9241	1 Stool, Rubber Foot Stool Platform, Single Step, Non Skid, 300# Capacity, Steel Construction	floor	14"w x11"d x9" step	None

OPVI	9299	1	Stand, IV, with 4 Rams Horn Hooks, 5 legged, mobile	floor	16" diameter	None
OPVI	9301b	1	Stand, Mayo, Removable Tray,Adj.Ht.With Claw Foot Mobile Base	floor	18" Square Base: 19.5" x 12.5" tray	None
OPSVI	9304a	1	Table, Overbed, Adjustable Height, with tray/Mirror Section	floor	21.25"w x 32"l x adj ht	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:

ARCH ROOM NO 1056

ROOM TITLE DEBRIEF, SIM 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1005	2	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1403g	4	Table, Conference Type, Flip-Top, Nesting	floor	54"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	0	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4130	1	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data

DEPT TITLE		LEVEL ONE: OMM LAB AREA				
ARCH ROOM NO		1060				
ROOM TITLE		LAB, OMM				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	6	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
OPVI	1023	6	Ottoman, (stool type) Upholstered With Extra Cushion, On Casters, Shape, Size & Finish TBD	floor	Approx 24"w x 16"d x 20"h	None
CPCI	1054	4	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1335	49	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	1412c	1	Table, Round, 72" Diameter; (? optional casters per owner request)	floor	72" diam x 30"H	None
OPVI	2523	3	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPVI	2542	2	Skeleton Model, Full Size, on Stand with Casters (stored in cabinetry) EXISTING EQUIPMENT TO TX	floor/stored	with stand approx 76"h x 18"w	None
OPVI	2543	6	Skeleton Model, Spinal, on Stand (stored in cabinetry) EXISTING EQUIPMENT TO TX	stored	with stand approx 33"h x 20"w	None
OPOI	2544	25	Skulls, Anatomical for OMM Lab Area	Stored	varies	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3040c	2	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3043	3	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	2	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
OPOI	3903	2	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data

OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4106	1	Camera, Digital For Use in Labs: TO BE SPECIFIED BY OWNER I.T. DEPT	stored	n/a	None
OPOI	4108	1	Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPCI	4130	2	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data
OPCI	4131	5	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE
OPVI	9316	24	Tables, OMM; 2 Section; Rigid Surface; NO CUT OUTS; NO ARMS	floor	28"w x 77"l x adj ht 17 to 37"h	None
OPVI	9317	1	Table, OMM, Single Section 30" Top, Dual Rocker Foot Pedal, Electric; NO CUT OUTS	floor	30"w x 75"l x adj ht	E 120V

ARCH ROOM NO 1061
ROOM TITLE STORAGE, LARGE; OMM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1335	1	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	2254	3	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2254a	2	Shelving Unit, Open Wire Shelves, Mobile, with bumper guards, drawer glide system & bins	floor	42"w x24"d x72"h	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3006	1	Cart, Utility, 2 shelf, 24" wide, Poly Materials	floor	24"wx 36"l x 32"h	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

DEPT TITLE LEVEL ONE: LECTURE HALL 1; STUDY; GYM & COMMUNITY AREAS**ARCH ROOM NO 1000****ROOM TITLE VESTIBULE, LEVEL 1 ENTRANCE****GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES**

OPVI	1815	1	Stand, Umbrella Wet Bag, holds 200 bags x2, Optional Sign Mount	floor	14" diameter x 42"h	None
------	------	---	---	-------	---------------------	------

OPVI	1816	1	Stand, Umbrella, Black Triangular Shape, Vented, Holds Up To 12 Umbrellas	floor	10.25"w x 10.25"l x 24"h	None
------	------	---	---	-------	--------------------------	------

OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
------	------	---	---	-------	-----------------	------

ARCH ROOM NO 1001A**ROOM TITLE MARKET PLACE (COORDINATED-OWNER VENDOR SUPPLIER)****GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES**

OPVI	3043e	1	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
------	-------	---	---	-------	---------------------	------

CNHPI	3102a	1	Dispenser, Waterless Hand Sanitizer	wall	TBD	None
-------	-------	---	-------------------------------------	------	-----	------

OPVI	3194	2	Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
------	------	---	--	---------------	-------------------------	-----------------

OPSVCI	3330	1	Icemaker, Bulk, 400# storage bin with condenser; Nugget Ice: TBD WATER OR AIR COOLED???	FLOOR	30"w x 34.5"d x 77.5"h with condenser	E 115V/60HZ/SP: SEE DETAILS FOR WATER & DRAIN
--------	------	---	---	-------	---------------------------------------	---

OPSVI	3332	1	Refrigerator, Drink Cooler; 2 Glass Hinged Doors, 4 Shelves Per Section/Total 8	floor	40 1/8"L x 24 1/2"D x57 1/2"H	E Ded 115V;3.6 amps
-------	------	---	---	-------	-------------------------------	---------------------

OPSVI	3333	1	Refrigerator, Food Merchandise Display, 2 Glass Hinged Doors, 4 Shelves Each Section(total 8)	floor	54 1/8"W x29 3/4"D x75 5/8"H	E Ded 115V;8.7 amp; Plug Type PC 731
-------	------	---	---	-------	------------------------------	--------------------------------------

OPSVI	3334	1	Freezer, Food Merchandise, Single Glass Swing Door, 23 Cu Ft Capacity,	floor	26.8"W x31.9"D x79.5"H	E Ded 115V/60Hz/SP; 5-15 NEMA Plug
-------	------	---	--	-------	------------------------	------------------------------------

OPSVI	3335	1	Station, Self Pay, With Scanning Ability: (Vendor or Owner Provided???)	countertop	36"w x 18"d x 24"h	E 115V; Data x 2
-------	------	---	---	------------	--------------------	------------------

OPCI	4137	1	Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
------	------	---	---	--------------	-----------------------------	--------------

ARCH ROOM NO 1001B**ROOM TITLE BOOKSTORE****GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES**

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
------	------	---	---	-------	---------------------------	------

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
------	------	---	---	------	----------	----------------

OPOI	1701	1	Register, Cash-Retail Space: CC Scanner: TO BE SPECIFIED BY OWNER	counter top	TBD	E 115 V-Quad; Data-Com x 2 floor
OPOI	1702	1	POS Unit: CC Scanner: TO BE SPECIFIED BY OWNER/3RD PARTY	counter top	TBD	E 115 V; Data-Com
OPVI	1703	1	Drawer, Cash: Lockable (will require appropriate drawer depth/ht)	stored	20"w x 14"d x 4"h	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3106a	1	Mirror,Full Length, Dressing	wall	24x1x60	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPVI	3124	1	Rack, Clothing, Mobile, With Lower & Upper Shelf	floor	48"w x 18"d x 69"h	None
OPCI	4137	1	Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 1002
ROOM TITLE STORAGE, BOOKSTORE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1354	1	Safe, Cash; Undercounter, EXISTING EQUIPMENT TO TRANSFER	floor	APPROX 24"W X 24"D X30"H	None
OPVI	3062	1	Wastebasket, Office,Tall, 23 gal, with flip lid	floor	20lx11wx30h	None
OPOI	3914a	1	Printer, Multifunction, Color, LaserJet mf copy/scan/fax	countertop	17"w x 21"d x 22"h	E 115V: Data/Com

ARCH ROOM NO 1003
ROOM TITLE LOBBY, CENTRAL L1, STUDENT SEATING

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1026	6	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1410	2	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPSVI	1810	1	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None

ARCH ROOM NO 1004

ROOM TITLE RECEPTION/SECURITY

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0430d	2	Cabinet, Filing,Lateral, Mobile Pedestal, Box/File	floor	TBD	None
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3914	1	Printer, Multifunction, LaserJet mf copy/scan/fax	countertop	15"w x 18"d x 16"h	E 115V: Data/Com

ARCH ROOM NO 1005

ROOM TITLE STORAGE, (BEHIND LECTURE HALL 1)

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	3045	1	Wastebasket, 56 Gallon for larger volume trash, with open hooded top	floor	25.5"w x 22.75"d x 31"h	None
------	------	---	--	-------	-------------------------	------

ARCH ROOM NO 1007

ROOM TITLE CORRIDOR; L1 S

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
------	------	---	---	-------	-----------------	------

ARCH ROOM NO 1009

ROOM TITLE LECTURE HALL, LEVEL 1

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	0211	100	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
------	------	-----	---	-------	--------------------------	------

OPVI	1005	8 Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	2 Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1328	3 Stool, Bar; Static; w/back; approp for counter areas; Ht TBD by Counter/Table Ht Design	floor	20"w x 20"d x 52"h	None
OPVI	1329	1 Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1419	1 Table, Rectangular, On Casters, Optional Flip Top	floor	30"w x 24"d x 30"h	None
CPCI	1422	1 Table, Lecture Hall; Custom Size; Must have USB, Microphone & Power Outlet	floor	TBD BY DESIGN	SEE DESIGN DETAILS
OPVI	1424c	18 Table Educational LEC; Round: 1 USB, 1 Push/ Talk Mic /1 Power Per Student	floor	Per Design	Access to Power & Data
OPVI	2523	1 Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x 2"d	None
OPVI	3043e	3 Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPOI	3907	1 Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3909	2 Kiosk Center, Information; For IPAD DETAILS & COMPONENTS TO BE SPECIFIED BY OWNER I.T. DEPT	floor	TBD	E 115V; Data
OPVI	4100	2 Cart, Charging With 3 Modules; SPECIFICATIONS BY OWNER I.T.	floor	Typical 33.50"W x 26.00"D x 44.5"H	E 120V; 12 Amp
OPSVI	4103	1 Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4106	1 Camera, Digital For Use in Labs: TO BE SPECIFIED BY OWNER I.T. DEPT	stored	n/a	None
OPOI	4108	1 Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x 19"d x 18.8"h	E 115V, Data
OPCI	4130	2 Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL: 72"w x 2.4"d x 45.1"h	E 115V; Data
OPCI	4131	3 Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	2 Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x 5.12"h x 2.6"d	POE

OPOI	9328	1	Table, Treatment, Rigid Top, Padded, H Brace	floor	30"w x 72"l x 31"h	None
ARCH ROOM NO		1011B & 1011A				
ROOM TITLE		CLASSROOM, LARGE LL1 S				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	48	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1005	4	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	2	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1424a	6	Table Educational LEC;Round 1 TV Control Per Table: Must-1 USB,1 Push/Talk Mic /1 Power Per Student	floor	72" diameter x 30"h	Power/USB/Data
OPVI	2518	8	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3043e	2	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	2	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4108	2	Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	2	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	6	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	2	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1012

ROOM TITLE STUDY GROUP 4

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1412d	1	Table, Educational, Round (With access to power/data floor box)	floor	72" diameter x 30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1013

ROOM TITLE RELAXATION ROOM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1026a	4	Seating, 1 Person, Upholstered: Club Style; Design Features TBD	floor	28x30x32	None
OPVI	1206	2	Lamp, Floor, Decorator, 3 level bulb	floor	15" diam x 60"	E 115V
OPVI	1410	2	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None

OPVI	7114	1	YOGA Mat, Extra Thick, Foam, Easy Clean; Placed Within a Decorative Basket	floor	Rolled Out 24"w x .5"d x 72"l	None
------	------	---	--	-------	-------------------------------	------

ARCH ROOM NO 1014

ROOM TITLE JANITORIAL, LEVEL 1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2265	3	Shelving, Wall; 2 Stainless Steel shelves for supply storage: REQUIRES BACKING	wall mounted	12"d x 36"w	None
OPVI	2609	1	Rack, Wall Mounted to hold mops, etc...	floor	36"w x 1.5"d x 5"h	None
OPSVI	3049	1	Mops, Mop Heads, Dust Mops, etc...for Janitorial Cleaning TBD & Provided BY Owner Supply	stored	VARIES	None
OPVI	3051	1	Vacuum, Upright; Commercial; with attachments	floor/stored	18"w x 13"d x 44"h	E 120V
OPVI	3079	1	Bucket, Mop with ringer, Compact 26 Quart, on Casters, Yellow	floor	15.6"w x 18.6"l x 16.7"h	None

ARCH ROOM NO 1015

ROOM TITLE STUDY GROUP 5

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD

OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1017
ROOM TITLE GYM; L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	3005	1	Cart, Linen, w/ 4 shelves and Staph Check enclosure: ? BY 3RD PARTY VENDOR	floor	36"w x 21"d x 64"h	None
OPVI	3016	2	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3130	2	Mirror, Full Wall Suitable for Exercise Areas	wall	TBD	None
OPOI	3909	1	Kiosk Center, Information; For IPAD DETAILS & COMPONENTS TO BE SPECIFIED BY OWNER I.T. DEPT	floor	TBD	E 115V; Data
OPSVI	4105	1	Cabinet, Sound/Music System for Gym Area; SPECIFIED BY OWNER I.T. DEPT	floor	Typical: 48"w x 24"d x 36"h	To Be Near Power/Data
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
OPOI	4228	1	First Aid Kit, Wall Mounted; SPECIFICATIONS BY OSU SAFETY DEPARTMENT: REQUIRES BACKING	wall mount	Typical 7" w x 7.5" h x 3" d	None
OPVI	7112	2	Mats, Exercise, With Wall Hangers: Mats approx 4' x 7'; TO BE SPECIFIED BY OWNER	floor/wall	48"w x 84"l x thickness TBD	None
OPVI	7147	1	Weights, and Accessories TO BE SPECIFIED BY OWNER/PROVIDED BY 3RD PARTY VENDOR	STORED	VARIES	None
OPSVI	7170	2	Rack, Dumbell, 2 Tier Flat Tray, with Weights; SPECIFIED BY 3RD PARTY VENDOR (rack wt: 410 lbs)	floor	101"l x28"d x 45"h	None
OPSVI	7171	2	Trainer, Total Body Elliptical, with WIFI Connectivity; SPECIFIED BY 3RD PARTY VENDOR (445 lbs)	floor	70"L X 29.2"W X68.5"H	E 120V; Data
OPSVI	7172	2	Climber, Step (ClimbMill), with WIFI Connectivity; SPECIFIED BY 3RD PARTY VENDOR (377 lbs)	floor	65"L x 40.3"W x 83.5"H	E 120V; Data

OPSVI	7173	2	Cycle, Recumbent, with WIFI Connectivity; SPECIFIED BY 3RD PARTY VENDOR (196.3 lbs)	floor	59.2"L x25.7"W x55/1"H	E 120V; Data
OPSVI	7174	4	Treadmill, with WIFI Connectivity; SPECIFIED BY 3RD PARTY VENDOR (399 lbs)	floor	84.6"L x36.5"W x63.5"H	E 20 amp Dedicated; nonlooped grounded; Data
OPSVI	7175	2	Cycle, Upright, with WIFI Connectivity; SPECIFIED BY 3RD PARTY VENDOR (193.5 lbs)	floor	51.5"L x25.7"W x60.5"H	E 120V; Data
OPSVI	7176	1	Bench, Flat: Workout; Integrated Foot Supports, Wheels; SPECIFIED BY 3RD PARTY VENDOR (57 lbs)	floor	61.5"L x27"W x16.9"H	None
OPSVI	7177	1	Trainer, Functional; Swivelling access station; SPECIFIED BY 3RD PARTY VENDOR (1324 lbs)	floor	66.6"L x 51.2"W x92.3"H	E 120V; Data
OPSVI	7178	1	Lat Pulldown/Seated Row Unit; SPECIFIED BY 3RD PARTY VENDOR (613 lbs)	floor	71.1"L x62.2"W x89.1"H	E 120V; Data
OPSVI	7179	1	Leg Press; SPECIFIED BY 3RD PARTY VENDOR (795 lbs)	floor	91.5"L x40.3"W x65.8"H	E 120V; Data
OPSVI	7180	1	Half, Mega; Open front design; Adj Safety Bars; SPECIFIED BY 3RD PARTY VENDOR (622 lbs)	floor	67.5"L x81.5"W x97"H	E 120V; Data
OPSVI	7181	1	Bench, Multi Adjustable; LP; SPECIFIED BY 3RD PARTY VENDOR (121.5 lbs)	floor	59.7"L x30.6"W x17.8"H	None
OPSVI	7182	1	Press, Multi; SPECIFIED BY 3RD PARTY VENDOR (590 lbs)	floor	60.7"L x61.9"W x78.7"H	E 120V; Data
OPSVI	7183	1	Bench, Utility; Back Angle 85 degrees; SPECIFIED BY 3RD PARTY VENDOR (60 lbs)	floor	46.8"L x29.9"W x37.9"H	None
OPSVI	7184	1	Bench, Decline; SPECIFIED BY 3RD PARTY VENDOR	floor	TBD	None
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None

ARCH ROOM NO 1018

ROOM TITLE LOCKER ROOM-Toilet-Shower; GYM AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1095	4	Lockers, Type & Qty TBD: Either Built In or Mfg	floor	Per Design	None
CPCI	1805	1	Mirror, Dressing (Style & Size TBD)	wall	18x.5x60	None
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None

OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	2	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102c	1	Dispenser, Dual Container, Shower Liquid Shampoo &/or Soap	shower wall mt	9.7"w x5.3"l x9.6"h	None
CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
CPCI	3121	1	Shelf, Towel with Towel Bar, Stainless Steel; 8"d x 18"w	wall	18"w x 8" d x 6"h	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9997	1	Bench, Sitting Suitable for Showering Area (water-proof)	floor	Per Space Allowance	None

ARCH ROOM NO 1019

ROOM TITLE LOCKER ROOM-Toilet-Shower; GYM AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1095	4	Lockers, Type & Qty TBD: Either Built In or Mfg	floor	Per Design	None
CPCI	1805	1	Mirror, Dressing (Style & Size TBD)	wall	18x.5x60	None
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	2	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102c	1	Dispenser, Dual Container, Shower Liquid Shampoo &/or Soap	shower wall mt	9.7"w x5.3"l x9.6"h	None

CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
CPCI	3121	1	Shelf, Towel with Towel Bar, Stainless Steel; 8"d x 18"w	wall	18"w x 8" d x 6"h	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9997	1	Bench, Sitting Suitable for Showering Area (water-proof)	floor	Per Space Allowance	None

ARCH ROOM NO 1020

ROOM TITLE TOILET L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	3135	1	Diaper Changing Station, Horizontal Drop Down	wall	22"d x35.5"l x5.25"h	None

ARCH ROOM NO 1021

ROOM TITLE STORAGE, GENERAL L1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OOOO	9999a	0	No Moveable Equipment Required	n/a	n/a	n/a

ARCH ROOM NO 1022

ROOM TITLE TOILET L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None

CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
-------	------	---	---	------------	------------------	------

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
------	------	---	-------------------	------	-------	------

ARCH ROOM NO 1023

ROOM TITLE TOILET L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
------	-------	---	--	-------	---------------------	------

OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
------	-------	---	---	------------	---------------------------	------

CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
-------	------	---	--	------------	-----	------

CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
-------	------	---	---	------------	------------------	------

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
------	------	---	-------------------	------	-------	------

ARCH ROOM NO 1024

ROOM TITLE STUDY GROUP 3; L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
------	------	----	--	-------	--------------------------	------

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
------	------	---	---	------	----------	----------------

OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
------	------	---	---	-------	--------------------	------

OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
------	-------	---	--	-------	------------------	-------------------------------

OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
------	------	---	---	------	----------------	------

OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
-------	------	---	---	------	--------	-------

OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
------	------	---	---	-------	-----------------	------

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
-------	------	---	--	-------	---------------	------------------------

OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1025
ROOM TITLE STUDY GROUP 2; L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1026

ROOM TITLE CLASSROOM, LARGE LL2 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	48	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1005	4	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	2	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1424a	6	Table Educational LEC;Round 1 TV Control Per Table: Must-1 USB,1 Push/Talk Mic /1 Power Per Student	floor	72" diameter x 30"h	Power/USB/Data
OPVI	2518	8	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3043e	2	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4108	1	Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	2	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	6	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1027

ROOM TITLE STUDY GROUP 1; L1 S

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1056
ROOM TITLE RESTROOM & DRESSING L1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None

CNHPI	3102	3	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	9993	2	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	2	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 1057

ROOM TITLE RESTROOM & DRESSING L1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	3	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	9993	2	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	2	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 1059

ROOM TITLE PERSONAL HEALTH ROOM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1017	1	Chair, With Foot Rest, Either Glider or Rocking Type, Upholstered	floor	24"w x 24"d x 38"h	None
OPVI	1206	1	Lamp, Floor, Decorator, 3 level bulb	floor	15" diam x 60"	E 115V
OPVI	1410	1	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None

OPVI	1440	1	Table, Side for placing items next to pedestal/wall sinks	floor	Approximate:20"w x 14"d x 32 to 34"h	None
CPCI	1805	1	Mirror, Dressing (Style & Size TBD)	wall	18x.5x60	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 1064

ROOM TITLE VR SIM ROOM (NEED TO VERIFY EQUIPMENT REQUIRED)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1005	6	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	4116	1	Projector, 3D, Glasses or Goggles,Ceiling Mt, & Other Accessories; SPEC TB PROVIDED BY OWNER	ceiling mt	14.5"w x3.81"h x11.26"d	E 120V
OPVI	4117	1	Table, Augmented Reality Set Up, On Casters	floor	48"w x 24"d x 30"h	None
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

ARCH ROOM NO 1065

ROOM TITLE VR SIM STORAGE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None

ARCH ROOM NO 1066

ROOM TITLE STUDY GROUP 6

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 1067
ROOM TITLE STUDY GROUP 7

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.

OPVI	3043	1 Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"h x12"D	None
OPOI	3907	1 Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1 Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1 Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1 Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1 Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1 Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

DEPT TITLE LEVEL TWO: CLINICAL SKILLS; EXAM**ARCH ROOM NO 2034****ROOM TITLE TOILET, 1 FAMILY L2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 2039**ROOM TITLE TOILET, 2 FAMILY L2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	3135	1	Diaper Changing Station, Horizontal Drop Down	wall	22"d x35.5"l x5.25"h	None

ARCH ROOM NO 2040**ROOM TITLE WAITING, CLINICAL EXAM**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0681	1	Cabinet, Credenza; Suitable for display of teaching materials, models or media with locking doors	floor	60"w x 18"d x 36"h	None
OPVI	1019	14	Chair, Tandom, 1/2/3 seats w/various arm arrangements	floor	24x24x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1410	2	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPVI	1423	1	Table, Side, For Placement of Literature, Announcements, etc...	floor	60"l x 18"d x 30"h	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2040A

ROOM TITLE CORRIDOR, SEATING (ADJACENT TO CE EXAM WAITING)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1026a	4	Seating, 1 Person, Upholstered: Club Style; Design Features TBD	floor	28x30x32	None
OPVI	1410	2	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None

ARCH ROOM NO 2043

ROOM TITLE CORRIDOR 2; CE PERIMETER WITH 6 WORKSTATIONS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181	5	Chair, Rotary,Std.Back, On Casters, Ergonomic, NO Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
OPVI	2516	6	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 24"w x 24"h x 1"d	wall	24"w x 24"h x 1"d	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3115	6	Robe Hook, Double	wall	6x6x3	None
OPOI	3903	6	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data

ARCH ROOM NO 2044

ROOM TITLE ALCOVE, COPIER; CLINICAL EXAM AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3764	1	Shredder, Cross Cut, 16 Gallon Capacity, Ultra Quiet, 14 sheets at time shred	floor	19.7"w x15"dx 34.25"h	E Ded 120V

OPOI 3769 1 Laminator, Tabletop Model?; TO BE TABLETOP 16.92" L x 18.11" W x E 120V
SPECIFIED BY OWNER I.T. 11.14" H

ARCH ROOM NO 2045

ROOM TITLE STORAGE, LARGE; CLINICAL SKILLS; SOUTH OF EXAM RMS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2254	8	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2254a	2	Shelving Unit, Open Wire Shelves, Mobile, with bumper guards, drawer glide system & bins	floor	42"w x24"d x72"h	None
OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3268	1	Refrigerator, Commercial, SS, 2 Solid Doors, on casters	floor	47"w x29.5"d x84"h with casters	E Ded 115V; 5.4 Amp;5-15 NEMA Plug
OPVI	3269	1	Freezer, Commercial, SS, 2 Solid Doors, on casters	floor	47"w x 29.5"d x84"h with casters	E Ded 115V;9.6 Amps; 5-15 NEMA Plug

ARCH ROOM NO 2045A

ROOM TITLE WET AREA; CLINICAL EXAM STORAGE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3020	1	Washer, Top Load 4.6 Cu Ft, Energy Star, With Sanitize Cycle: Stainless Steel Tub	floor	27"w x27"d install depth x31.5"D	E 120V, 20 Amp, HW,CW,D
OPVI	3021	1	Dryer, Front Load, Electric; Energy Star; High End Residential	floor	27"w x27"d install depth x31.5"D	E 240V
OPVI	3040c	1	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3236a	1	Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPCI	3352a	1	Dishwasher, High End Residential, 44 dcb, Energy Star Rated, 5 Cycle, 3 Racks, SS	floor	Req Cut out: 33 7/8"h x 23 5/8"w x 24"d	E 120V; Ded 12 amp; 1440 watts

ARCH ROOM NO 2046

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	1003	1 Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1 Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1 Stool, Clinical Exam Room; Adjustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1 Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1 Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1 Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x 10.25"W x 6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x 4"d x 11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None

OPVI	8306	1	Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1	Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8573	1	Light Source for Vaginal Speculum with Transformer	countertop	n/a	E 120V for charger or Battery Operated
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2047

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None

OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design;REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1 Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1 Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1 Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1 Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8570d	1 Light, Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPOI	8710	1 Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None

OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2048

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1	Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1	Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1	Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1	Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1	Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1	Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1	Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1	Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8573	1	Light Source for Vaginal Speculum with Transformer	countertop	n/a	E 120V for charger or Battery Operated
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoscope-Ophthalmoscope-BP-w/Therm; Specula Disp; BACKING REQ; WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray, Adj. Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplies (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2049
ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	1003	1 Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1 Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1 Stool, Clinical Exam Room; Adjustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1 Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1 Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1 Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x 10.25"W x 6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x 4"d x 11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None

OPVI	8306	1	Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1	Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8570d	1	Light, Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray, Adj. Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2050

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None

OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design;REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1 Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1 Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1 Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1 Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8573	1 Light Source for Vaginal Speculum with Transformer	countertop	n/a	E 120V for charger or Battery Operated
OPOI	8710	1 Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None

OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2051

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1	Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1	Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1	Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1	Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1	Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1	Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1	Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1	Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8570d	1	Light, Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoscope-Ophthalmoscope-BP-w/Therm; Specula Disp; BACKING REQ; WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray, Adj. Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplies (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2052

ROOM TITLE CORRIDOR CENTRAL; CE WITH 10 WORKSTATIONS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0150	11	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	1413	1	Table, Rectangular, On Casters, Flip Top	floor	36"l x24"d x36"h	None
OPVI	1413d	1	Table, Work, Rectangular, Static, Standing Height	floor	48"l x18"d x36"h	None
OPVI	2518	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPOI	3903	10	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data

ARCH ROOM NO 2053

ROOM TITLE CONTROL ROOM, CLINICAL EXAM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1500z	1	Workstation, Furniture System, Style, Size TBD Designer (FUTURE PURCHASE)	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPSVI	2941f	1	Telephone, Standard: FUTURE PLACEMENT	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3907z	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; FUTURE PURCHASE:TO BE SPECIFIED BY	desk top	TBD	E 115V; Data-Com
OPOI	3913z	1	Printer, Laser, Individual; FUTURE PURCHASE; TO BE SPECIFIED BY OWNER	countertop	16.3"w x16.6"d x17.7"h	E 115V; Data Comm
OPCI	4136	2	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data

ARCH ROOM NO 2055

ROOM TITLE DEBRIEF, CLINICAL EXAM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	0681	1	Cabinet, Credenza; Suitable for display of teaching materials, models or media with locking doors	floor	60"w x 18"d x 36"h	None
OPVI	1003	2	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPCI	4130	1	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data

ARCH ROOM NO 2056

ROOM TITLE PREBRIEF, CLINICAL EXAM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	0681	1	Cabinet, Credenza; Suitable for display of teaching materials, models or media with locking doors	floor	60"w x 18"d x 36"h	None
OPVI	1003	2	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None

OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4130	1	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data

ARCH ROOM NO 2057

ROOM TITLE CORRIDOR 1; CE PERIMETER WITH 4 WORKSTATIONS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181	3	Chair, Rotary,Std.Back, On Casters, Ergonomic, NO Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	2516	4	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 24"w x 24"h x 1"d	wall	24"w x 24"h x 1"d	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3115	4	Robe Hook, Double	wall	6x6x3	None
OPOI	3903	4	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data

ARCH ROOM NO 2058

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1336	1 Stool, Clinical Exam Room; Adjustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1 Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1 Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1 Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1 Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1 Tuning Fork for Neuro Exam; 256	stored	N/A	None

OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8573	1	Light Source for Vaginal Speculum with Transformer	countertop	n/a	E 120V for charger or Battery Operated
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2059

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None

CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design;REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1 Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1 Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1 Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1 Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8570d	1 Light, Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPOI	8710	1 Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1 Integrated DX Sys; Otoscope- Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1 Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None

OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None
ARCH ROOM NO		2060				
ROOM TITLE		EXAM, CLINICAL				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1336	1	Stool, Clinical Exam Room; Adustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1	Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None
OPSVI	3089	1	Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106	1	Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1	Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design;REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com

OPVI	8302	1	Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1	Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1	Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1	Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1	Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1	Tuning Fork for Neuro Exam; 256	stored	N/A	None
OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8573	1	Light Source for Vaginal Speculum with Transformer	countertop	n/a	E 120V for charger or Battery Operated
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray,Adj.Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2061

ROOM TITLE EXAM, CLINICAL

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1336	1 Stool, Clinical Exam Room; Adjustable Ht; Footring: POSSIBLY DONATED BY PEDIGO	floor	Approximately 23.5" Diameter Base	None
OPVI	1404b	1 Table, Folding, for SAM model; specifications per owner	floor	60"l x 17"d x ht TBD	None
OPVI	3041	1 Wastebasket, Step-On, Plastic, Rectangular, Red/Bio Hazard 8 gallon	floor	16x16x18	None
OPVI	3062b	1 Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3088a	1 Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x 10.25"W x 6"H	None
OPSVI	3089	1 Dispenser, Quad Glove Box: finish options to be selected; Vertical or Horizontal Mount	wall mount	24"w x 12"h x 6"d	None
CNHPI	3100	1 Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x 4"d x 11.5"h	None
CPCI	3106	1 Mirror, Small, Option, To Be Located in the upper cabinet of exam rooms	inside cabinet	TBD	None
CPCI	3115	1 Robe Hook, Double	wall	6x6x3	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPVI	3904a	1 Workstation; Wall Mounted for Computer Monitor & Keyboard+PC Holder; Folding Design; REQUIRES	wall mount	25" W x 10" D x Up to 34"h	E 115V; Data-Com
OPVI	8302	1 Tray, Plastic, Used for transferring items to & from Mayo Stand	stored	18"w x 12"l x 1"h	None
OPVI	8303	1 Hammer, Neuro Exam; Buck 7 3/4	stored	N/A	None
OPVI	8304	1 Hammer, Neuro Exam; Tomohawk	stored	N/A	None
OPVI	8305	1 Hammer, Neuro Exam; Queens Head Babinski	stored	N/A	None
OPVI	8306	1 Tuning Fork for Neuro Exam; 128	stored	N/A	None
OPVI	8307	1 Tuning Fork for Neuro Exam; 256	stored	N/A	None

OPVI	8308	1	Tuning Fork for Neuro Exam; 512	stored	N/A	None
OPVI	8309	1	Supplies, Consumable Exam Room; All paper products, gloves, gauze, cotton balls, speculums, etc....	stored	Varies	None
OPVI	8570d	1	Light, Examination; On mobile Stand; LED; Flexible Light Pipe;	floor	21" diameter	E 115V
OPOI	8710	1	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	1	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8850	1	Rack, Chart, To Be Located Outside of Exam Rooms	wall	Typical 14"w x 3"d x 11"h	None
OPVI	9301	1	Stand, Mayo, Removable Tray, Adj. Ht.	floor	16x20x40	None
OPVI	9314	1	Table/Chair, Examination, Powered, Adjustable Lift Back, Stirrups: Per Owner Request	floor	full ext 75" x 24.5"w x adj ht	E: 115V
OPVI	9854	1	Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	countertop	each unit approx 4" diameter x 7"h	None

ARCH ROOM NO 2062

ROOM TITLE CIRCULATION, SP LOCKERS AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	1	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
CPCI	1095	12	Lockers, Type & Qty TBD: Either Built In or Mfg	floor	Per Design	None

ARCH ROOM NO 2067

ROOM TITLE OFFICE, CLINICAL EXAM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary, Std. Back, 5-Legged, On Casters, Ergonomic, Adj. Short Arms	floor	Typical 24.5w x 28"d x 37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x 24"d x 32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x 18"d x 64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm

OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 2073

ROOM TITLE LAB, CLINICAL SKILLS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	8	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	4	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1335	53	Stool, No Backrest, No Footring, On Casters, Pneumatic Adjustable HT	floor	18" Diameter	None
OPVI	1412b	2	Table, Round, 42" Diameter	floor	42" diam x 30"h	None
OPVI	2254	4	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPOI	2540	1	Anatomy Educational Models As Required to meet needs of classroom; Type & Qty TBD	stored	Varies	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	24	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPVI	3040c	4	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3043	3	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPVI	3088a	26	Container, Sharps: Countertop; 1 GALLON; Drop In Top: VERIFY OWNER SOURCE	Table top	7"D x10.25"W x6"H	None

CNHPI	3100	4	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	4	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
OPOI	3903	2	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4106	1	Camera, Digital For Use in Labs: TO BE SPECIFIED BY OWNER I.T. DEPT	stored	n/a	None
OPOI	4108	1	Camera, Document for Classrooms: SPECS BY OWNER I.T. DEPT	Sits on 4103	11.7"w x19"d x18.8"h	E 115V, Data
OPCI	4130	2	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data
OPCI	4131	6	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE
OPOI	8710	3	Manikin, Student Auscultation, Works through Laptop; OWNER TO SPECIFY MODEL	table top	24"w x 30"l	None
OPVI	8776	8	Integrated DX Sys; Otoloscope-Ophthalmoscope-BP-w/Therm; Specula Disp:BACKING REQ;WA-	board mount	30"w x 16"h x 6"d	E 115V
OPVI	8915	4	Scale, Multipurpose, Stand On, Mechanical with Eye Level, stadiometer	floor	14"w x15"d 59"h	None
OPVI	9299	12	Stand, IV, with 4 Rams Horn Hooks, 5 legged, mobile	floor	16" diameter	None
OPVI	9301	4	Stand, Mayo, Removable Tray, Adj.Ht.	floor	16x20x40	None
OPVI	9301a	1	Stand, Mayo, Removable Tray, Adj.Ht.; larger surface	floor	20"w x 25"d x adj ht	None
OPVI	9312a	1	Table, Patient Examination, Powered, Lowers to 14", On Casters	floor	27wx18-37hx72	E 115VAC,50/60Hz, 8amps
OPOI	9328	24	Table, Treatment, Rigid Top, Padded, H Brace	floor	30"w x 72"l x 31"h	None

ARCH ROOM NO 2074
ROOM TITLE STORAGE, LARGE; CLINICAL SKILLS LAB AREA

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	1329	1 Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1413a	6 Table, Rectangular, Folding, 6 ft x 18 inches, White Top: FOR CLINICAL SKILLS LAB AREA	floor	72"l x18"d x29"h; FOLDED 2.5"	None
OPVI	2254	3 Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2254a	1 Shelving Unit, Open Wire Shelves, Mobile, with bumper guards, drawer glide system & bins	floor	42"w x24"d x72"h	None
OPSVI	2944	1 Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3006	2 Cart, Utility, 2 shelf, 24" wide, Poly Materials	floor	24"wx 36"l x 32"h	None
OPVI	3043	1 Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

DEPT TITLE LEVEL TWO: STUDENT STUDY, LIBRARY & COMMUNITY AREAS**ARCH ROOM NO 2001****ROOM TITLE ALCOVE, LOCKER L2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
--------------	-------------	------------	--------------------	-----------------	-----------------	------------------

CPCI	1095	9	Lockers, Type & Qty TBD: Either Built In or Mfg	floor	Per Design	None
------	------	---	---	-------	------------	------

OPSVI	1810	2	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
-------	------	---	---	--------------	--------	------

ARCH ROOM NO 2002**ROOM TITLE GROUP STUDY 11, L2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
--------------	-------------	------------	--------------------	-----------------	-----------------	------------------

OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
------	------	----	--	-------	--------------------------	------

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
------	------	---	---	------	----------	----------------

OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
------	------	---	---	-------	--------------------	------

OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
------	-------	---	--	-------	------------------	-------------------------------

OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
------	------	---	---	------	----------------	------

OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
-------	------	---	---	------	--------	-------

OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
------	------	---	---	-------	-----------------	------

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
-------	------	---	--	-------	---------------	------------------------

OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
------	------	---	---	---------	-------------	-----

OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
------	------	---	---	------------	-------------	-----

OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
------	------	---	---	-----------------	-------------------------	--------------

CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE
------	------	---	--	------------	-----------------------	-----

ARCH ROOM NO		2003				
ROOM TITLE		MECHANICAL, CENTRAL L2				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3972	2	Cart, Trades Utility; for Facilities Maintenance or I.T. Dept, w/doors/drawers/poly		19.25"w x38"l x33.4"h	None
ARCH ROOM NO		2004				
ROOM TITLE		CORRIDOR, L2 S (SOFT SEATING NEAR S STAIR & LOBBY)				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1026	12	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1410	5	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPSVI	1810	1	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None
OPOI	9328	1	Table, Treatment, Rigid Top, Padded, H Brace	floor	30"w x 72"l x 31"h	None
ARCH ROOM NO		2006				
ROOM TITLE		LIBRARY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	8	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0181	2	Chair, Rotary,Std.Back, On Casters, Ergonomic, NO Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
OPVI	0212	16	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1081	9	Desk, Straight with Pencil Drawer	floor	48"w x 24"d x 30"h	None
OPVI	1403	2	Table, Standing Height: Privacy Screen between sets: For LIBRARY AREAS, Size, Style TBD by Designer	floor	60"l x 24"d x adj ht	E 115V; Data
OPVI	1412s	3	Table, Round, 48" Diameter	floor	48" diamx30"h	None
OPVI	1500a	1	Workstation, Furniture System, With Transaction Top: Style, Size TBD Designer	floor	Various	E 115V Quads: Data-Comm
OPVI	2266	5	Shelving, Library Type, Books, Single Face, Adjustable Shelves	floor	36"w x12"d x78"h	None
OPVI	2267	4	Shelving, Library, Journals/Periodicals	floor	36"w x12"d x78"h	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPVI	3062b	2	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	2	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPOI	3903	10	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data

ARCH ROOM NO 2007

ROOM TITLE LIBRARY CIRCULATOR

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	1500a	1	Workstation, Furniture System, With Transaction Top: Style, Size TBD Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907b	1	Computer With Dual Monitor, With Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		2008				
ROOM TITLE		OFFICE, REGISTERED LIBRARIAN				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		2009				
ROOM TITLE		STORAGE, MEDIA				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES

OPVI	0440	2	Cart, Book, 2 shelf, 1 Sided	floor	24"w x 14"d x 32"h	None
------	------	---	------------------------------	-------	--------------------	------

ARCH ROOM NO		2010				
ROOM TITLE		REBOOT ROOM				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES

OPVI	1021	1	Chair, Massage; Style, Size, Features TBD	floor	Allow 30"w x 70"l x45" Upright	E 120V
OPVI	1026	2	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1206	3	Lamp, Floor, Decorator, 3 level bulb	floor	15" diam x 60"	E 115V
OPVI	1403i	3	Table, Educational Type, Flip Top, Nesting w/Optional Casters	floor	48"l x24"d x30"h	access to wall power/data

OPVI	1809	3	Chair, Gaming; Reclines; High Back; On Casters;	floor	29"w x 27"d x 50"h	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903v	1	Computer, FOR VIRTUAL REALITY with 27" monitors: SPECS BY OWNER I.T. DEPT	table top	24.75"w x18"h x 4"d	E 115V; Data Com
OPOI	3903x	2	Computer, Gaming with 27" monitors; for Bio Feed Back/TX: SPECS BY OWNER I.T. DEPT	table top	24.75"w x18"h x 4"d	E 115V; Data Com

ARCH ROOM NO 2011
ROOM TITLE STUDY, SC 1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2012
ROOM TITLE JANITORIAL, LEVEL 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2265	3	Shelving, Wall; 2 Stainless Steel shelves for supply storage: REQUIRES BACKING	wall mounted	12"d x 36"w	None
OPVI	2609	1	Rack, Wall Mounted to hold mops, etc...	floor	36"w x 1.5"d x 5"h	None
OPVI	3048	1	Truck, Janitorial, Mobile, Locked Storage/2 Buckets/Wringer, Trash collection	floor	20x50x38	None
OPSVI	3049	1	Mops, Mop Heads, Dust Mops, etc...for Janitorial Cleaning TBD & Provided BY Owner Supply	stored	VARIABLES	None
OPVI	3051	1	Vacuum, Upright; Commercial; with attachments	floor/stored	18"w x 13"d x 44"h	E 120V

ARCH ROOM NO 2015
ROOM TITLE STUDY, SC 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2016
ROOM TITLE OFFICE, STUDENT SENATE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	0430b	1	Cabinet, Filing 5 drawer, Vertical, Locking	floor	15"w x18"d x42"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPOI	3903	2	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

ARCH ROOM NO 2017
ROOM TITLE STUDY, GROUP 10

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 2018
ROOM TITLE STUDY, SC 4

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	6	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	6	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2019
ROOM TITLE STUDY, GROUP 9

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 2020
ROOM TITLE STUDY, SC 3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2021
ROOM TITLE STUDY, GROUP 8

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 2022
ROOM TITLE STUDY, SC 5

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2023
ROOM TITLE STUDY, SC 9

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2024

ROOM TITLE STUDY, SC 6

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2025

ROOM TITLE STUDY, SC 7

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2026

ROOM TITLE STUDY, SC 8

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

CPCI 3125 1 Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc... wall 45"w x 2.98"d x 4.37"h None

ARCH ROOM NO 2028

ROOM TITLE STUDY, SC 10

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2029

ROOM TITLE STUDY, STUDENT 3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2030

ROOM TITLE STUDY, SC 11

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2031

ROOM TITLE STUDY, STUDENT 4

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2032

ROOM TITLE STUDY, SC 12

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2033

ROOM TITLE STUDY, STUDENT 5

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2035

ROOM TITLE STUDY, STUDENT 6

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage

OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2036
ROOM TITLE STUDY, SC 13

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2037
ROOM TITLE STUDY, STUDENT 7

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2038
ROOM TITLE STUDY, SC 14

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
OPVI	1464	8	Workstation, Study (Carrels); Small Scale;w/dividers between stations & key locking overhead storage	floor	TBD	E 115V Quad; Data Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
CPCI	3125	1	Rack, Coat, Size for up to 8 to 10 hooks for staff coats, bags, etc...	wall	45"w x 2.98"d x 4.37"h	None

ARCH ROOM NO 2041**ROOM TITLE STUDY, STUDENT 1**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2042**ROOM TITLE STUDY, STUDENT 2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	8	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1465	8	Workstation, Study (Carrels); FUTURE PURCHASE; w/dividers between stations, locking overhead	floor	TBD	E 115V; Data Com FOR FUTURE USE
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None

ARCH ROOM NO 2063**ROOM TITLE TOILET, SP**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 2064**ROOM TITLE TOILET, SP**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 2065
ROOM TITLE SHOWER/CHANGING, SP

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CPCI	3115	2	Robe Hook, Double	wall	6x6x3	None
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 2066
ROOM TITLE LOUNGE; SP

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1005	12	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	1411i	2	Table, Rectangular, FEATURES TBD	floor	42"d x66"l x30"h	None
OPVI	2505	1	Board, Bulletin, Rubber Tack, Aluminum Frame	wall	48"w x 48"h x2"d	None
OPVI	2518	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None

OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3040c	2	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
OPVI	3194	1	Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
OPSVI	3216a	1	Coffeemaker, Automatic, With Water Dispenser, 2 warmers	countertop	23.5"w x13.1"d x17.4"h	E 120V Ded: 13.3 amps; NEMA 5-15P; water supply
CPCI	3236a	1	Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPVI	3269c	1	Refrigerator, Household, 2 Door, Freezer On Top (NO ICEMAKER)	floor	30"w x31"d x69"h	E Ded 115V
OPCI	3305	1	IceMaker, ADA, Undercounter, 22 lb ice bin capacity; 80 lbs ice production/24 hrs	undercounter	14 7/8"w x 22 5/8"d x 31.5"h	E DED 115V/15 Amp Cir Brkr; 1850 BTU/hr

ARCH ROOM NO 2069

ROOM TITLE RESTROOM & DRESSING L2 N

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	3	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 2070

ROOM TITLE RESTROOM & DRESSING L2 N

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3016	1	Hamper, Linen, Mobile, with 2 Cloth Bag: ? BY 3RD PARTY VENDOR	floor	Typical 20 diam x 36	None
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	2	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	3	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
CPCI	9993	1	Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	ceiling	as required-see layout	None:
OPVI	9996	1	Bench, Sitting Suitable for Location	floor	Approx 48"w x 20"d x 20"h	None

ARCH ROOM NO 2076

ROOM TITLE LOUNGE, STUDENT-GAME ROOM

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	8	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
OPVI	1024	2	Seating, 3 Person, Couch Type	floor	84x30x28	None
OPVI	1026	2	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1410	3	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None

OPVI	1412	2	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPVI	1421	1	Table, Sofa Suitable for Lounge/Waiting Areas	floor	36" diameter x 24"h	None
OPSVI	1810	1	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
OPVI	1812	1	Table, Indoor Tennis (Ping Pong), Heavy Duty On Casters, Folding, Includes Net	floor	108" x60" x 30"h	None
OPVI	3043e	1	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
OPVI	4142	1	Dart Board Game, Electronic with Soft Tip Darts	floor	12.5"l x 23.5"w x 85"h	E 110V
OPOI	4144	1	Foosball Gaming Unit; Regulation Size, Black Mica Cabinet, Solid Hard wood legs, Commercial Grade	floor	29"w x 55"l x 35"h	None

ARCH ROOM NO 2077

ROOM TITLE LOUNGE, STUDENT-SOFT SEATING

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1003	8	Chair, Side, No Arms, Upholstery TBD, On Casters	floor	20" x 20" x 32"h	None
OPVI	1024	2	Seating, 3 Person, Couch Type	floor	84x30x28	None
OPVI	1026	1	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1410	1	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPVI	1412	2	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPSVI	1810	1	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
OPVI	3043e	1	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data

ARCH ROOM NO 2078

ROOM TITLE GROUP STUDY 12, L2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	10	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1403b	4	Table, Educational Type, Flip Top, Nesting w/Optional Casters/Optional Power	floor	72"l x24"d x30"h	Req Access To Floor Utilities
OPVI	2523	2	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 2078

ROOM TITLE LOUNGE, STUDENT-KITCHEN AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1328	10	Stool, Bar; Static; w/back; approp for counter areas; Ht TBD by Counter/Table Ht Design	floor	20"w x 20"d x 52"h	None
OPVI	3046a	2	Trash Collector, 32 Gal Brute, Vented, Round, Open Top: Color to be Selected (pkg of 6)	floor	21.92" Diameter; 25" with handles; 28"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None

CNHPI	3102	1 Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102a	1 Dispenser, Waterless Hand Sanitizer	wall	TBD	None
CPCI	3154	1 DISPENSER, HOT WATER; TO BE LOCATED ON SINK DECK	N/A	N/A	WATER SUPPLY
OPVI	3194	6 Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
OPSVI	3216e	1 Coffeemaker, Automatic Dual Brewer, Sealed Vacuum, hot water dispenser:OWNER SPEC/3rd PARTY	countertop	20.25"w x20.5"d x35.25	E DED 220V; 30 amp; 4 wire plug
OPVI	3217	1 Grinder, Coffee, Digital, Dual Compartment	countertop	10.1"w x 17.3"d with plug; 29.3"h	E 120V; 8 amp; 1/2 HP
CPCI	3236a	1 Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPVI	3269e	2 Refrigerator, Full, Residential, Single Door; Smudge Proof SS; Counter Depth; optional trim kit	floor	32"w x 26.5"d x 71.5"h with hinges	E Ded 115V; 20 Amp
OPVI	3269f	1 Freezer, Full, Residential, Single Door; Smudge Proof SS;Counter Depth; optional trim kit	floor	32"w x 26.5"d x 71.5"h with hinges	E Ded 115V; 20 Amp
OPCI	3305	1 IceMaker, ADA, Undercounter, 22 lb ice bin capacity; 80 lbs ice production/24 hrs	undercounter	14 7/8"w x 22 5/8"d x 31.5"h	E DED 115V/15 Amp Cir Brkr; 1850 BTU/hr
OPVI	3355	2 Vending Machine, Drink, up to 40 drink selection, coin/bill: ADA COMPLIANT	floor	41.2"w x38"d x72"h	E Ded-115V-10.5a-60Hz or 5a-230V-50Hz
OPSVCI	4137a	1 Television, Flat Panel, 32" With Appropriate Mount; LED; Comm; OWNER TO SPECIFY: REQUIRES	wall	29.1"wx17.7"hx3.1"d	E 115V; Data

DEPT TITLE LEVEL THREE: ADMINISTRATIVE AREA**ARCH ROOM NO 3010****ROOM TITLE RECEPTION, FRONT- 1 EXECUTIVE ADMIN**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	1026a	2	Seating, 1 Person, Upholstered: Club Style; Design Features TBD	floor	28x30x32	None
OPVI	1410a	1	Table, End, Drum Round 18" Diameter	floor	18" Diameter x20"h	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3011**ROOM TITLE OFFICE, EXECUTIVE 1**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0201	2	Chair, Guest Type for Administrative settings	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3012**ROOM TITLE OFFICE, EXECUTIVE 2 (A)**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
--------------	-------------	------------	--------------------	-----------------	-----------------	------------------

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0201	2	Chair, Guest Type for Administrative settings	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPCI	4132	1	TV, Monitor Smart LED, 43" WITH WALL MOUNT: OWNER TO SPECIFY: REQUIRES BACKING	wall mount	38.1"w x 22.8"h x 4"d	E 115V; Data
ARCH ROOM NO		3015				
ROOM TITLE		OFFICE, A/A DEAN				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0213	4	Chair, Conference Type, Optional Casters, w/arms; UPHOLSTERY SUITABLE FOR EXECUTIVE AREAS	floor	Typical 24"w x24"d x32"h	None
OPVI	0690	1	Cabinet, Wardrobe or Equipment, 2 Doors, Optional Lock	floor	36"w x18"d x72"h	None
OPVI	1412	1	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPVI	1459	1	Workstation, Desk With Credenza with Upper & Lower Storage & Filing	floor	TBD	To be Near E 115V Quad; Data Com
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3914	1	Printer, Multifunction, LaserJet mf copy/scan/fax	countertop	15"w x 18"d x 16"h	E 115V: Data/Com

OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
------	------	---	---	-----------------	-------------------------	--------------

ARCH ROOM NO 3016

ROOM TITLE RECEPTION, 2ND EXECUTIVE ADMIN

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	1026	1	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
OPVI	1410a	1	Table, End, Drum Round 18" Diameter	floor	18" Diameter x20"h	None
OPOI	1830	1	Flag Set to Include American Flag; OK State Flag & Cherokee Nation Flag; 7 FT POLE-3'X5' FLAGS;	floor	12" BASE	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3017

ROOM TITLE OFFICE, CAMPUS DEAN

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0151	1	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms, High Back	floor	Typical 24.5w x28"d x37"h	None
OPVI	0213	4	Chair, Conference Type, Optional Casters, w/arms; UPHOLSTERY SUITABLE FOR EXECUTIVE AREAS	floor	Typical 24"w x24"d x32"h	None
OPVI	0385	2	Bookcase,Non-Sectional,Open, 5 Adj. Shelves	floor	36x12x65	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1026	2	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
OPVI	1410a	1	Table, End, Drum Round 18" Diameter	floor	18" Diameter x20"h	None
OPVI	1412	1	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm

OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3914	1	Printer, Multifunction, LaserJet mf copy/scan/fax	countertop	15"w x 18"d x 16"h	E 115V: Data/Com
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

ARCH ROOM NO 3018

ROOM TITLE STORAGE, DEAN

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OOOO	9999a	0	No Moveable Equipment Required	n/a	n/a	n/a

ARCH ROOM NO 3019

ROOM TITLE TOILET, EXECUTIVE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1141	1	Stand, 2 Drawer for storage of personal care items: Executive Restroom	floor	24"w x 29"h x 20"d	None
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3106a	1	Mirror,Full Length, Dressing	wall	24x1x60	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

ARCH ROOM NO 3020

ROOM TITLE OFFICE, OSUCHS PRESIDENT

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0151	1	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms, High Back	floor	Typical 24.5w x28"d x37"h	None

OPVI	0213	4	Chair, Conference Type, Optional Casters, w/arms; UPHOLSTERY SUITABLE FOR EXECUTIVE AREAS	floor	Typical 24"w x24"d x32"h	None
OPVI	1025	1	Seating, 2 Person, Couch Type	floor	52x30x32	None
OPVI	1026a	1	Seating, 1 Person, Upholstered: Club Style; Design Features TBD	floor	28x30x32	None
OPVI	1410a	1	Table, End, Drum Round 18" Diameter	floor	18" Diameter x20"h	None
OPVI	1412b	1	Table, Round, 42" Diameter	floor	42" diam x 30"h	None
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPOI	3914	1	Printer, Multifunction, LaserJet mf copy/scan/fax	countertop	15"w x 18"d x 16"h	E 115V: Data/Com
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

ARCH ROOM NO 3021

ROOM TITLE CONFERENCE ROOM, EXECUTIVE

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0201	4	Chair, Guest Type for Administrative settings	floor	Typical 24"w x24"d x32"h	None
OPVI	0213	12	Chair, Conference Type, Optional Casters, w/arms; UPHOLSTERY SUITABLE FOR EXECUTIVE AREAS	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1401	1	Table, Conference: FORMAL: FOR EXECUTIVE MEETINGS: REQ DATA/POWER/USB DROP	floor	TBD	E 115V; DATA; USB
OPVI	2518	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None

OPSVI	2945	1 Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	2 Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1 Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1 Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1 Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1 Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1 Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

ARCH ROOM NO 3022

ROOM TITLE KITCHENETTE, EXECUTIVE AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	2254	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	3062b	1	Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3154	1	DISPENSER, HOT WATER; TO BE LOCATED ON SINK DECK	N/A	N/A	WATER SUPPLY
OPVI	3194	1	Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
OPSVI	3216a	1	Coffeemaker, Automatic, With Water Dispenser, 2 warmers	countertop	23.5"w x13.1"d x17.4"h	E 120V Ded: 13.3 amps; NEMA 5-15P; water supply
CPCI	3236a	1	Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPVI	3269c	1	Refrigerator, Household, 2 Door, Freezer On Top (NO ICEMAKER)	floor	30"w x31"d x69"h	E Ded 115V

OPCI	3305	1	IceMaker, ADA, Undercounter, 22 lb ice bin capacity; 80 lbs ice production/24 hrs	undercounter	14 7/8"w x 22 5/8"d x 31.5"h	E DED 115V/15 Amp Cir Brkr; 1850 BTU/hr
OPCI	3352a		Dishwasher, High End Residential, 44 dcb, Energy Star Rated, 5 Cycle, 3 Racks, SS	floor	Req Cut out: 33 7/8"h x 23 5/8"w x 24"d	E 120V; Ded 12 amp; 1440 watts

ARCH ROOM NO 3023

ROOM TITLE OFFICE, EXECUTIVE 3

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0201	2	Chair, Guest Type for Administrative settings	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3024

ROOM TITLE STORAGE, EXECUTIVE AREA

GROUP EQNO QTY DESCRIPTION LOCATION SIZE-STD UTILITIES

OPVI	0430b	1	Cabinet, Filing 5 drawer, Vertical, Locking	floor	15"w x18"d x42"h	None
OPVI	0680	1	Cabinet, Storage, 6 Adj.Shelves,2 Doors,Lock	floor	36x18x65	None
OPVI	2254	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2401	1	Cart, Utility; 3 Shelf; Mobile; Handles on Both Ends	floor	34"l x 19"d x 38"	None
OPVI	2525	2	Easel, Presentation	stored	29x2x40 stored	

ARCH ROOM NO 3025

ROOM TITLE WORK AREA-COPY/SUPPLY FOR EXECUTIVE AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1819	1	Stapler, Electric, Heavy Duty, 70 page capacity	countertop	5.7"w x 14.3"d x9.82"h	E 115V
OPVI	1821	1	Paper Punch; 3 Hole; 28 sheet capacity, electric, Commercial Grade	countertop	10.3"w x 19.6"d x7"h	E 115V
OPVI	1822	1	Paper Cutter, 400 sheet capacity, accepts up to 17" paper, clear embossed grib	countertop	21.75"l x 16"d x13.5"h	None with bar up
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3764	1	Shredder, Cross Cut, 16 Gallon Capacity, Ultra Quiet, 14 sheets at time shred	floor	19.7"w x15"dx 34.25"h	E Ded 120V
OPOI	3769	1	Laminator, Tabletop Model?; TO BE SPECIFIED BY OWNER I.T.	TABLETOP	16.92" L x 18.11" W x 11.14" H	E 120V

ARCH ROOM NO 3028

ROOM TITLE OFFICE, SHARED (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3029				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3030				
ROOM TITLE		OFFICE, SHARED (2 STAFF)				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	2	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3031

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3032

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3033

ROOM TITLE OFFICE, SHARED (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	2	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3034

ROOM TITLE OFFICE, I.T. STAFF WORKROOM (MULTIPLE POWER/DATA)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0181a	2	Chair, Rotary, Std.Back, On Casters, Ergonomic,WITH Arms, Ext Height For Standing Work Surface	floor	Typical 24.5w x28"d x42"h	None
OPVI	1400a	1	Table, Standing Work Adjustable Height	floor	96"l x 36"d x adjustable ht	None
OPVI	2254	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf; Various Sizes	floor	Sizes TBD by Design	None
OPVI	2602	2	Stool, For Technical & Industrial Environments, Ergonomic, with back & arms	floor	20"w x 20"d x 42"h	None
OPVI	2603	2	Bench, Work for I.T. Technician Repair Area: Lights/Bins/Power/Data Strip	floor	60"w x 24"d x Adj Ht	E 115V x 2 Quad: 2 Data-com
OPVI	2752	2	Mats, Runners, Anti Fatigue, Reconfigurable Available in 2ft and 3ft widths	floor	TBD	None
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
------	------	---	-------------------	------	-------	------

OPVI	3202	2	Bin, Parts, Storage, Mobile, Double Sided Louvered Panel Customize Bins, 5" Swivel Casters w/brake	floor	36"w x 25.75"d x72.5"h	None
------	------	---	--	-------	------------------------	------

ARCH ROOM NO 3035

ROOM TITLE ALCOVE, COPY, S FACULTY (NEAR BACK CORRIDOR)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3764	1	Shredder, Cross Cut, 16 Gallon Capacity, Ultra Quiet, 14 sheets at time shred	floor	19.7"w x15"dx 34.25"h	E Ded 120V

DEPT TITLE LEVEL THREE: LECTURE HALL 2: STUDENT SPT SERVICES: CLASS**ARCH ROOM NO 3000****ROOM TITLE LOBBY, L3 CENTRAL AREA**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1026	4	Seating, 1 Person, Upholstered: Club Style; Design Features TBD; With USB drops	floor	28x30x32	None
OPVI	1410	2	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None

ARCH ROOM NO 3006**ROOM TITLE LECTURE HALL 2**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	83	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
OPVI	1005	4	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
OPVI	1005	4	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
OPVI	1419	1	Table, Rectangular, On Casters, Optional Flip Top	floor	30"w x 24"d x 30"h	None
CPCI	1422	1	Table, Lecture Hall; Custom Size; Must have USB, Microphone & Power Outlet	floor	TBD BY DESIGN	SEE DESIGN DETAILS
OPVI	1424	17	Table Educational LEC;Round 1 TV Control Per Table:1 USB,1 Push/ Talk Mic /1 Power Per Student	floor	Per Design	TBD
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPVI	3043e	2	Waste Container, Drop in Top, 25 Gallons, SS, RM Classic Series	floor	18" diameter x 36"h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

OPOI	3909	2	Kiosk Center, Information; For IPAD DETAILS & COMPONENTS TO BE SPECIFIED BY OWNER I.T. DEPT	floor	TBD	E 115V; Data
OPVI	4100	2	Cart, Charging With 3 Modules; SPECIFICATIONS BY OWNER I.T.	floor	Typical 33.50"W x 26.00"D x 44.5"H	E 120V; 12 Amp
OPSVI	4103	1	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPCI	4130	2	Television, Flat Panel Monitor, 82" screen; REQUIRES BACKING; SPECS BY OWNER I.T. DEPT	wall mount	TYPICAL:72"w x 2.4"d x 45.1"h	E 115V; Data
OPCI	4131	3	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	2	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 3008

ROOM TITLE WAITING, SS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0681	1	Cabinet, Credenza; Suitable for display of teaching materials, models or media with locking doors	floor	60"w x 18"d x 36"h	None
OPVI	1026a	2	Seating, 1 Person, Upholstered: Club Style; Design Features TBD	floor	28x30x32	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1410	1	Table, End: Shape, Size, Style TBD	floor	Typical 20" x 20" footprint	None
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPOI	3909	1	Kiosk Center, Information; For IPAD DETAILS & COMPONENTS TO BE SPECIFIED BY OWNER I.T. DEPT	floor	TBD	E 115V; Data
OPOI	3913	1	Printer, Laser, Individual; TO BE SPECIFIED BY OWNER	countertop	16.3"w x16.6"d x17.7"h	E 115V; Data Comm
OPCI	4137	1	Television, Flat Panel, 46" WITH WALL MOUNT; OWNER TO SPECIFY DETAILS: REQUIRES BACKING	wall bracket	TYPICAL: 42"wx2.9"d x24.3"h	E 115V; Data

ARCH ROOM NO 3039

ROOM TITLE CONFERENCE ROOM, SS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	8	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None

OPVI	0681	1	Cabinet, Credenza; Suitable for display of teaching materials, models or media with locking doors	floor	60"w x 18"d x 36"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer, Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data

ARCH ROOM NO 3040

ROOM TITLE WORKROOM/COPY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1819	1	Stapler, Electric, Heavy Duty, 70 page capacity	countertop	5.7"w x 14.3"d x9.82"h	E 115V
OPVI	1821	1	Paper Punch; 3 Hole; 28 sheet capacity, electric, Commercial Grade	countertop	10.3"w x 19.6"d x7"h	E 115V
OPVI	1822	1	Paper Cutter, 400 sheet capacity, accepts up to 17" paper, clear embossed grip	countertop	21.75"l x 16"d x13.5"h	None with bar up
OPVI	3062b	1	Wastebasket, Office, Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3765	1	Shredder, CrossCut 35 Gal Cap, up to 30 page pass thru-16" feed;shreds paper clips,cds,staples,mobile	floor	25"w x20"d x37.25"h	E Ded 120V; 1400w; 12amp

OPOI	3927	1	Printer, Transcript, Color, Individual, Laser (SPECIFICATIONS BY OWNER I.T.)	countertop	14.3"wx 19"dx 13.7"h	E 120V; Data
------	------	---	--	------------	----------------------	--------------

ARCH ROOM NO 3041

ROOM TITLE ALCOVE, COFFEE, STUDENT SERVICES AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPVI	3194	1	Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
OPSVI	3216a	1	Coffeemaker, Automatic, With Water Dispenser, 2 warmers	countertop	23.5"w x13.1"d x17.4"h	E 120V Ded: 13.3 amps; NEMA 5-15P; water supply
OPVI	3310	1	Refrigerator, Undercounter, ADA 5.5 cubit ft, auto defrost, 5 YR Compressor Warranty, Color TBD	floor	23.63"w x 23.5"d x 32"h	E Ded 115V

ARCH ROOM NO 3042

ROOM TITLE STORAGE, FILE, SS, HIGH DENSITY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0403	4	Cabinet, Lateral File, Fire Proof 1 Hour, Color TBD	floor	31"w x 22"d x 53"h	None
OPVI	0403f	10	Cabinet, Lateral File, Fire Proof 1 Hour, Color TBD: FUTURE PURCHASE	floor	31"w x 22"d x 53"h	None
OPVI	0680	2	Cabinet, Storage, 6 Adj.Shelves,2 Doors,Lock	floor	36x18x65	None
OPVI	2254d	1	Shelving Unit, Open Wire Shelves, Mobile, With Bumper Guards & Liner for Bottom Shelf	floor	36"w x24" x72"h	None
OPVI	2401	1	Cart, Utility; 3 Shelf; Mobile; Handles on Both Ends	floor	34"l x 19"d x 38"	None
OPVI	2405	1	Truck, Platform with solid steel deck & Handle at the end; 400 lb capacity	floor/stored	18"w x 28"l x 5.5"h at deckx33" handle	None
OPOI	2455	1	Dolly, Wheeled, Convertible, flatless tires, aluminum, 1000 lb capacity	floor	18"w x 18.75"d x 45.5"h	None
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None

ARCH ROOM NO 3043

ROOM TITLE OFFICE, ASSISTANT SA & WC

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None

OPVI	0202	2	Chair, Fixed Back & Seat, No Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3044

ROOM TITLE OFFICE, ADMIN ASSISTANT, SS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary, Std.Back, 5-Legged, On Casters, Ergonomic, Adj. Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPSVI	1810	1	Cultural Art Items; AS SPECIFIED BY OWNER/3RD PARTY VENDOR SOURCE	wall/cabinet	varies	NONE
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant, 28qt	floor	14x11wx16h	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3045

ROOM TITLE OFFICE, ADDT 1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary, Std.Back, 5-Legged, On Casters, Ergonomic, Adj. Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat, No Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm

OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3046
ROOM TITLE OFFICE, ADMIN LOAN

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat,No Arms,No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3047
ROOM TITLE OFFICE, ADDT 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat,No Arms,No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm

OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3048

ROOM TITLE OFFICE, ASSISTANT REGISTRAR, SS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat,No Arms,No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3049

ROOM TITLE OFFICE, ADDT 3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat,No Arms,No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm

OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3050

ROOM TITLE OFFICE, LEARNING/SPEC, SS

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0202	2	Chair, Fixed Back & Seat,No Arms,No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3051

ROOM TITLE LOCKER, CUBBIE, LL3 CIRCULATION N: FACULTY AREA

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1099a	1	Lockers, Cubbie, Style/Size/Qty TBD by CONTRACTOR/OWNER	floor	TBD	None

ARCH ROOM NO 3106A

ROOM TITLE CLASSROOM, LL4

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	48	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None

CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1329	1	Stool, Bar; Static; with low profile back; no arms; small scale that can be tucked away	floor	18"w x 18"d x 48"h	None
OPVI	1424	6	Table Educational LEC;Round 1 TV Control Per Table:1 USB,1 Push/ Talk Mic /1 Power Per Student	floor	Per Design	TBD
OPVI	2518	8	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPSVI	2944	2	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	2	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	2	Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	2	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	6	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	2	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 3110A
ROOM TITLE CLASSROOM, LL3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0212	48	Chair, Conference Type, nesting, optional casters & arms for high density area; high wt capacity	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1424	6	Table Educational LEC;Round 1 TV Control Per Table:1 USB,1 Push/ Talk Mic /1 Power Per Student	floor	Per Design	TBD

OPVI	2518	8 Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPSVI	2944	2 Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3043	2 Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	2 Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPOI	3907	2 Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4103	2 Cabinet, Audio/Visual, Portable, For 1 TO 2 PC & DUAL MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY	floor	TBD By Design	E 115V Quad; 2 Data/?Com
OPOI	4109	1 Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1 Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	2 Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
OPCI	4136	6 Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	2 Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

DEPT TITLE LEVEL THREE: FACULTY OFFICES, SUPPORT & MEETING SPACES**ARCH ROOM NO 3001****ROOM TITLE CONFERENCE ROOM, 1 FACULTY (NORTH CENTRAL)**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	8	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4136	1	Television-Monitor, High Resolution Flat Panel, 55", W/Mount; REQ BACKING: SPECIFIED BY	wall or ceiling	49.2"w x 29"h x 3.1"d	E 115V; Cabling; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 3002**ROOM TITLE WORKROOM, FACULTY (COPY/MAIL)**

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1819	1	Stapler, Electric, Heavy Duty, 70 page capacity	countertop	5.7"w x 14.3"d x9.82"h	E 115V
OPVI	1821	1	Paper Punch; 3 Hole; 28 sheet capacity, electric, Commercial Grade	countertop	10.3"w x 19.6"d x7"h	E 115V

OPVI	1822	1	Paper Cutter, 400 sheet capacity, accepts up to 17" paper, clear embossed grip	countertop	21.75"l x 16"d x13.5"h	None with bar up
OPVI	2401	1	Cart, Utility; 3 Shelf; Mobile; Handles on Both Ends	floor	34"l x 19"d x 38"	None
OPSVI	2944	1	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	wall	8x3X10	Comm.
OPVI	3062b	1	Wastebasket, Office,Tall, 23 gallon, Open Top; Color TBD	floor	11"w x 22"d x 30"h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
OPVI	3765	1	Shredder, CrossCut 35 Gal Cap,up to 30 page pass thru-16" feed;shreds paper clips,cds,staples,mobile	floor	25"w x20"d x37.25"h	E Ded 120V; 1400w; 12amp

ARCH ROOM NO 3027

ROOM TITLE CONFERENCE ROOM, 3 FACULTY (EXECUTIVE AREA)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	10	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data

CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE
ARCH ROOM NO		3052				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3053				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3054

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3055

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3056
ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3057*
ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3057*				
ROOM TITLE		BREAKROOM, FACULTY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	1005	12	Chair, Side, No Arms, Vinyl Upholstery, Stackable	floor	24x24x34	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1411i	4	Table, Rectangular, FEATURES TBD	floor	42"d x66"l x30"h	None
OPVI	3040c	2	Wastebasket, 23 Gallon, Slanted Front for easy Access; For Undercounter Areas Color TBD	floor	11"w x22"l x25"h	None
OPVI	3045	1	Wastebasket, 56 Gallon for larger volume trash, with open hooded top	floor	25.5"w x 22.75"d x 31"h	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CNHPI	3102a	1	Dispenser, Waterless Hand Sanitizer	wall	TBD	None
OPVI	3194	2	Microwave, 1.6 Cu Ft, SS, 1100 Watts; multiple one touch options; 10 cooking levels,	counter/shelf	21.75"w x 13"h x 18.5"d	E 120V; 15 amps
OPVI	3215	1	Coffeemaker, Keurig, Automatic, Individual Cup, Commercial	countertop	10.5"w x14"d x13.9"h	E 120V; 15amp; SP; 1400 watt; water supply
OPSVI	3216	1	Coffeemaker, Automatic, With Water Dispenser, Low Profile, 3 warmers	countertop	16.5"w x 17.75"d x 17"h	E 120V; 15 amp;1800 watts;NEMS 5-15P; water supply
CPCI	3236a	1	Disposal, Garbage for Sink; SPECIFICATIONS TO BE PROVIDED BY MEP	attached/sink	See MFG Details	See MFG Details
OPVI	3269e	1	Refrigerator, Full, Residential, Single Door; Smudge Proof SS; Counter Depth; optional trim kit	floor	32"w x 26.5"d x 71.5"h with hinges	E Ded 115V; 20 Amp
OPVI	3269f	1	Freezer, Full, Residential, Single Door; Smudge Proof SS;Counter Depth; optional trim kit	floor	32"w x 26.5"d x 71.5"h with hinges	E Ded 115V; 20 Amp
OPCI	3305	1	IceMaker, ADA, Undercounter, 22 lb ice bin capacity; 80 lbs ice production/24 hrs	undercounter	14 7/8"w x 22 5/8"d x 31.5"h	E DED 115V/15 Amp Cir Brkr; 1850 BTU/hr
OPCI	3352a	1	Dishwasher, High End Residential, 44 dcb, Energy Star Rated, 5 Cycle, 3 Racks, SS	floor	Req Cut out: 33 7/8"h x 23 5/8"w x 24"d	E 120V; Ded 12 amp; 1440 watts

OPOI	4139	1	Television Monitor, 48", TO BE SPECIFIED BY OWNER/3RD PARTY	wall	TBD	E 115V; DATA
------	------	---	---	------	-----	--------------

ARCH ROOM NO 3058

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3059

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3060

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3061

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3062

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3063

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3064

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3065

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3066				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3067				
ROOM TITLE		OFFICE, FACULTY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3069				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3070				
ROOM TITLE		OFFICE, FACULTY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3071

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3072

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3073

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3074

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None

OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
------	------	---	---	----------	-----	--------------

ARCH ROOM NO 3075

ROOM TITLE OFFICE, SHARED (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	2	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3076

ROOM TITLE OFFICE, SHARED (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	1	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	2	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14lx11wx16h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3077

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3078

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3079

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3080

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3081

ROOM TITLE OFFICE, FACULTY

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	2	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3082

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3083

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3084

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3085

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3086

ROOM TITLE OFFICE, CSI 1

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3089

ROOM TITLE OFFICE, CSI 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3090

ROOM TITLE OFFICE, CSI 3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3091				
ROOM TITLE		CONFERENCE, RH & CSI				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	6	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1412e	1	Table, Round, 60" Diameter; TO HAVE POWER & DATA	floor	60" diameter x 30"h	Req Access To Floor Utilities
OPVI	2518	1	Board,Chalkless, Magnetic Cleanable Surface,w/Tray, 48" x 48" x 1"d	wall	48"w x48"h x1"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	2	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3903	1	Computer,Personal & Monitor, Wireless Keyboard & Mouse for Desk Use: TO BE SPECIFIED BY OWNER	desktop	24"w x 18"d x 22"h	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD
OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 3092
ROOM TITLE CIRCULATION, RH

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	8201	1	Defibrillator, Battery Operated, Automatic Advisory Type	stored	10"w x 10"h x 5"d	None
CPCI	8202a	1	Cabinet, SEMI Recessed AED; Stainless Steel battery alarm/safety clasp/optional custom logo	recessed wall	wall opening 15.25"w x15.25"h x3.75"d	None

ARCH ROOM NO 3093
ROOM TITLE OFFICE, RH 2

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
-------	------	-----	-------------	----------	----------	-----------

OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3094

ROOM TITLE OFFICE, SHARED RH (2 STAFF)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	2	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0211	2	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	3	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1412	1	Table, Round, Diameter, 36"	floor	36 diamx30	None
OPVI	1500	2	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	2	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	2	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
OPOI	3907	2	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3095				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3096				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3097

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO 3098

ROOM TITLE OFFICE, STAFF

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data

ARCH ROOM NO		3099				
ROOM TITLE		OFFICE, STAFF				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0150	1	Chair, Rotary,Std.Back,5-Legged, On Casters, Ergonomic,Adj.Short Arms	floor	Typical 24.5w x28"d x37"h	None
OPVI	0200	1	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	floor	Typical 24"w x24"d x32"h	None
OPVI	0700	2	Bookcase/Lateral file combination unit	floor	36"w x18"d x64"h	none
OPVI	1500	1	Workstation, Furniture System, Size, Style & Components TBD between Owner & Designer	floor	Various	E 115V Quads: Data-Comm
OPSVI	2941	1	Telephone, Standard: TO BE SPECIFIED BY OWNER	desktop	10"D X 8"W X 4"H	Data-Com
OPVI	3039a	1	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	floor	14x11wx16h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
ARCH ROOM NO		3100				
ROOM TITLE		ALCOVE, COPY: FACULTY				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3062	1	Wastebasket, Office,Tall, 23 gal, with flip lid	floor	20lx11wx30h	None
OPVI	3758	1	Copier, High Vol, 55ppm, MF, networkable: EXISTING LEASE BY OWNER/JDYoung	floor	Typical Options Req 6 ft x 3 ft	E-Ded 120V; 20 Amps; RJ 45 Plug Data-Com
ARCH ROOM NO		3105				
ROOM TITLE		RESTROOM, L3				
GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None

CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None
------	------	---	-------------------	------	-------	------

ARCH ROOM NO 3107
ROOM TITLE JANITORIAL, LEVEL 3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	2265	2	Shelving, Wall; 2 Stainless Steel shelves for supply storage: REQUIRES BACKING	wall mounted	12"d x 36"w	None
OPVI	2609	1	Rack, Wall Mounted to hold mops, etc...	floor	36"w x 1.5"d x 5"h	None
OPVI	3048	1	Truck, Janitorial, Mobile, Locked Storage/2 Buckets/Wringer, Trash collection	floor	20x50x38	None
OPSVI	3049	1	Mops, Mop Heads, Dust Mops, etc...for Janitorial Cleaning TBD & Provided BY Owner Supply	stored	VARIES	None
OPVI	3051	1	Vacuum, Upright; Commercial; with attachments	floor/stored	18"w x 13"d x 44"h	E 120V

ARCH ROOM NO 3108
ROOM TITLE CONFERENCE ROOM, 2 FACULTY (NORTH)

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	0211	10	Chair, Conference Type, Optional On Casters, w/arms	floor	Typical 24"w x24"d x32"h	None
CPCI	1054	1	Clock System, Synchronized; Analogue, With Second Hand; Sized Appropriate for Space; Control System	wall	Size TBD	E; Low Voltage
OPVI	1402	1	Table, Formal Conference Shape & Preferred Base Type TBD; POWER for table; 2 Data for Phones	floor	TBD	POWER TB COORDINATED W/MEP
OPVI	2523	1	Board, Marker; Large for Stage Area/Conference Spaces; Wall Mounted	wall	8'w x 4'h x2"d	None
OPSVI	2945	1	Telephone, Conference: TO BE SPECIFIED BY OWNER	desktop	14X13X3	E 115V; Data-Com
OPVI	3043	1	Wastebasket, Fiberglass, Half Moon Shape 12 gal	floor	18"w x32"hx12"D	None
OPOI	3907	1	Computer With Dual Monitor, Wireless Keyboard & Mouse; TO BE SPECIFIED BY OWNER	desk top	TBD	E 115V; Data
OPSVI	4102	1	Cabinet, Audio/Visual, Portable, For 1 PC & MONITOR; SPECS TBD BY I.T. DEPT/3RD PARTY VENDOR	floor	TBD By Design	E 115V Quad; Data/?Com
OPOI	4109	1	Speakers, Poly Com or Comparable, for Meeting Rooms: SPECIFIED BY OWNER I.T. DEPT	ceiling	TBD BY I.T.	TBD
OPOI	4110	1	Cam, Web or Poly Com Cam for Meeting Rooms: TO SPECIFIED BY OWNER I.T. DEPT	wall mount	TBD BY I.T.	TBD

OPCI	4131	1	Television Monitor, Flat Panel, 65"; W/Mount; REQ BACKING: DETAILS BY I.T. & 3RD PARTY VENDOR	wall/ceiling mt	57.6"w x 2.5"d x 33.2"h	E 115V; Data
CPCI	4149	1	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	wall mount	8.07"w x5.12"h x2.6"d	POE

ARCH ROOM NO 3109

ROOM TITLE RESTROOM, L3

GROUP	EQNO	QTY	DESCRIPTION	LOCATION	SIZE-STD	UTILITIES
OPVI	3043c	1	Waste Container, Drop in Top, Suitable for Restroom Areas, 15 gallon	floor	15" diameter x 30"h	None
OPVI	3088b	1	Container, Sharps: Wall Mounted, Lockable	Wall mount	10 1/2"W x 4 1/2"D x 12"H	None
CNHPI	3100	1	Dispenser, Paper Towel: TYPE TBD ? BY OWNER-CURRENT JANITORIAL SERVICE	wall mount	TBD	None
CNHPI	3102	1	Dispenser, Soap: SPECIFICATIONS & Type TBD BY OWNER	wall mount	7"w x4"d x11.5"h	None
CPCI	3115	1	Robe Hook, Double	wall	6x6x3	None