## WorkWrite-Up and Bid Document/By Trade

Leo Grass Jr.		Contractor Name:			
313 Earl Smith Road Locust Grove, OK (918) 479-6621	7-	Contractor Signature:			
		Th	is document must be	This document must be signed to be a valid bid	d.
	PROJECT TYPE:	TYPE: Rehabilitation		Bid Due Date:	
Trade Work	Work Description / Comments	ents	Gen. Spec.	Qty Unit	Item Bid
Carpentry			•		*
1 Area: KITCHEN			Div.# 10.G	a ⊞	
Fire Extinguisher/Install. Install new fire extinguisher.	ew fire extinguisher.				, F-5/5/
Electrical			<b>Y</b>		
2 Area: INTERIOR			Div.# 13.D.	5 Ea	
Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year lithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	ed/Install new smokend hallways adjacent	detector, battery operat to bedrooms. Use Firex	ted (10 year t #4015 or		[
HVAC				e	13
3 Area: GARAGE			Div.# 12	1 Ea	
HVAC Equipment/Central/Heating & Cooling 3 Ton/13 SEER & Propane Gas Heating Replace INSIDE AND OUTSIDE EQUIPMENT/INCLUDING; COPPER LINES, A-COIL & Coil BOX, OUTSIDE CONDENSOR; ALL VENT PIPE, Filter Grill, ceiling Registers,	ig & Cooling 3 Ton/1 EQUIPMENT/INCL NSOR; ALL VENT P	3 SEER & Propane Gas UDING ; COPPER LINE IPE, Filter Grill, ceiling F	Heating S; A- COIL Registers,		
Natural gas unit					96 <b>3825</b> 11
Roofing					

Print Date: Tuesday, July 23, 2019

Trade Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing		90	
4 Area: ROOF	Div.# 7.A.	30 Sq	
Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarkey/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge. Pipe Flashing. Valley Flashing. and Metal Slant Back Vents	year ed Style D		
5 Area: ROOF	Div.#7.A	192 SF	
Sheathing/5/8" CDX/Replace. Replace existing sheathing/Use 5/8" CDX.			
Replace all damaged decking, check around meter loop also.		\$ 100 m	

attached Asbestos Sampling Report for location and testing of Planned Work Activities. Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See for conducting safe work practices that comply with OSHA Construction Standards for Asbestos compliance with the more stringent requirement. Contractor awarded the job will be responsible Based Paint requirements when applicable. Conflicts between requirements will be resolved by installation procedures, good quality workmanship practices, General Specifications and Lead-All construction shall be in accordance with local codes, manufacturers' recommended Leo Grass Jr.-In Locust Grove on corner of Sargear Street and Earl Smith drive.