


CHEROKEE NATION ENTERTAINMENT HARD ROCK TOWER RENOVATION BID DOCUMENTS - NOT FOR CONSTRUCTION



Architect

*Edmondson Reed & Associates
15 W 6th Street, Ste 2507
Tulsa, Oklahoma 74119
918-576-6700*

MEP Engineering

*HP Engineering Inc.
16 S Lewis Ave
Tulsa, OK 74104
(918) 895-6510*



CHEROKEE NATION ENTERTAINMENT
BID DOCUMENTS - NOT FOR CONSTRUCTION

DEMOLITION NOTES: LEVELS 5-12

- REMOVE ALL EXISTING CONSTRUCTIONS AND FINISHES NECESSARY FOR THE COMPLETION OF THE WORK AS DEPICTED ON THE DRAWINGS, INCLUDING BUT NOT LIMITED TO: ITEMS SHOWN ON THE PLANS WITH DASHED LINES; NEARBY DISCONNECTS AND ALTERATIONS TO EXISTING MECHANICAL AND ELECTRICAL SYSTEMS SHALL BE INCLUDED. PATCH AS REQUIRED. ALL CONSTRUCTIONS TO REMAIN IN ACCORDANCE WITH THE CONTRACT DRAWINGS, WHERE CONTRACTOR IS DESIGNATED TO MAKE REMOVALS. DISPOSITION OF MATERIALS IS THE RESPONSIBILITY OF THE CONTRACTOR. VERIFY WITH OWNER THE DISPOSITION AND REMOVAL OF ANY COMPONENTS OF SALVAGEABLE VALUE.
- PATCH ALL FINISHES TO MATCH EXISTING, INCLUDING BUT NOT LIMITED TO: GYPSUM BOARD, WOOD TRIM, COVERS, BASE, PANELS, RAILS AND WAINSCOT. VERIFY MATCH OF NEW FINISH MATERIALS TO EXISTING IN COLOR, TEXTURE, THICKNESS, ETC. TO SATISFACTION OF OWNER PRIOR TO INSTALLATIONS.
- WHERE APPLICABLE, LEVEL ALL EXISTING FLOORS AS REQUIRED TO RECEIVE NEW FLOOR FINISHES. INSTALL REQUIRED TRANSITION PIECES BETWEEN VARIOUS FLOOR FINISHES SUITABLE FOR CONDITIONS AND ACCEPTABLE TO THE OWNER. MATCH EXISTING WHEREVER POSSIBLE.
- REMOVE ALL WALLCOVERING THROUGHOUT.
- FOR ANY NEW LIGHTING INDICATED IN DOCUMENTS, SALVAGE AND REUSE EXISTING ELECTRICAL COMPONENTS AS NEEDED. RE: ELECTRICAL.
- ALL DRAPERY AND SHEER ACCESSORIES AND HARDWARE TO REMAIN. SHEERS TO BE SALVAGED AND REUSED.
- DEMO ALL EXISTING HEADBOARDS ON LEVELS 5-16. ALL EXISTING HEADBOARDS TO REMAIN ON LEVEL 17.
- ALL REMOVALS AND SALVAGE, UNLESS SPECIFICALLY NOTED OTHERWISE OR REQUESTED BY OWNERS SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
- PROTECT ALL EXISTING STRUCTURE, SYSTEMS, FINISHES AND GENERAL CONSTRUCTION THAT ARE TO REMAIN THROUGHOUT THE COURSE OF THE WORK TO PREVENT DAMAGE OR LOSS. ANY SUCH DAMAGE CAUSED DURING THE COURSE OF THIS WORK WILL BE REPAIRED AT THE CONTRACTORS EXPENSE BEFORE THIS WORK IS CONCLUDED.
- PRIOR TO INTERRUPTING OR OTHERWISE AFFECTING ANY SUCH OPERATING SYSTEM, UTILITY OR SERVICE, CONTRACTOR SHALL CONSULT WITH OWNERS REPRESENTATIVE TO ESTABLISH A MUTUALLY SATISFACTORY SCHEDULE FOR CUT OVER, CUT OFF DISRUPTION, OR OTHER CHANGE IN THE OPERATION OF THE AFFECTED SYSTEM, UTILITY OR SERVICE.
- CONTRACTOR IS RESPONSIBLE FOR ALL PATCHING NECESSARY TO COMPLETE THE NEW WORK.
- CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING AND REMOVING ALL MATERIALS FROM PREMISES IN ORDER TO ACCOMPLISH THE SCOPE OF THE NEW WORK.
- IF ANY QUESTIONS ARISE AS TO THE REMOVAL OF ANY MATERIAL, CONSULT ARCHITECT/DESIGNER FOR DIRECTION.
- REMOVE EXISTING SIGNAGE/GRAPHICS AND STORE FOR REUSE, WHERE APPLICABLE.
- REFER TO HATCH REGION FOR FLOORING DEMOLITION EXTENTS.
- PREP ALL SURFACES TO RECEIVE NEW FINISHES ACCORDING TO SPECIFICATIONS.
- ALL EXISTING WINDOW VALANCES TO BE REMOVED TO RECEIVE NEW UPHOLSTERY. CONTRACTOR TO VERIFY QUANTITIES AND LOCATIONS.
- ALL GLASS AND GLASS DOORS AT SHOWERS TO BE SALVAGED AND REUSED.
- ALL EXISTING FURNITURE PLASTIC LAMINATE FACES TO BE REMOVED IN ORDER TO RECEIVE NEW PLASTIC LAMINATE ON LEVELS 5-12 IN THE FOLLOWING ROOM TYPES: KING ROOM, DOUBLE QUEEN ROOM. RE: 1/A7.3 CONTRACTOR TO VERIFY LOCATIONS AND COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION.
- ALL EXISTING IT/AV EQUIPMENT TO BE COORDINATED WITH OWNER.
- SALVAGE AND REUSE ALL EXISTING WALL-MOUNTED ACCESSORIES UNLESS NOTED OTHERWISE.
- DEMO ALL EXISTING CORNER GUARDS IN CORRIDORS, FLOOR LOBBIES, AND ELEVATOR LOBBIES. PATCH AND REPAIR AS REQUIRED. RE: FINISHES GENERAL NOTES.

GENERAL NOTES

- VERIFY CONDITIONS, THE CONTRACTOR SHALL VERIFY ALL PROJECT-RELATED NEW AND/OR EXISTING CONDITIONS INCLUDING DIMENSIONS PRIOR TO THE COMMENCEMENT OF WORK. CONSULT WITH ARCHITECT/DESIGNER IF ANY DISCREPANCIES ARISE.
- COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.
- WORK SHALL INCLUDE ALL REQUIRED PERMITS, LABOR, MATERIALS, AND EQUIPMENT TO COMPLETE ALL WORK INDICATED ON DRAWINGS AND AS NECESSARY FOR A COMPLETE PROJECT.
- CONTRACTOR TO PATCH, REPAIR, AND PAINT (REFINISH) ALL SURFACES AND BUILDING ELEMENTS DAMAGED BY MECHANICAL, ELECTRICAL, AND PLUMBING WORK AND WHERE ITEMS ARE REMOVED, RELOCATED OR ADDED.
- PATCH AND REPAIR ALL SURFACES TO MATCH EXISTING WHERE ITEMS ARE REMOVED OR ALTERED. FIELD VERIFY EXTENT REQUIRED.
- ALL MATERIALS AND FINISHES SHALL BE DONE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT FINISHES AND CLEANUP.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO FINISHED SURFACES, EQUIPMENT, FURNITURE, EXISTING MATERIALS OR FINISHES, CAUSED AS A RESULT OF HIS WORK. REPAIR OR REPLACE DAMAGED ITEMS AS DIRECTED BY ARCHITECT.
- VENDING, MAIDS ROOM, ELEVATORS, STAIRWELLS NOT IN CONTRACT
- COORDINATE AND VERIFY ALL DIMENSIONS, OPENINGS AND CONDITIONS WITH ELECTRICAL AND ALL OTHER PERTINENT DRAWINGS AND TRADES PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT OF DISCREPANCIES AS SOON AS POSSIBLE.
- ALL DETAILS THAT ARE TYPICAL, INCORPORATE INTO PROJECT AT APPROPRIATE LOCATIONS WHETHER SPECIFICALLY INDICATED OR NOT.
- THE DRAWINGS & SPECIFICATIONS ARE COMPLEMENTARY DOCUMENTS NEITHER TAKE PRECEDENT OVER THE OTHER. CONFLICTS IN SPECIFICATIONS AND DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION.
- THIS SET OF DRAWINGS INDICATES GENERAL SCOPE OF THE PROJECT. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON BASIS OF SCOPE INDICATED OR DESCRIBED, CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED FOR PROPER EXECUTION AND COMPLETION OF THE WORK.
- ALL CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF APPLICABLE LOCAL, STATE AND FEDERAL CODES OR REGULATIONS.
- PROVIDE MIN. 2X6 WOOD OR STEEL PLATE BLOCKING BETWEEN STUDS AT MOUNTING LOCATIONS FOR TOILET ACCESSORIES, HANDRAILS, GUARDRAILS, MILLWORK AND OTHER WALL MOUNTED ITEMS.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- ALL SUBSTITUTIONS OF MATERIALS AND ASSEMBLIES MUST BE APPROVED BY ARCHITECT IN ACCORDANCE WITH DIVISION 1 SPECIAL CONDITIONS.
- ALL PIPING, DUCTWORK AND CONDUIT TO BE CONCEALED UNLESS NOTED OTHERWISE.
- ALL EXISTING SITE COMPONENTS TO REMAIN. SHALL BE PROTECTED DURING CONSTRUCTION. ALL DAMAGED SURFACES AND EQUIPMENT SHALL BE REPAIRED OR REPLACED AS REQUIRED BY THE OWNER'S REP.
- CONTRACTOR SHALL MAINTAIN A CLEAN AND SECURE SITE AS REQUIRED BY DIVISION 1 - CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS AND LEED REQUIREMENTS.
- FIRE SUPPRESSION BY OWNER, ARCHITECT TO COORDINATE WITH CONTRACTOR.
- VERIFY THE FOLLOWING WITH THE RESPECTIVE TRADES: SIZES AND LOCATIONS FOR BACKING/BLOCKING REQUIRED FOR MOUNTING MILLWORK, AND/OR ELEC. EQUIPMENT, SIZES AND LOCATIONS OF MECH. AND/OR ELEC. PENETRATIONS, CUTTING AND PATCHING FOR WORK REQUIRED BY MECH. AND/OR ELEC.
- HOT WATER LINES AND DRAIN LINES UNDERNEATH ACCESSIBLE SINKS SHALL BE INSULATED.
- EXPOSED ENDS OF ALL PROJECTING ELEMENTS SUCH AS SILLS, LEDGES & SIMILAR COMPONENTS FABRICATED IN METAL, STONE & OTHER MATERIALS SHALL BE FINISHED SAME AS FACE.
- PROVIDE ACCESS PANEL PLAN FOR APPROVAL BY ARCHITECT AND MECHANICAL ENGINEER BEFORE INSTALLATION.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- DO NOT SCALE DRAWINGS.
- ALL GRILLS, DIFFUSERS, AND ACCESS PANELS TO BE PAINTED TO MATCH WALL OR CEILING COLOR IN WHICH THEY ARE LOCATED.
- SHOWER DOORS AND WALLS TO BE LOCATED IN THE SAME LOCATION AS EXISTING. INSTALL NEW SEALANT AT PERIMETERS.
- ALL ELECTRICAL RECEPTACLES AND LIGHT SWITCHES TO RECEIVE NEW FACEPLATES. CONTRACTOR TO SUBMIT CUTSHEETS FOR ARCHITECT'S APPROVAL.
- PREP SUBFLOOR TO RECEIVE NEW FLOORING. RE: FINISH PLANS.
- MOUNTING OF MIRRORS, FIXTURES, ACCESSORIES AND CLEARANCES TO COMPLY WITH ACCESSIBILITY REQUIREMENTS.
- CONTRACTOR TO PROVIDE MOCKUP FOR OWNER/ARCHITECT TO REVIEW FOR THE FOLLOWING TYPICAL SPACES: KING SUITE AND SELECTED SECTION OF THE CORRIDOR. FINAL SELECTION AND LOCATIONS TO BE REVIEWED BY OWNER/ARCHITECT PRIOR TO INITIAL WORK.



DEMOLITION LEGEND

- FLOORING DEMOLITION EXTENTS
- NOT IN SCOPE

1 LEVEL 5-12 - DEMOLITION PLAN
1/8" = 1'-0"

5 LEVEL 5-12 - FLOOR PLAN
1/8" = 1'-0"



This document and the ideas and designs incorporated herein, are the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 995-9510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

PROJECT

REV PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

PROJECT NO: 111-032-18

DRAWN BY: Auditor

CHECKED BY: Checker

ISSUE DATE: 09/24/2019

BID DOCUMENTS - NOT FOR CONSTRUCTION

STATE OF OKLAHOMA
DAVID R. RYAN
GOVERNOR

A2.0

Scale As indicated

9/24/2019

9/24/2019 12:32:11 PM


This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS


ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 578-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 858-6510


HARD ROCK TOWER RENOVATION




6 CORRIDOR RCP - LEVELS 5-12
1/4" = 1'-0"




5 CORRIDOR RCP - LEVELS 5-12
1/4" = 1'-0"




3 ENLARGED CORR. PLAN - LEVELS 5-12
1/4" = 1'-0"



2 ENLARGED CORR. PLAN - LEVELS 5-12
1/4" = 1'-0"



4 LOBBY RCP - LEVELS 5-12
1/4" = 1'-0"



1 ENLARGED LOBBY PLAN - LEVELS 5-12
1/4" = 1'-0"

CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

LEVELS 5-12 - ENLARGED PLANS / RCP - LOBBY AND CORRIDOR

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032.18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019


A2.1

Scale 1/4" = 1'-0"


9/24/2019

9/24/2019 2:05:43 PM







2 FINISH PLAN - DBL. QUEEN / KING
1/4" = 1'-0"




1 ENLARGED PLAN - DBL. QUEEN / KING
1/4" = 1'-0"




7 ENLARGED TOILET - ADA KING
1/2" = 1'-0"



6 ENLARGED TOILET - ADA KING
1/2" = 1'-0"



5 ENLARGED TOILET - KING
1/2" = 1'-0"



4 ENLARGED TOILET - DOUBLE QUEEN
1/2" = 1'-0"

FINISHES KEYNOTES


- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH- CP-12 MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE, FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2, MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS



DOUBLE QUEEN SUITE

- LEVEL FIVE: 531, 532, 535, 538, 540, 541, 542, 544, 545, 547
- LEVEL SIX: 631, 632, 635, 638, 640, 641, 642, 644, 645, 647
- LEVEL SEVEN: 731, 732, 735, 738, 740, 741, 742, 744, 745, 747
- LEVEL EIGHT: 831, 832, 835, 838, 840, 841, 842, 844, 845, 847
- LEVEL NINE: 931, 932, 935, 938, 940, 941, 942, 944, 945, 947
- LEVEL TEN: 1031, 1032, 1035, 1038, 1040, 1041, 1042, 1044, 1045, 1047
- LEVEL ELEVEN: 1131, 1132, 1135, 1138, 1140, 1141, 1142, 1144, 1145, 1147
- LEVEL TWELVE: 1231, 1232, 1235, 1238, 1240, 1241, 1242, 1244, 1245, 1247
- LEVEL FOURTEEN: 1433, 1441, 1443
- LEVEL FIFTEEN: 1531
- LEVEL SIXTEEN: 1631

KING SUITE

- LEVEL FIVE: 534, 536, 537, 539, 543, 546, 548, 549
- LEVEL SIX: 634, 636, 637, 639, 643, 646, 648, 649
- LEVEL SEVEN: 734, 736, 737, 739, 743, 746, 748, 749
- LEVEL EIGHT: 834, 836, 837, 839, 843, 846, 848, 849
- LEVEL NINE: 934, 936, 937, 939, 943, 946, 948, 949
- LEVEL TEN: 1034, 1036, 1037, 1039, 1043, 1046, 1048, 1049
- LEVEL ELEVEN: 1133, 1134, 1136, 1137, 1139, 1143, 1146, 1148, 1149
- LEVEL TWELVE: 1234, 1236, 1237, 1239, 1243, 1246, 1248, 1249
- LEVEL FOURTEEN: 1434, 1435, 1442, 1445
- LEVEL FIFTEEN: 1537, 1540, 1543
- LEVEL SIXTEEN: 1637, 1640
- LEVEL SEVENTEEN: 1738

KING ADA SUITE

- LEVEL FIVE: 533
- LEVEL SIX: 633
- LEVEL SEVEN: 733
- LEVEL EIGHT: 833
- LEVEL FIFTEEN: 1541

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W. 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

M.E.P. ENGINEERING
HP ENGINEERING INC.
16 S. LEWIS AVE.
TULSA, OK 74104
(918) 958-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

THREE (3) TYPICAL ENLARGED PLANS - KING / DOUBLE QUEEN SUITES

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO:	111-032-18
DRAWN BY:	Author
CHECKED BY:	Checker
ISSUE DATE:	09/24/2019

A2.3
Scale As indicated

This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 958-6510

HARD ROCK TOWER RENOVATION

FINISHES KEYNOTES


- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH- CP-12 MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALLCOV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS, MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1. VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE, FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE-REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND


RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS




JUNIOR SUITE

- LEVEL FIVE: 530
- LEVEL SIX: 630
- LEVEL SEVEN: 730
- LEVEL EIGHT: 830
- LEVEL NINE: 930
- LEVEL TEN: 1030
- LEVEL ELEVEN: 1130
- LEVEL TWELVE: 1230
- LEVEL FOURTEEN: 1430
- LEVEL FIFTEEN: 1530
- LEVEL SIXTEEN: 1630


NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



2 FINISH PLAN - JUNIOR SUITE
1/4" = 1'-0"



1 ENLARGED PLAN - JUNIOR SUITE
1/4" = 1'-0"



3 ENLARGED TOILET - JUNIOR SUITE
1/2" = 1'-0"

CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

SHEET TITLE
TYPICAL ENLARGED PLANS - JUNIOR SUITE

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032.18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A2.5
Scale As indicated




DEMOLITION NOTES: LEVEL 14

- REMOVE ALL EXISTING CONSTRUCTION AND FINISHES NECESSARY FOR THE COMPLETION OF THE WORK AS DEPICTED ON THE DRAWINGS, INCLUDING BUT NOT LIMITED TO, ITEMS SHOWN ON THE PLANS WITH DASHED LINES. NECESSARY DISCONNECTS AND ALTERATIONS TO EXISTING MECHANICAL AND ELECTRICAL SYSTEMS SHALL BE INCLUDED. PATCH AS REQUIRED. ALL CONSTRUCTIONS TO REMAIN IN ACCORDANCE WITH THE CONTRACT DRAWINGS, WHERE CONTRACTOR IS DESIGNATED TO MAKE REMOVALS, DISPOSITION OF MATERIALS IS THE RESPONSIBILITY OF THE CONTRACTOR. VERIFY WITH OWNER THE DISPOSITION AND REMOVAL OF ANY COMPONENTS OF SALVAGEABLE VALUE.
- PATCH ALL FINISHES TO MATCH EXISTING, INCLUDING BUT NOT LIMITED TO, GYPSUM BOARD, WOOD TRIM, COVERS, BASE, PART, TRIM, AND WAINSCOT. VERIFY MATCH OF NEW FINISH MATERIALS TO EXISTING IN COLOR, TEXTURE, THICKNESS, ETC. TO SATISFACTION OF OWNER PRIOR TO INSTALLATIONS.
- WHERE APPLICABLE, LEVEL ALL EXISTING FLOORS AS REQUIRED TO RECEIVE NEW FLOOR FINISHES. INSTALL REQUIRED TRANSITION PIECES BETWEEN VARIOUS FLOOR FINISHES FOR CONDITIONS AND ACCEPTABLE TO THE OWNER. MATCH EXISTING WHEREVER POSSIBLE.
- REMOVE ALL WALLCOVERING THROUGHOUT. SKIM AND PREP FOR LEVEL 4 FINISH.
- FOR ANY NEW LIGHTING INDICATED IN DOCUMENTS, SALVAGE AND REUSE EXISTING ELECTRICAL COMPONENTS AS NEEDED. RE: ELECTRICAL.
- SALVAGE AND REUSE ALL SECURITY DEVICES, AUDIO-VISUAL EQUIPMENT, WIRES, AND CABLING. REMOVE AND RELOCATE FIRE EGRESS EQUIPMENT ACCORDING TO NEW DESIGN.
- ALL DRAPERY AND SHEER ACCESSORIES AND HARDWARE TO REMAIN. NEW SHEERS AND DRAPERY, RE: FINISH SCHEDULE.
- DEMO ALL EXISTING HEADBOARDS ON LEVELS 5-16. ALL EXISTING HEADBOARDS TO REMAIN ON LEVEL 17.
- ALL REMOVALS AND SALVAGE, UNLESS SPECIFICALLY NOTED OTHERWISE OR REQUESTED BY OWNERS SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
- PROTECT ALL EXISTING STRUCTURE, SYSTEMS, FINISHES AND GENERAL CONSTRUCTION THAT ARE TO REMAIN THROUGHOUT THE COURSE OF THE WORK TO PREVENT DAMAGE OR LOSS. ANY SUCH DAMAGE CAUSED DURING THE COURSE OF THIS WORK WILL BE REPAIRED AT THE CONTRACTOR'S EXPENSE BEFORE THIS WORK IS CONCLUDED.
- PRIOR TO INTERRUPTING OR OTHERWISE AFFECTING ANY SUCH OPERATING SYSTEM, UTILITY OR SERVICE, CONTRACTOR SHALL CONSULT WITH OWNERS REPRESENTATIVE TO ESTABLISH A MUTUALLY SATISFACTORY SCHEDULE FOR CUT OVER, CUT OFF DISRUPTION, OR OTHER CHANGE IN THE OPERATION OF THE AFFECTED SYSTEM, UTILITY OR SERVICE.
- CONTRACTOR IS RESPONSIBLE FOR ALL PATCHING NECESSARY TO COMPLETE THE NEW WORK.
- CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING AND REMOVING ALL MATERIALS FROM PREMISES IN ORDER TO ACCOMPLISH THE SCOPE OF THE NEW WORK.
- IF ANY QUESTIONS ARISE AS TO THE REMOVAL OF ANY MATERIAL, CONSULT ARCHITECT/DESIGNER FOR DIRECTION.
- REMOVE EXISTING SIGNAGE/GRAPHICS AND STORE FOR REUSE, WHERE APPLICABLE.
- REFER TO HATCH REGION FOR FLOORING DEMOLITION EXTENTS.
- PREP ALL SURFACES TO RECEIVE NEW FINISHES ACCORDING TO SPECIFICATIONS.
- ALL EXISTING WINDOW VALANCES TO BE REMOVED TO RECEIVE NEW UPHOLSTERY. CONTRACTOR TO VERIFY QUANTITIES AND LOCATIONS.
- ALL EXISTING FURNITURE PLASTIC LAMINATE FACES TO BE REMOVED IN ORDER TO RECEIVE NEW PLASTIC LAMINATE OR LEVELS 5-16 IN THE FOLLOWING ROOM TYPES: KING ROOM, DOUBLE QUEEN ROOM. RE: 1A/7.3. CONTRACTOR TO VERIFY LOCATIONS AND COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION.
- ALL GLASS AND GLASS DOORS AT SHOWERS TO BE SALVAGED AND REUSED.
- ALL EXISTING IT/AV EQUIPMENT TO BE COORDINATED WITH OWNER.
- SALVAGE AND REUSE ALL EXISTING WALL-MOUNTED ACCESSORIES UNLESS NOTED OTHERWISE.
- DEMO ALL EXISTING CORNER GUARDS IN CORRIDORS, FLOOR LOBBIES, AND ELEVATOR LOBBIES. PATCH AND REPAIR AS REQUIRED. RE: FINISHES GENERAL NOTES.

GENERAL NOTES

- VERIFY CONDITIONS: THE CONTRACTOR SHALL VERIFY ALL PROJECT-RELATED NEW AND/OR EXISTING CONDITIONS INCLUDING DIMENSIONS PRIOR TO THE COMMENCEMENT OF WORK. CONSULT WITH ARCHITECT/DESIGNER IF ANY DISCREPANCIES ARISE.
- COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.
- WORK SHALL INCLUDE ALL REQUIRED PERMITS, LABOR, MATERIALS, AND EQUIPMENT TO COMPLETE ALL WORK INDICATED ON DRAWINGS AND AS NECESSARY FOR A COMPLETE PROJECT.
- CONTRACTOR TO PATCH, REPAIR, AND PAINT (REFINISH) ALL SURFACES AND BUILDING ELEMENTS DAMAGED BY MECHANICAL, ELECTRICAL, AND PLUMBING WORK AND WHERE ITEMS ARE REMOVED, RELOCATED OR ADDED.
- PATCH AND REPAIR ALL SURFACES TO MATCH EXISTING WHERE ITEMS ARE REMOVED OR ALTERED. FIELD VERIFY EXTENT REQUIRED.
- ALL MATERIALS AND FINISHES SHALL BE DONE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT FINISHES AND CLEANUP.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO FINISHED SURFACES, EQUIPMENT, FURNITURE, EXISTING MATERIALS OR FINISHES, CAUSED AS A RESULT OF HIS WORK. REPAIR OR REPLACE DAMAGED ITEMS AS DIRECTED BY ARCHITECT.
- VENDING, MAIDS ROOM, ELEVATORS, STAIRWELLS NOT IN CONTRACT.
- COORDINATE AND VERIFY ALL DIMENSIONS, OPENINGS AND CONDITIONS WITH ELECTRICAL AND ALL OTHER PERTINENT DRAWINGS AND TRADES PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT OF DISCREPANCIES AS SOON AS POSSIBLE.
- ALL DETAILS THAT ARE TYPICAL, INCORPORATE INTO PROJECT AT APPROPRIATE LOCATIONS WHETHER SPECIFICALLY INDICATED OR NOT.
- THE DRAWINGS & SPECIFICATIONS ARE COMPLEMENTARY DOCUMENTS NEITHER TAKE PRECEDENCE OVER THE OTHER. CONFLICTS IN SPECIFICATIONS AND DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION.
- THIS SET OF DRAWINGS INDICATES GENERAL SCOPE OF THE PROJECT. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON BASIS OF SCOPE INDICATED OR DESCRIBED, CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED FOR PROPER EXECUTION AND COMPLETION OF THE WORK.
- ALL CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF APPLICABLE LOCAL, STATE AND FEDERAL CODES OR REGULATIONS.
- PROVIDE MIN. 2X6 WOOD OR STEEL PLATE BLOCKING BETWEEN STUDS AT MOUNTING LOCATIONS FOR TOILET ACCESSORIES, HANDRAILS, GUARDRAILS, MILLWORK AND OTHER WALL MOUNTED ITEMS.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- ALL SUBSTITUTIONS OF MATERIALS AND ASSEMBLIES MUST BE APPROVED BY ARCHITECT IN ACCORDANCE WITH DIVISION 1 SPECIAL CONDITIONS.
- ALL PIPING, DUCTWORK AND CONDUIT TO BE CONCEALED UNLESS NOTED OTHERWISE.
- ALL EXISTING SITE COMPONENTS TO REMAIN, SHALL BE PROTECTED DURING CONSTRUCTION. ALL DAMAGED SURFACES AND EQUIPMENT SHALL BE REPAIRED OR REPLACED AS REQUIRED BY THE OWNER'S REP.
- CONTRACTOR SHALL MAINTAIN A CLEAN AND SECURE SITE AS REQUIRED BY DIVISION 1 - CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS AND LEED REQUIREMENTS.
- FIRE SUPPRESSION BY OWNER. ARCHITECT TO COORDINATE WITH CONTRACTOR.
- VERIFY THE FOLLOWING WITH THE RESPECTIVE TRADES: SIZES AND LOCATIONS FOR BACKING/BLOCKING REQUIRED FOR MOUNTING MILLWORK, AND/OR ELEC. EQUIPMENT, SIZES AND LOCATIONS OF MECH. AND/OR ELEC. PENETRATIONS, CUTTING AND PATCHING FOR WORK REQUIRED BY MECH. AND/OR ELEC.
- HOT WATER LINES AND DRAIN LINES UNDERNEATH ACCESSIBLE SINKS SHALL BE INSULATED.
- EXPOSED ENDS OF ALL PROJECTING ELEMENTS SUCH AS SILLS, LEDGES & SIMILAR COMPONENTS FABRICATED IN METAL, STONE & OTHER MATERIALS SHALL BE FINISHED SAME AS FACE.
- PROVIDE ACCESS PANEL PLAN FOR APPROVAL BY ARCHITECT AND MECHANICAL ENGINEER BEFORE INSTALLATION.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- DO NOT SCALE DRAWINGS.
- ALL GRILLS, DIFFUSERS, AND ACCESS PANELS TO BE PAINTED TO MATCH WALL OR CEILING COLOR IN WHICH THEY ARE LOCATED.
- SHOWER DOORS AND WALLS TO BE LOCATED IN THE SAME LOCATION AS EXISTING. INSTALL NEW SEALANT AT PERIMETERS.
- ALL ELECTRICAL RECEPTACLES AND LIGHT SWITCHES TO RECEIVE NEW FACEPLATES. CONTRACTOR TO SUBMIT CUTSHEETS FOR ARCHITECT'S APPROVAL.
- PREP SUBFLOOR TO RECEIVE NEW FLOORING. RE: FINISH PLANS.
- MOUNTING OF MIRRORS, FIXTURES, ACCESSORIES AND CLEARANCES TO COMPLY WITH ACCESSIBILITY REQUIREMENTS.
- CONTRACTOR TO PROVIDE MOCKUP FOR OWNER/ARCHITECT TO REVIEW FOR THE FOLLOWING TYPICAL SPACES: KING SUITE AND SELECTED SECTION OF THE CORRIDOR. FINAL SELECTION AND LOCATIONS TO BE REVIEWED BY OWNER/ARCHITECT PRIOR TO INITIAL WORK.



DEMOLITION LEGEND

- FLOORING DEMOLITION EXTENTS
- NOT IN SCOPE

② Level 14 DEMOLITION PLAN
1/8" = 1'-0"

① Level 14 FLOOR PLAN
1/8" = 1'-0"



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-5700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 955-9510

CHEROKEE NATION ENTERTAINMENT

REV PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

SHEET TITLE
LEVEL 14 - FLOOR PLAN / DEMOLITION PLAN

BID DOCUMENTS - NOT FOR CONSTRUCTION


PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A3.0
Scale As indicated



HARD ROCK TOWER RENOVATION

9/24/2019 12:32:12 PM




This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS


ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 578-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 858-6510


HARD ROCK TOWER RENOVATION




6 CORRIDOR RCP - LEVEL 14
1/4" = 1'-0"




5 CORRIDOR RCP - LEVEL 14
1/4" = 1'-0"




3 ENLARGED CORR. PLAN - LEVEL 14
1/4" = 1'-0"



2 ENLARGED CORR. PLAN - LEVEL 14
1/4" = 1'-0"




4 LOBBY RCP - LEVEL 14
1/4" = 1'-0"



1 ENLARGED LOBBY PLAN - LEVEL 14
1/4" = 1'-0"

CHEROKEE NATION ENTERTAINMENT



No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19


LEVEL 14 - ENLARGED PLANS / RCP - LOBBY AND CORRIDOR

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A3.1

Scale 1/4" = 1'-0"



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 276-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE,
TULSA, OK 74104
(918) 983-6510

HARD ROCK TOWER RENOVATION

FINISHES KEYNOTES

- FURNISH & INSTALL NEW WOOD FLOORING, WD-1. STAIN, ST-1
- FLOOR FINISH: CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- EXIST'G FLOOR TILE & BASE TO REMAIN
- SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- REMOVE EXIST'G WALL COV. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- EXIST'G MILLWORK TO REMAIN
- REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- EXIST'G WD. BASE TO REMAIN. PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- OWNER TO RE-UPHOLSTER EXIST'G BENCH. UP-3 @ BACK. UP-4 @ SEAT.
- OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION. UP-2
- REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- PT-8 ABOVE BACK SPLASH
- WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- WALL INSET TO RECEIVE WC-1. VERIFY EXTENT.
- NO BENCH LOCATED IN CELEBRITY SUITE. FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- EXIST'G HEAD BOARD TO REMAIN
- EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND






RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS

	VARIES - REFER TO FINISHES PLAN & INTERIOR ELEVATIONS FOR MATERIAL LOCATIONS & EXTENTS
--	--

FULL SUITE
LEVEL FOURTEEN; 1431, 1432, 1440

FULL ADA SUITE
LEVEL SIXTEEN; 1641

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19


TYPICAL ENLARGED PLANS - FULL SUITE

BID DOCUMENTS - NOT FOR CONSTRUCTION


PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A3.3
Scale As indicated







8 REFLECTED CLG. PLAN - QUEEN MINI
1/4" = 1'-0"




2 FINISH PLAN - QUEEN MINI SUITE
1/4" = 1'-0"




1 ENLARGED PLAN - QUEEN MINI SUITE
1/4" = 1'-0"



6 FINISH PLAN - ADA QUEEN MINI
1/2" = 1'-0"



4 ENLARGED TOILET - ADA QUEEN MINI
1/2" = 1'-0"



3 ENLARGED TOILET - QUEEN MINI SUITE
1/2" = 1'-0"

FINISHES KEYNOTES


- FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- FLOOR FINISH: CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- EXIST'G FLOOR TILE & BASE TO REMAIN
- SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- REMOVE EXIST'G WALL COV. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- EXIST'G MILLWORK TO REMAIN
- REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- PT-8 ABOVE BACK SPLASH
- WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- WALL INSET TO RECEIVE WC-1. VERIFY EXTENT.
- NO BENCH LOCATED IN CELEBRITY SUITE. FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- EXIST'G HEAD BOARD TO REMAIN
- EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS



VARIES - REFER TO FINISHES PLAN & INTERIOR ELEVATIONS FOR MATERIAL LOCATIONS & EXTENTS

QUEEN MINI SUITE

LEVEL FOURTEEN: 1439
LEVEL FIFTEEN: 1533, 1536
LEVEL SIXTEEN: 1633, 1636

QUEEN MINI ADA SUITE

LEVEL FOURTEEN: 1439

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 858-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT




No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

TYPICAL ENLARGED PLANS - QUEEN MINI SUITE


BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019


A3.5
Scale As indicated




2 FINISH PLAN - KING MINI SUITE
1/4" = 1'-0"



1 ENLARGED PLAN - KING MINI SUITE
1/4" = 1'-0"



6 REFLECTED CLG. PLAN - KING MINI
1/4" = 1'-0"



3 ENLARGED TOILET - KING MINI SUITE
1/2" = 1'-0"

FINISHES KEYNOTES

- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH, CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALLCOV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR, MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK, PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH, PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR, MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS, MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE. FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING CLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4" CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS

WALL	VARIES - REFER TO FINISHES
FLOOR	PLAN & INTERIOR ELEVATIONS FOR
BASE	MATERIAL LOCATIONS & EXTENTS
WALL	

KING MINI SUITE

LEVEL FOURTEEN: 1437, 1438
LEVEL FIFTEEN: 1534, 1535
LEVEL SIXTEEN: 1634, 1635

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 578-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE,
TULSA, OK 74104
(918) 958-6510

HARD ROCK TOWER RENOVATION

PROJECT
CHEROKEE NATION ENTERTAINMENT



No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19


THIS IS A
TYPICAL ENLARGED PLAN - KING MINI SUITE

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A3.7

Scale As indicated



9/24/2019

This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 888-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

KEY PLAN




No.	Description	Date
2	ADD. 2	9.24.19

TYPICAL ELEVATIONS - KING MINI SUITE


BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019


A3.8
Scale 1/4" = 1'-0"




8 KING MINI TOILET - SOUTHEAST EL.
1/4" = 1'-0"




7 KING MINI TOILET - SOUTHWEST EL.
1/4" = 1'-0"




6 KING MINI TOILET - NORTHWEST EL.
1/4" = 1'-0"




5 KING MINI TOILET - NORTHEAST EL.
1/4" = 1'-0"




4 KING MINI - NORTH ELEVATION
1/4" = 1'-0"



3 KING MINI - WEST ELEVATION
1/4" = 1'-0"



2 KING MINI - SOUTH ELEVATION
1/4" = 1'-0"



1 KING MINI - EAST ELEVATION
1/4" = 1'-0"



This document and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700


MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 595-6510

DEMOLITION NOTES: LEVEL 15

- REMOVE ALL EXISTING CONSTRUCTION AND FINISHES NECESSARY FOR THE COMPLETION OF THE WORK AS DEPICTED ON THE DRAWINGS, INCLUDING BUT NOT LIMITED TO, ITEMS SHOWN ON THE PLANS WITH DASHED LINES. NECESSARY DISCONNECTS AND ALTERATIONS TO EXISTING MECHANICAL AND ELECTRICAL SYSTEMS SHALL BE INCLUDED. PATCH AS REQUIRED ALL CONSTRUCTIONS TO REMAIN IN ACCORDANCE WITH THE CONTRACT DRAWINGS. WHERE CONTRACTOR IS DESIGNATED TO MAKE REMOVALS, DISPOSITION OF MATERIALS IS THE RESPONSIBILITY OF THE CONTRACTOR, VERIFY WITH OWNER THE DISPOSITION AND REMOVAL OF ANY COMPONENTS OF SALVAGEABLE VALUE.
- PATCH ALL FINISHES TO MATCH EXISTING, INCLUDING BUT NOT LIMITED TO, GYPSUM BOARD, WOOD TRIM, COVERS, BASE, PANELS, RAILS AND WAINSCOT. VERIFY MATCH OF NEW FINISH MATERIALS TO EXISTING IN COLOR, TEXTURE, THICKNESS, ETC. TO SATISFACTION OF OWNER PRIOR TO INSTALLATIONS.
- WHERE APPLICABLE, LEVEL ALL EXISTING FLOORS AS REQUIRED TO RECEIVE NEW FLOOR FINISHES. INSTALL REQUIRED TRANSITION PIECES BETWEEN VARIOUS FLOOR FINISHES SUITABLE FOR CONDITIONS AND ACCEPTABLE TO THE OWNER. MATCH EXISTING WHEREVER POSSIBLE.
- REMOVE ALL WALLCOVERING THROUGHOUT. SKIM AND PREP FOR LEVEL 4 FINISH.
- FOR ANY NEW LIGHTING INDICATED IN DOCUMENTS, SALVAGE AND REUSE EXISTING ELECTRICAL COMPONENTS AS NEEDED. RE: ELECTRICAL.
- SALVAGE AND REUSE ALL SECURITY DEVICES, AUDIO-VISUAL EQUIPMENT, WIRES, AND CABLING. REMOVE AND RELOCATE FIRE EGRESS EQUIPMENT ACCORDING TO NEW DESIGN.
- ALL DRAPERY AND SHEER ACCESSORIES AND HARDWARE TO REMAIN. NEW SHEERS AND DRAPERY, RE: FINISH SCHEDULE.
- DEMO ALL EXISTING HEADBOARDS ON LEVELS 5-16. ALL EXISTING HEADBOARDS TO REMAIN ON LEVEL 17.
- ALL REMOVALS AND SALVAGE, UNLESS SPECIFICALLY NOTED OTHERWISE OR REQUESTED BY OWNERS SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
- PROTECT ALL EXISTING STRUCTURE, SYSTEMS, FINISHES AND GENERAL CONSTRUCTION THAT ARE TO REMAIN THROUGHOUT THE COURSE OF THE WORK TO PREVENT DAMAGE OR LOSS. ANY SUCH DAMAGE CAUSED DURING THE COURSE OF THIS WORK WILL BE REPAIRED AT THE CONTRACTORS EXPENSE BEFORE THIS WORK IS CONCLUDED.
- PRIOR TO INTERRUPTING OR OTHERWISE AFFECTING ANY SUCH OPERATING SYSTEM, UTILITY OR SERVICE, CONTRACTOR SHALL CONSULT WITH OWNERS REPRESENTATIVE TO ESTABLISH A MUTUALLY SATISFACTORY SCHEDULE FOR CUT OVER, CUT OFF DISRUPTION, OR OTHER CHANGE IN THE OPERATION OF THE AFFECTED SYSTEM, UTILITY OR SERVICE.
- CONTRACTOR IS RESPONSIBLE FOR ALL PATCHING NECESSARY TO COMPLETE THE NEW WORK.
- CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING AND REMOVING ALL MATERIALS FROM PREMISES IN ORDER TO ACCOMPLISH THE SCOPE OF THE NEW WORK.
- IF ANY QUESTIONS ARISE AS TO THE REMOVAL OF ANY MATERIAL, CONSULT ARCHITECT/DESIGNER FOR DIRECTION.
- REMOVE EXISTING SIGNAGE/GRAPHICS AND STORE FOR REUSE, WHERE APPLICABLE.
- REFER TO HATCH REGION FOR FLOORING DEMOLITION EXTENTS.
- PREP ALL SURFACES TO RECEIVE NEW FINISHES ACCORDING TO SPECIFICATIONS.
- ALL EXISTING WINDOW VALANCES TO BE REMOVED TO RECEIVE NEW UPHOLSTERY. CONTRACTOR TO VERIFY QUANTITIES AND EXTENTS.
- ALL EXISTING FURNITURE PLASTIC LAMINATE FACES TO BE REMOVED IN ORDER TO RECEIVE NEW PLASTIC LAMINATE ON LEVELS 5-16 IN THE FOLLOWING ROOM TYPES: KING ROOM, DOUBLE QUEEN ROOM. RE: 1/A7.3. CONTRACTOR TO VERIFY LOCATIONS AND COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION.
- ALL GLASS AND GLASS DOORS AT SHOWERS TO BE SALVAGED AND REUSED.
- ALL EXISTING IT/AV EQUIPMENT TO BE COORDINATED WITH OWNER.
- SALVAGE AND REUSE ALL EXISTING WALL-MOUNTED ACCESSORIES UNLESS NOTED OTHERWISE.
- DEMO ALL EXISTING CORNER GUARDS IN CORRIDORS, FLOOR LOBBIES, AND ELEVATOR LOBBIES. PATCH AND REPAIR AS REQUIRED. RE: FINISHES GENERAL NOTES.

GENERAL NOTES

- VERIFY CONDITIONS: THE CONTRACTOR SHALL VERIFY ALL PROJECT-RELATED NEW AND/OR EXISTING CONDITIONS INCLUDING DIMENSIONS PRIOR TO THE COMMENCEMENT OF WORK. CONSULT WITH ARCHITECT/DESIGNER IF ANY DISCREPANCIES ARISE.
- COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.
- WORK SHALL INCLUDE ALL REQUIRED PERMITS, LABOR, MATERIALS, AND EQUIPMENT TO COMPLETE ALL WORK INDICATED ON DRAWINGS AND AS NECESSARY FOR A COMPLETE PROJECT.
- CONTRACTOR TO PATCH, REPAIR, AND PAINT (REFINISH) ALL SURFACES AND BUILDING ELEMENTS DAMAGED BY MECHANICAL, ELECTRICAL, AND PLUMBING WORK AND WHERE ITEMS ARE REMOVED, RELOCATED OR ADDED.
- PATCH AND REPAIR ALL SURFACES TO MATCH EXISTING WHERE ITEMS ARE REMOVED OR ALTERED. FIELD VERIFY EXTENT REQUIRED.
- ALL MATERIALS AND FINISHES SHALL BE DONE IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT FINISHES AND CLEANUP.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO FINISHED SURFACES, EQUIPMENT, FURNITURE, EXISTING MATERIALS OR FINISHES, CAUSED AS A RESULT OF HIS WORK. REPAIR OR REPLACE DAMAGED ITEMS AS DIRECTED BY ARCHITECT.
- VENDING, MAIDS ROOM, ELEVATORS, STAIRWELLS NOT IN CONTRACT
- COORDINATE AND VERIFY ALL DIMENSIONS, OPENINGS AND CONDITIONS WITH ELECTRICAL AND ALL OTHER PERTINENT DRAWINGS AND TRADES PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT OF DISCREPANCIES AS SOON AS POSSIBLE.
- ALL DETAILS THAT ARE TYPICAL, INCORPORATE INTO PROJECT AT APPROPRIATE LOCATIONS WHETHER SPECIFICALLY INDICATED OR NOT.
- THE DRAWINGS & SPECIFICATIONS ARE COMPLIMENTARY DOCUMENTS NEITHER TAKE PRECEDENCE OVER THE OTHER. CONFLICTS IN SPECIFICATIONS AND DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION.
- THIS SET OF DRAWINGS INDICATES GENERAL SCOPE OF THE PROJECT. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON BASIS OF SCOPE INDICATED OR DESCRIBED, CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL, AND EQUIPMENT REQUIRED FOR PROPER EXECUTION AND COMPLETION OF THE WORK.
- ALL CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF APPLICABLE LOCAL, STATE AND FEDERAL CODES OR REGULATIONS.
- PROVIDE MIN. 2X6 WOOD OR STEEL PLATE BLOCKING BETWEEN STUDS AT MOUNTING LOCATIONS FOR TOILET ACCESSORIES, HANDRAILS, GUARDRAILS, MILLWORK AND OTHER WALL MOUNTED ITEMS.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- ALL SUBSTITUTIONS OF MATERIALS AND ASSEMBLIES MUST BE APPROVED BY ARCHITECT IN ACCORDANCE WITH DIVISION 1 SPECIAL CONDITIONS.
- ALL PIPING, DUCTWORK AND CONDUIT TO BE CONCEALED UNLESS NOTED OTHERWISE.
- ALL EXISTING SITE COMPONENTS TO REMAIN, SHALL BE PROTECTED DURING CONSTRUCTION. ALL DAMAGED SURFACES AND EQUIPMENT SHALL BE REPAIRED OR REPLACED AS REQUIRED BY THE OWNERS REP.
- CONTRACTOR SHALL MAINTAIN A CLEAN AND SECURE SITE AS REQUIRED BY DIVISION 1 - CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS AND LEGS REQUIREMENTS.
- FIRE SUPPRESSION BY OWNER. ARCHITECT TO COORDINATE WITH CONTRACTOR.
- VERIFY THE FOLLOWING WITH THE RESPECTIVE TRADES, SIZES AND LOCATIONS FOR BACKING/BLOCKING REQUIRED FOR MOUNTING MILLWORK, AND/OR ELEC. EQUIPMENT, SIZES AND LOCATIONS OF MECH. AND/OR ELEC. PENETRATIONS, CUTTING AND PATCHING FOR WORK REQUIRED BY MECH. AND/OR ELEC.
- HOT WATER LINES AND DRAIN LINES UNDERNEATH ACCESSIBLE SINKS SHALL BE INSULATED.
- EXPOSED ENDS OF ALL PROJECTING ELEMENTS SUCH AS SILLS, LEDGES & SIMILAR COMPONENTS FABRICATED IN METAL, STONE & OTHER MATERIALS SHALL BE FINISHED SAME AS FACE.
- PROVIDE ACCESS PANEL PLAN FOR APPROVAL BY ARCHITECT AND MECHANICAL ENGINEER BEFORE INSTALLATION.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- DO NOT SCALE DRAWINGS.
- ALL GRILLS, DIFFUSERS, AND ACCESS PANELS TO BE PAINTED TO MATCH WALL OR CEILING COLOR IN WHICH THEY ARE LOCATED.
- SHOWER DOORS AND WALLS TO BE LOCATED IN THE SAME LOCATION AS EXISTING. INSTALL NEW SEALANT AT PERIMETERS.
- ALL ELECTRICAL RECEPTACLES AND LIGHT SWITCHES TO RECEIVE NEW FACEPLATES. CONTRACTOR TO SUBMIT OUTSHEETS FOR ARCHITECTS APPROVAL.
- PREP SUBFLOOR TO RECEIVE NEW FLOORING. RE: FINISH PLANS.
- MOUNTING OF MIRRORS, FIXTURES, ACCESSORIES AND CLEARANCES TO COMPLY WITH ACCESSIBILITY REQUIREMENTS.
- CONTRACTOR TO PROVIDE MOCKUP FOR OWNER/ARCHITECT TO REVIEW FOR THE FOLLOWING TYPICAL SPACES: KING SUITE AND SELECTED SECTION OF THE CORRIDOR. FINAL SELECTION AND LOCATIONS TO BE REVIEWED BY OWNER/ARCHITECT PRIOR TO INITIAL WORK.



DEMO EXISTING UNDERCABINET LIGHTING FIXTURE. EXISTING WIRING TO REMAIN FOR INSTALLATION OF NEW FIXTURE

DEMO WOOD SHELVES. PATCH AND REPAIR AS REQUIRED.

DEMO EXISTING UNDERCABINET LIGHTING FIXTURE. EXISTING WIRING TO REMAIN FOR INSTALLATION OF NEW FIXTURE

DEMO EXISTING BASIN. CLEAN AND PREP FOR NEW BASIN.

EXISTING LAMINATE TUB SURROUND TO REMAIN. PRESERVE AND PROTECT.

DEMO PORTION OF WALL TO INSET TV MONITOR. SEAL, SKIM, AND PREP FOR LEVEL 4 FINISH.

DEMO EXISTING WOOD SHELVES. PATCH AND REPAIR AS NEEDED.

DEMO EXISTING UNDERCABINET LIGHTING FIXTURE. EXISTING WIRING TO REMAIN FOR INSTALLATION OF NEW FIXTURE

SALVAGE AND REUSE EXISTING WALL SCORNICES THROUGHOUT. DEMO WOOD PANEL BACKING PRIOR TO REINSTALLING.

DEMO EXISTING VANITY AND COUNTERTOP. SALVAGE AND REUSE EXISTING SINK BASIN, FIXTURES, AND PLUMBING.

DEMO EXISTING FAUX COLUMNS AND LIGHTING FIXTURES LOCATED ON COLUMNS. PATCH AND REPAIR AS REQUIRED.

LOWEST CEILING SOFFIT TO BE DEMOLISHED. SEAL, SKIM, AND PREP FOR LEVEL 4 FINISH.

DEMO EXISTING WOOD FLOORING. ALIGN CUT OF WOOD FLOORING WITH ADJACENT WALLS.

DEMO EXISTING WALL DISPLAY INSETS. SEAL OPENINGS TO BE FLUSH WITH EXISTING WALL. SKIM AND PREP FOR LEVEL 4 FINISH.

LOWEST CEILING SOFFIT TO BE DEMOLISHED. SEAL, SKIM, AND PREP FOR LEVEL 4 FINISH.

SALVAGE AND REUSE EXISTING LIGHTING FIXTURES IN THIS SUITE. RE: FINISH SCHEDULE.

DEMO EXISTING WOOD PANELING AND PANEL SYSTEM THROUGHOUT. TYP. PATCH AND REPAIR AS NEEDED.

DEMO EXISTING CEILING LIGHTING FIXTURES. REMAIN FOR INSTALLATION OF NEW FIXTURES. RE: ELECTRICAL.

DEMO EXISTING CEILING WOOD MOULDING. 5/A7.3

DEMO EXISTING TEXTURED WALL PANEL. RE: 3/A7.3

DEMO EXISTING WOOD TRIM THROUGHOUT CORRIDOR AND LOBBY. BOTH SIDES - TYP

DEMO EXISTING CEILING WOOD MOULDING THROUGHOUT - TYP. RE: 5/A7.3

DEMO EXISTING WOOD WALL TRIM THROUGHOUT CORRIDOR, BOTH SIDES - TYP. RE: 4/A7.3

DEMO EXISTING UNDERCOUNTER LIGHTING FIXTURE. REPLACE WITH NEW FIXTURE. TYP FOR ALL KITCHENETTE LOCATIONS.

DEMO EXISTING CHANDELIERS. CONTRACTOR TO VERIFY QUANTITIES AND LOCATIONS.

ALL RECESSED CAN LIGHTING FIXTURES TO REMAIN.

DEMO EXISTING NIGHTSTAND SUPPORTS. RE: A7.0 FOR NEW SUPPORTS - TYP.

SALVAGE AND REUSE EXISTING DRAPERY AND SHEER HARDWARE.

DEMO EXISTING UNDERCABINET LIGHTING FIXTURE. EXISTING WIRING TO REMAIN FOR INSTALLATION OF NEW FIXTURE

DEMO FLOOR TILE IN ENTRY, BATHROOM, AND SHOWER - TYP

DEMO ALL VANITIES - SALVAGE AND REUSE COUNTERTOPS, BACKSPLASH, AND SIDESPLASH UNLESS NOTED OTHERWISE - TYP

DEMO EXISTING TUB DECK, SURROUND, AND MOSAIC FRONT. SALVAGE AND REUSE EXISTING TUB, PLUMBING, AND FIXTURES. WALL TILE TO REMAIN INTACT AND UNTOUCHED.

DEMO EXISTING VANITY AND COUNTERTOP. SALVAGE AND REUSE EXISTING SINK BASIN, FIXTURES, AND PLUMBING.

DEMO EXISTING FAUX COLUMNS AND LIGHTING FIXTURES LOCATED ON COLUMNS. PATCH AND REPAIR AS REQUIRED.

DEMO EXISTING WOOD FLOORING. ALIGN CUT OF WOOD FLOORING WITH ADJACENT WALLS.

LOWEST CEILING SOFFIT TO BE DEMOLISHED. SEAL, SKIM, AND PREP FOR LEVEL 4 FINISH.

DEMO EXISTING WALL DISPLAY INSETS. SEAL OPENINGS TO BE FLUSH WITH EXISTING WALL. SKIM AND PREP FOR LEVEL 4 FINISH.

LOWEST CEILING SOFFIT TO BE DEMOLISHED. SEAL, SKIM, AND PREP FOR LEVEL 4 FINISH.

SALVAGE AND REUSE EXISTING LIGHTING FIXTURES IN THIS SUITE. RE: FINISH SCHEDULE.

DEMO EXISTING WOOD PANELING AND PANEL SYSTEM THROUGHOUT - TYP. PATCH AND REPAIR AS NEEDED.


DEMO EXISTING UNDERCABINET LIGHTING FIXTURE. EXISTING WIRING TO REMAIN FOR INSTALLATION OF NEW FIXTURE

DEMO FLOOR TILE IN ENTRY, BATHROOM, AND SHOWER - TYP

DEMO EXISTING THRESHOLD.

DEMO DRYWALL AS NEEDED TO ADD BLOCKING FOR INSTALLATION OF COUNTER, VANITY, AND ACCESSORIES - TYP.

DEMO ALL VANITIES UNLESS NOTED OTHERWISE - SALVAGE AND REUSE COUNTERTOPS, BACKSPLASH, AND SIDESPLASH - TYP



DEMOLITION LEGEND

- FLOORING DEMOLITION EXTENTS
- NOT IN SCOPE

② Level 15 DEMOLITION PLAN
1/8" = 1'-0"

① Level 15 FLOOR PLAN
1/8" = 1'-0"

CHEROKEE NATION ENTERTAINMENT

PROJECT: CHEROKEE NATION ENTERTAINMENT

REV PLAN: 1

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

LEVEL 15 - FLOOR PLAN / DEMOLITION PLAN

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18

DRAWN BY: [Signature]

CHECKED BY: [Signature]

ISSUE DATE: 09/24/2019

STATE OF OKLAHOMA
DAVID R. REED
TULSA, OK
LICENSED ARCHITECT

A4.0
Scale As indicated

HARD ROCK TOWER RENOVATION

This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS


ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 578-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 888-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

KEY PLAN



No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

LEVEL 15 - ENLARGED PLANS / RCP - LOBBY AND CORRIDOR


BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019


A4.1

Scale 1/4" = 1'-0"


9/24/2019




④ LOBBY RCP - LEVEL 15
1/4" = 1'-0"




① ENLARGED LOBBY PLAN - LEVEL 15
1/4" = 1'-0"




② ENLARGED CORR. PLAN - LEVEL 15
1/4" = 1'-0"




③ ENLARGED CORR. PLAN - LEVEL 15
1/4" = 1'-0"




⑤ CORRIDOR RCP - LEVEL 15
1/4" = 1'-0"




⑥ CORRIDOR RCP - LEVEL 15
1/4" = 1'-0"




9/24/2019 2:06:14 PM




3 FINISH PLAN - HONEYMOON SUITE
1/4" = 1'-0"



2 ENLARGED PLAN - HONEYMOON SUITE
1/4" = 1'-0"



6 REFLECTED CLG. PLAN- HONEYMOON
1/4" = 1'-0"



4 ENLARGED TOILET - HONEYMOON
1/2" = 1'-0"


FINISHES KEYNOTES

- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH: CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSERTS. ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE. VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN. PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH. UP-3 @ BACK. UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION. UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING. ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1. VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE. FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION. MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16. AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND



HONEYMOON SUITE

LEVEL FIFTEEN: 1532
LEVEL SIXTEEN: 1632

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 955-6510

HARD ROCK TOWER RENOVATION

PROJECT
CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

SHEET TITLE
TYPICAL ENLARGED PLANS - HONEYMOON SUITE


BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019


A4.3

Scale As indicated


9/24/2019




3 FINISH PLAN - CHEROKEE SUITE
1/4" = 1'-0"




2 ENLARGED PLAN - CHEROKEE SUITE
1/4" = 1'-0"



6 REFLECTED CLG. PLAN - CHEROKEE
1/4" = 1'-0"



5 ENLARGED TOILET - CHEROKEE SUITE
1/2" = 1'-0"



4 ENLARGED TOILET - CHEROKEE SUITE
1/2" = 1'-0"

FINISHES KEYNOTES


- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH: CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSERTS. ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACKSIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE. FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16. AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE-REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS



CHEROKEE SUITE

LEVEL FIFTEEN: 1538, 1539
LEVEL SIXTEEN: 1638, 1639

NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE,
TULSA, OK 74104
(918) 858-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

KEY PLAN


No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

TYPICAL ENLARGED PLANS - CHEROKEE SUITE

100% CONSTRUCTION DOCUMENTS

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A4.5
Scale As indicated




DEMOLITION NOTES: LEVEL 16


- REMOVE ALL EXISTING CONSTRUCTIONS AND FINISHES NECESSARY FOR THE COMPLETION OF THE WORK AS DEPICTED ON THE DRAWINGS, INCLUDING BUT NOT LIMITED TO: ITEMS SHOWN ON THE PLANS WITH DASHED LINES. NECESSARY DISCONNECTS AND ALTERATIONS TO EXISTING MECHANICAL AND ELECTRICAL SYSTEMS SHALL BE INCLUDED. PATCH AS REQUIRED ALL CONSTRUCTIONS TO REMAIN IN ACCORDANCE WITH THE CONTRACT DRAWINGS. WHERE CONTRACTOR IS DESIGNATED TO MAKE REMOVALS, DISPOSITION OF MATERIALS IS THE RESPONSIBILITY OF THE CONTRACTOR. VERIFY WITH OWNER THE DISPOSITION AND REMOVAL OF ANY COMPONENTS OF SALVAGEABLE VALUE.
- PATCH ALL FINISHES TO MATCH EXISTING, INCLUDING BUT NOT LIMITED TO: GYPSUM BOARD, WOOD TRIM, COVERS, BASE, PANELS, RAILS AND WAHNSCOT. VERIFY MATCH OF NEW FINISH MATERIALS TO EXISTING IN COLOR, TEXTURE, THICKNESS, ETC. TO SATISFACTION OF OWNER PRIOR TO INSTALLATIONS.
- WHERE APPLICABLE, LEVEL ALL EXISTING FLOORS AS REQUIRED TO RECEIVE NEW FLOOR FINISHES. INSTALL REQUIRED TRANSITION PIECES BETWEEN VARIOUS FLOOR FINISHES SUITABLE FOR CONDITIONS AND ACCEPTABLE TO THE OWNER. MATCH EXISTING WHEREVER POSSIBLE.
- REMOVE ALL WALLCOVERING THROUGHOUT. SKIM AND PREP FOR LEVEL 4 FINISH.
- FOR ANY NEW LIGHTING INDICATED IN DOCUMENTS, SALVAGE AND REUSE EXISTING ELECTRICAL COMPONENTS AS NEEDED. RE: ELECTRICAL.
- DEMO ALL EXISTING HEADBOARDS ON LEVELS 5-16. ALL EXISTING HEADBOARDS TO REMAIN ON LEVEL 17.
- ALL DRAPERY AND SHEER ACCESSORIES AND HARDWARE TO REMAIN. NEW SHEERS AND DRAPER, RE: FINISH SCHEDULE.
- ALL REMOVALS AND SALVAGE, UNLESS SPECIFICALLY NOTED OTHERWISE OR REQUESTED BY OWNERS SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
- PROTECT ALL EXISTING STRUCTURE, SYSTEMS, FINISHES AND GENERAL CONSTRUCTION THAT ARE TO REMAIN THROUGHOUT THE COURSE OF THE WORK TO PREVENT DAMAGE OR LOSS. ANY SUCH DAMAGE CAUSED DURING THE COURSE OF THIS WORK WILL BE REPAIRED AT THE CONTRACTORS EXPENSE BEFORE THIS WORK IS CONCLUDED.
- PRIOR TO INTERRUPTING OR OTHERWISE AFFECTING ANY SUCH OPERATING SYSTEM, UTILITY OR SERVICE, CONTRACTOR SHALL CONSULT WITH OWNERS REPRESENTATIVE TO ESTABLISH A MUTUALLY SATISFACTORY SCHEDULE FOR CUT OVER, CUT OFF DISRUPTION, OR OTHER CHANGE IN THE OPERATION OF THE AFFECTED SYSTEM, UTILITY OR SERVICE.
- CONTRACTOR IS RESPONSIBLE FOR ALL PATCHING NECESSARY TO COMPLETE THE NEW WORK.
- CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING AND REMOVING ALL MATERIALS FROM PREMISES IN ORDER TO ACCOMPLISH THE SCOPE OF THE NEW WORK.
- IF ANY QUESTIONS ARISE AS TO THE REMOVAL OF ANY MATERIAL, CONSULT ARCHITECT/DESIGNER FOR DIRECTION.
- REMOVE EXISTING SIGNAGE/GRAPHICS AND STORE FOR REUSE, WHERE APPLICABLE.
- REFER TO HATCH REGION FOR FLOORING DEMOLITION EXTENTS.
- PREP ALL SURFACES TO RECEIVE NEW FINISHES ACCORDING TO SPECIFICATIONS.
- ALL EXISTING WINDOW VALANCES TO BE REMOVED TO RECEIVE NEW UPHOLSTERY. CONTRACTOR TO VERIFY QUANTITIES AND LOCATIONS.
- ALL GLASS AND GLASS DOORS AT SHOWERS TO BE SALVAGED AND REUSED.
- ALL EXISTING FURNITURE PLASTIC LAMINATE FACES TO BE REMOVED IN ORDER TO RECEIVE NEW PLASTIC LAMINATE ON LEVELS 5-16 IN THE FOLLOWING ROOM TYPES: KING ROOM, DOUBLE QUEEN ROOM. RE: 1/A7.3. CONTRACTOR TO VERIFY LOCATIONS AND COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION. ALL EXISTING ITAV EQUIPMENT TO BE COORDINATED WITH OWNER.
- SALVAGE AND REUSE ALL EXISTING WALL-MOUNTED ACCESSORIES UNLESS NOTED OTHERWISE.
- DEMO ALL EXISTING CORNER GUARDS IN CORRIDORS, FLOOR LOBBIES, AND ELEVATOR LOBBIES. PATCH AND REPAIR AS REQUIRED. RE: FINISHES GENERAL NOTES.

GENERAL NOTES

- VERIFY CONDITIONS. THE CONTRACTOR SHALL VERIFY ALL PROJECT-RELATED NEW AND/OR EXISTING CONDITIONS INCLUDING DIMENSIONS PRIOR TO THE COMMENCEMENT OF WORK. CONSULT WITH ARCHITECT/DESIGNER IF ANY DISCREPANCIES ARISE.
- COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.
- WORK SHALL INCLUDE ALL REQUIRED PERMITS, LABOR, MATERIALS, AND EQUIPMENT TO COMPLETE ALL WORK INDICATED ON DRAWINGS AND AS NECESSARY FOR A COMPLETE PROJECT.
- CONTRACTOR TO PATCH, REPAIR, AND PAINT (REFINISH) ALL SURFACES AND BUILDING ELEMENTS DAMAGED BY MECHANICAL, ELECTRICAL, AND PLUMBING WORK AND WHERE ITEMS ARE REMOVED, RELOCATED OR ADDED.
- PATCH AND REPAIR ALL SURFACES TO MATCH EXISTING WHERE ITEMS ARE REMOVED OR ALTERED. FIELD VERIFY EXTENT REQUIRED.
- ALL MATERIALS AND FINISHES SHALL BE DONE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT FINISHES AND CLEANUP.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO FINISHED SURFACES, EQUIPMENT, FURNITURE, EXISTING MATERIALS OR FINISHES, CAUSED AS A RESULT OF HIS WORK. REPAIR OR REPLACE DAMAGED ITEMS AS DIRECTED BY ARCHITECT.
- VENDING, MAIDS ROOM, ELEVATORS, STAIRWELLS NOT IN CONTRACT
- COORDINATE AND VERIFY ALL DIMENSIONS, OPENINGS AND CONDITIONS WITH ELECTRICAL AND ALL OTHER PERTINENT DRAWINGS AND TRADES PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT OF DISCREPANCIES AS SOON AS POSSIBLE.
- ALL DETAILS THAT ARE TYPICAL, INCORPORATE INTO PROJECT AT APPROPRIATE LOCATIONS WHETHER SPECIFICALLY INDICATED OR NOT.
- THE DRAWINGS & SPECIFICATIONS ARE COMPLIMENTARY DOCUMENTS NEITHER TAKE PRECEDENCE OVER THE OTHER. CONFLICTS IN SPECIFICATIONS AND DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION.
- THIS SET OF DRAWINGS INDICATES GENERAL SCOPE OF THE PROJECT. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON BASIS OF SCOPE INDICATED OR DESCRIBED, CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED FOR PROPER EXECUTION AND COMPLETION OF THE WORK.
- ALL CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF APPLICABLE LOCAL, STATE AND FEDERAL CODES OR REGULATIONS.
- PROVIDE MIN. 2X6 WOOD OR STEEL PLATE BLOCKING BETWEEN STUDS AT MOUNTING LOCATIONS FOR TOILET ACCESSORIES, HANDRAILS, GUARDRAILS, MILLWORK AND OTHER WALL MOUNTED ITEMS.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- ALL SUBSTITUTIONS OF MATERIALS AND ASSEMBLIES MUST BE APPROVED BY ARCHITECT IN ACCORDANCE WITH DIVISION 1 SPECIAL CONDITIONS.
- ALL PIPING, DUCTWORK AND CONDUIT TO BE CONCEALED UNLESS NOTED OTHERWISE.
- ALL EXISTING SITE COMPONENTS TO REMAIN. SHALL BE PROTECTED DURING CONSTRUCTION. ALL DAMAGED SURFACES AND EQUIPMENT SHALL BE REPAIRED OR REPLACED AS REQUIRED BY THE OWNER'S REP.
- CONTRACTOR SHALL MAINTAIN A CLEAN AND SECURE SITE AS REQUIRED BY DIVISION 1 - CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS AND LEED REQUIREMENTS.
- FIRE SUPPRESSION BY OWNER. ARCHITECT TO COORDINATE WITH CONTRACTOR.
- VERIFY THE FOLLOWING WITH THE RESPECTIVE TRADES: SIZES AND LOCATIONS FOR BACKING/BLOCKING REQUIRED FOR MOUNTING MILLWORK, AND/OR ELEC. EQUIPMENT, SIZES AND LOCATIONS OF MECH. AND/OR ELEC. PENETRATIONS, CUTTING AND PATCHING FOR WORK REQUIRED BY MECH. AND/OR ELEC.
- HOT WATER LINES AND DRAIN LINES UNDERNEATH ACCESSIBLE SINKS SHALL BE INSULATED.
- EXPOSED ENDS OF ALL PROJECTING ELEMENTS SUCH AS GILLS, LEDGES & SIMILAR COMPONENTS FABRICATED IN METAL, STONE & OTHER MATERIALS SHALL BE FINISHED SAME AS FACE.
- PROVIDE ACCESS PANEL PLAN FOR APPROVAL BY ARCHITECT AND MECHANICAL ENGINEER BEFORE INSTALLATION.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- DO NOT SCALE DRAWINGS.
- ALL GRILLS, DIFFUSERS, AND ACCESS PANELS TO BE PAINTED TO MATCH WALL OR CEILING COLOR IN WHICH THEY ARE LOCATED.
- SHOWER DOORS AND WALLS TO BE LOCATED IN THE SAME LOCATION AS EXISTING. INSTALL NEW SEALANT AT PERIMETERS.
- ALL ELECTRICAL RECEPTACLES AND LIGHT SWITCHES TO RECEIVE NEW FACEPLATES. CONTRACTOR TO SUBMIT CUTSHEETS FOR ARCHITECTS APPROVAL.
- PREP SUBFLOOR TO RECEIVE NEW FLOORING. RE: FINISH PLANS.
- MOUNTING OF MIRRORS, FIXTURES, ACCESSORIES AND CLEARANCES TO COMPLY WITH ACCESSIBILITY REQUIREMENTS.
- CONTRACTOR TO PROVIDE MOCKUP FOR OWNER/ARCHITECT TO REVIEW FOR THE FOLLOWING TYPICAL SPACES: KING SUITE AND SELECTED SECTION OF THE CORRIDOR. FINAL SELECTION AND LOCATIONS TO BE REVIEWED BY OWNER/ARCHITECT PRIOR TO INITIAL WORK.



1 Level 16 FLOOR PLAN
1/8" = 1'-0"



2 Level 16 DEMOLITION PLAN
1/8" = 1'-0"

DEMOLITION LEGEND

- FLOORING DEMOLITION EXTENTS
- NOT IN SCOPE



This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS
ARCHITECTURE
 EDMONDSON REED & ASSOCIATES
 15 W 6TH STREET, STE 2507
 TULSA, OK 74119
 (918) 576-5700
MEP ENGINEERING
 HP ENGINEERING INC
 16 S LEWIS AVE.
 TULSA, OK 74104
 (918) 995-9510

CHEROKEE NATION ENTERTAINMENT

REV PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
 DRAWN BY: Author
 CHECKED BY: Checker
 ISSUE DATE: 09/24/2019

A5.0
 Scale As indicated



HARD ROCK TOWER RENOVATION




This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS


ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 578-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 888-6510


HARD ROCK TOWER RENOVATION




6 CORRIDOR RCP - LEVEL 16
1/4" = 1'-0"




5 CORRIDOR RCP - LEVEL 16
1/4" = 1'-0"




3 ENLARGED CORR. PLAN - LEVEL 16
1/4" = 1'-0"



1 ENLARGED CORR. PLAN - LEVEL 16
1/4" = 1'-0"



4 LOBBY RCP - LEVEL 16
1/4" = 1'-0"



2 ENLARGED LOBBY PLAN - LEVEL 16
1/4" = 1'-0"

CHEROKEE NATION ENTERTAINMENT

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A5.1

Scale 1/4" = 1'-0"

9/24/2019

This document and the ideas and designs incorporated herein are an instrument of professional service, the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS
ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700
MEP ENGINEERING
HF ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 595-6510

HARD ROCK TOWER RENOVATION

DEMOLITION NOTES: LEVEL 17



- REMOVE ALL EXISTING MATERIALS AND FINISHES NECESSARY FOR THE COMPLETION OF THE WORK AS DEPICTED ON THE DRAWINGS, INCLUDING BUT NOT LIMITED TO, ITEMS SHOWN ON THE PLANS WITH DASHED LINES. NECESSARY DISCONNECTS AND ALTERATIONS TO EXISTING MECHANICAL AND ELECTRICAL SYSTEMS SHALL BE INCLUDED. PATCH AS REQUIRED. ALL CONSTRUCTIONS TO REMAIN IN ACCORDANCE WITH THE CONTRACT DRAWINGS. WHERE CONTRACTOR IS DESIGNATED TO MAKE REMOVALS, DISPOSITION OF MATERIALS IS THE RESPONSIBILITY OF THE CONTRACTOR. VERIFY WITH OWNER THE DISPOSITION AND REMOVAL OF ANY COMPONENTS OF SALVAGEABLE VALUE.
- PATCH ALL FINISHES TO MATCH EXISTING, INCLUDING BUT NOT LIMITED TO, GYPSUM BOARD, WOOD TRIM, COVERS, BASE, PANELS, RAILS AND WAINSCOT. VERIFY MATCH OF NEW FINISH MATERIALS TO EXISTING IN COLOR, TEXTURE, THICKNESS, ETC. TO SATISFACTION OF OWNER PRIOR TO INSTALLATIONS.
- WHERE APPLICABLE, LEVEL ALL EXISTING FLOORS AS REQUIRED TO RECEIVE NEW FLOOR FINISHES. INSTALL REQUIRED TRANSITION PIECES BETWEEN VARIOUS FLOOR FINISHES SUITABLE FOR CONDITIONS AND ACCEPTABLE TO THE OWNER. MATCH EXISTING WHEREVER POSSIBLE.
- REMOVE ALL WALLCOVERING THROUGHOUT. SKIM AND PREP FOR LEVEL 4 FINISH.
- FOR ANY NEW LIGHTING INDICATED IN DOCUMENTS, SALVAGE AND REUSE EXISTING ELECTRICAL COMPONENTS AND SECURITY DEVICES AS NEEDED. RE: ELECTRICAL.
- CONTRACTOR TO FIELD VERIFY ROOM LOCATIONS AND QUANTITIES FOR ALL PRODUCTS, FIXTURES, AND TAKE-OFFS.
- ALL DRAPERY AND SHEER ACCESSORIES AND HARDWARE TO REMAIN. NEW SHEERS AND DRAPERY, RE: FINISH SCHEDULE.
- SALVAGE AND REUSE ALL EXISTING WALL-MOUNTED ACCESSORIES UNLESS NOTED OTHERWISE.
- ALL REMOVALS AND SALVAGE, UNLESS SPECIFICALLY NOTED OTHERWISE OR REQUESTED BY OWNERS SHALL BECOME THE PROPERTY OF THE CONTRACTOR.
- PROTECT ALL EXISTING STRUCTURE, SYSTEMS, FINISHES AND GENERAL CONSTRUCTION THAT ARE TO REMAIN THROUGHOUT THE COURSE OF THE WORK TO PREVENT DAMAGE OR LOSS. ANY SUCH DAMAGE CAUSED DURING THE COURSE OF THIS WORK WILL BE REPAIRED AT THE CONTRACTORS EXPENSE BEFORE THIS WORK IS CONCLUDED.
- PRIOR TO INTERRUPTING OR OTHERWISE AFFECTING ANY SUCH OPERATING SYSTEM, UTILITY OR SERVICE, CONTRACTOR SHALL CONSULT WITH OWNERS REPRESENTATIVE TO ESTABLISH A MUTUALLY SATISFACTORY SCHEDULE FOR CUT OVER, CUT OFF DISRUPTION, OR OTHER CHANGE IN THE OPERATION OF THE AFFECTED SYSTEM, UTILITY OR SERVICE.
- CONTRACTOR IS RESPONSIBLE FOR ALL PATCHING NECESSARY TO COMPLETE THE NEW WORK.
- CONTRACTOR IS RESPONSIBLE FOR DEMOLISHING AND REMOVING ALL MATERIALS FROM PREMISES IN ORDER TO ACCOMPLISH THE SCOPE OF THE NEW WORK.
- IF ANY QUESTIONS ARISE AS TO THE REMOVAL OF ANY MATERIAL, CONSULT ARCHITECT/DESIGNER FOR DIRECTION.
- REMOVE EXISTING SIGNAGE/GRAPHICS AND STORE FOR REUSE, WHERE APPLICABLE.
- REFER TO HATCH REGION FOR FLOORING DEMOLITION EXTENTS.
- PREP ALL SURFACES TO RECEIVE NEW FINISHES ACCORDING TO SPECIFICATIONS.
- ALL EXISTING WINDOW VALANCES TO BE REMOVED TO RECEIVE NEW UPHOLSTERY. CONTRACTOR TO VERIFY QUANTITIES AND EXTENTS.
- ALL EXISTING IT/AV EQUIPMENT TO BE COORDINATED WITH OWNER.
- DEMO ALL EXISTING CORNER GUARDS IN CORRIDORS, FLOOR LOBBIES, AND ELEVATOR LOBBIES. PATCH AND REPAIR AS REQUIRED. RE: FINISHES GENERAL NOTES.

GENERAL NOTES

- VERIFY CONDITIONS: THE CONTRACTOR SHALL VERIFY ALL PROJECT-RELATED NEW AND/OR EXISTING CONDITIONS INCLUDING DIMENSIONS PRIOR TO THE COMMENCEMENT OF WORK. CONSULT WITH ARCHITECT/DESIGNER IF ANY DISCREPANCIES ARISE.
- COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.
- WORK SHALL INCLUDE ALL REQUIRED PERMITS, LABOR, MATERIALS, AND EQUIPMENT TO COMPLETE ALL WORK INDICATED ON DRAWINGS AND AS NECESSARY FOR A COMPLETE PROJECT.
- CONTRACTOR TO PATCH, REPAIR, AND PAINT (REFINISH) ALL SURFACES AND BUILDING ELEMENTS DAMAGED BY MECHANICAL, ELECTRICAL, AND PLUMBING WORK AND WHERE ITEMS ARE REMOVED, RELOCATED OR ADDED.
- PATCH AND REPAIR ALL SURFACES TO MATCH EXISTING WHERE ITEMS ARE REMOVED OR ALTERED. FIELD VERIFY EXTENT REQUIRED.
- ALL MATERIALS AND FINISHES SHALL BE DONE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT FINISHES AND CLEANUP.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO FINISHED SURFACES, EQUIPMENT, FURNITURE, EXISTING MATERIALS OR FINISHES, CAUSED AS A RESULT OF HIS WORK. REPAIR OR REPLACE DAMAGED ITEMS AS DIRECTED BY ARCHITECT.
- VENDING, MAIDS ROOM, ELEVATORS, STAIRWELLS NOT IN CONTRACT
- COORDINATE AND VERIFY ALL DIMENSIONS, OPENINGS AND CONDITIONS WITH ELECTRICAL AND ALL OTHER PERTINENT DRAWINGS AND TRADES PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT OF DISCREPANCIES AS SOON AS POSSIBLE.
- ALL DETAILS THAT ARE TYPICAL, INCORPORATE INTO PROJECT AT APPROPRIATE LOCATIONS WHETHER SPECIFICALLY INDICATED OR NOT.
- THE DRAWINGS & SPECIFICATIONS ARE COMPLEMENTARY DOCUMENTS NEITHER TAKE PRECEDENCE OVER THE OTHER. CONFLICTS IN SPECIFICATIONS AND DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION.
- THIS SET OF DRAWINGS INDICATES GENERAL SCOPE OF THE PROJECT. THE DRAWINGS DO NOT NECESSARILY INDICATE OR DESCRIBE ALL WORK REQUIRED FOR FULL PERFORMANCE AND COMPLETION OF THE REQUIREMENTS OF THE CONTRACT. ON BASIS OF SCOPE INDICATED OR DESCRIBED, CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL AND EQUIPMENT REQUIRED FOR PROPER EXECUTION AND COMPLETION OF THE WORK.
- ALL CONSTRUCTION SHALL COMPLY WITH THE REQUIREMENTS OF APPLICABLE LOCAL, STATE AND FEDERAL CODES OR REGULATIONS.
- PROVIDE MIN. 2X6 WOOD OR STEEL PLATE BLOCKING BETWEEN STUDS AT MOUNTING LOCATIONS FOR TOILET ACCESSORIES, HANDRAILS, GUARDRAILS, MILLWORK AND OTHER WALL MOUNTED ITEMS.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- ALL SUBSTITUTIONS OF MATERIALS AND ASSEMBLIES MUST BE APPROVED BY ARCHITECT IN ACCORDANCE WITH DIVISION 1 SPECIAL CONDITIONS.
- ALL PIPING, DUCTWORK AND CONDUIT TO BE CONCEALED UNLESS NOTED OTHERWISE.
- ALL EXISTING SITE COMPONENTS TO REMAIN, SHALL BE PROTECTED DURING CONSTRUCTION. ALL DAMAGED SURFACES AND EQUIPMENT SHALL BE REPAIRED OR REPLACED AS REQUIRED BY THE OWNER'S REP.
- CONTRACTOR SHALL MAINTAIN A CLEAN AND SECURE SITE AS REQUIRED BY DIVISION 1 - CONSTRUCTION FACILITIES AND TEMPORARY CONTROLS AND LEED REQUIREMENTS.
- FIRE SUPPRESSION BY OWNER, ARCHITECT TO COORDINATE WITH CONTRACTOR.
- VERIFY THE FOLLOWING WITH THE RESPECTIVE TRADES: SIZES AND LOCATIONS FOR BACKING/BLOCKING REQUIRED FOR MOUNTING MILLWORK, AND/OR ELEC. EQUIPMENT, SIZES AND LOCATIONS OF MECH. AND/OR ELEC. PENETRATIONS, CUTTING AND PATCHING FOR WORK REQUIRED BY MECH. AND/OR ELEC.
- HOT WATER LINES AND DRAIN LINES UNDERNEATH ACCESSIBLE SINKS SHALL BE INSULATED.
- EXPOSED ENDS OF ALL PROJECTING ELEMENTS SUCH AS SILLS, LEDGES & SIMILAR COMPONENTS FABRICATED IN METAL, STONE & OTHER MATERIALS SHALL BE FINISHED SAME AS FACE.
- PROVIDE ACCESS PANEL PLAN FOR APPROVAL BY ARCHITECT AND MECHANICAL ENGINEER BEFORE INSTALLATION.
- PROVIDE SECURE AND PERMANENT ANCHORAGE FOR CEILING FURRING AND OTHER CEILING MOUNTED ITEMS. SEISMIC REQUIREMENTS APPLY.
- DO NOT SCALE DRAWINGS.
- ALL GRILLS, DIFFUSERS, AND ACCESS PANELS TO BE PAINTED TO MATCH WALL OR CEILING COLOR IN WHICH THEY ARE LOCATED.
- SHOWER DOORS AND WALLS TO BE LOCATED IN THE SAME LOCATION AS EXISTING. INSTALL NEW SEALANT AT PERIMETERS.
- ALL ELECTRICAL RECEPTACLES AND LIGHT SWITCHES TO RECEIVE NEW FACEPLATES. CONTRACTOR TO SUBMIT CUTSHEETS FOR ARCHITECT'S APPROVAL.
- PREP SUBFLOOR TO RECEIVE NEW FLOORING. RE: FINISH PLANS.
- MOUNTING OF MIRRORS, FIXTURES, ACCESSORIES AND CLEARANCES TO COMPLY WITH ACCESSIBILITY REQUIREMENTS.
- CONTRACTOR TO PROVIDE MOCKUP FOR OWNER/ARCHITECT TO REVIEW FOR THE FOLLOWING TYPICAL SPACES: KING SUITE AND SELECTED SECTION OF THE CORRIDOR. FINAL SELECTION AND LOCATIONS TO BE REVIEWED BY OWNER/ARCHITECT PRIOR TO INITIAL WORK.

DEMOLITION LEGEND

- FLOORING DEMOLITION EXTENTS
- NOT IN SCOPE



② Level 17 DEMOLITION PLAN
1/8" = 1'-0"

① Level 17 FLOOR PLAN
1/8" = 1'-0"

CHEROKEE NATION ENTERTAINMENT

REV PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: David R. Reed
ISSUE DATE: 09/24/2019

A6.0
Scale As indicated
9/24/2019

This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 276-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 955-6510

HARD ROCK TOWER RENOVATION

FINISHES KEYNOTES


- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH- CP-12 MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK, PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH, PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS, MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE, FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2, MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES, COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING CLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.


FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS




2-BAY SUITE
LEVEL SEVENTEEN, 1731, 1732, 1733, 1736


NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS




2 FINISH PLAN - 2-BAY SUITE
1/4" = 1'-0"



1 ENLARGED PLAN - 2-BAY SUITE
1/4" = 1'-0"



4 REFLECTED CLG. PLAN - 2-BAY SUITE
1/4" = 1'-0"



3 ENLARGED TOILET - 2-BAY SUITE
1/2" = 1'-0"

PROJECT
CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

SHEET TITLE
TYPICAL ENLARGED PLANS - 2 BAY SUITE

100% CONSTRUCTION DOCUMENTS

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A6.3
Scale As indicated













CONSULTANTS


ARCHITECTURE
 EDMONDSON REED & ASSOCIATES
 15 W. 6TH STREET, STE 2507
 TULSA, OK 74119
 (918) 578-6700

MEP ENGINEERING
 HP ENGINEERING INC.
 16 S. LEWIS AVE.
 TULSA, OK 74104
 (918) 888-6510

HARD ROCK TOWER RENOVATION



CHEROKEE NATION ENTERTAINMENT




No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

TYPICAL ELEVATIONS - 2 BAY SUITE

100% CONSTRUCTION DOCUMENTS

PROJECT NO: 111-032.18
 DRAWN BY: Author
 CHECKED BY: Checker
 ISSUE DATE: 09/24/2019

A6.4



FINISHES KEYNOTES


- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAIN, ST-1
- 2 FLOOR FINISH: CP-12. MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSERTS. ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS. SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD. PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE PLAM-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS. PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS. MARBLE COUNTERTOP, BACKSPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE, FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE. REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES. COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING GLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND

RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS




VARIES - REFER TO FINISHES PLAN & INTERIOR ELEVATIONS FOR MATERIAL LOCATIONS & EXTENTS


3-BAY SUITE

LEVEL SEVENTEEN, 1735, 1737


NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS




2 FINISH PLAN - 3-BAY SUITE
1/4" = 1'-0"




1 ENLARGED PLAN - 3-BAY SUITE
1/4" = 1'-0"



5 REFLECTED CLG. PLAN - 3-BAY SUITE
1/4" = 1'-0"



4 ENLARGED TOILET - 3-BAY SUITE
1/2" = 1'-0"



3 ENLARGED TOILET - 3-BAY SUITE
1/2" = 1'-0"



This document, and the ideas and designs incorporated herein, are an instrument of professional service, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS
ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700
MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE,
TULSA, OK 74104
(918) 868-6510

HARD ROCK TOWER RENOVATION

PROJECT
CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19


SHEET TITLE
TYPICAL ENLARGED PLANS - 3 BAY SUITE


100% CONSTRUCTION DOCUMENTS

PROJECT NO: 111-032.18
DRAWN BY: Author
CHECK BY: Checker
ISSUE DATE: 09/24/2019


A6.5

Scale As indicated






3 REFLECTED CLG. PLAN - 4-BAY SUITE
1/4" = 1'-0"



2 FINISH PLAN - 4-BAY SUITE
1/4" = 1'-0"



1 ENLARGED PLAN - 4-BAY SUITE
1/4" = 1'-0"

FINISHES KEYNOTES

- 1 FURNISH & INSTALL NEW WOOD FLOORING, WD-1, STAN, ST-1
- 2 FLOOR FINISH: CP-12 MATCH SIZE/SHAPE/LOCATION OF EXIST'G CARPET INSETS, ROLL & TUCK CARPET EDGES INTO TACK STRIPS AT TRANSITIONS TO WD. FLOORING.
- 3 EXIST'G FLOOR TILE & BASE TO REMAIN
- 4 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW MOSAIC SHOWER TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 5 SHOWER CURB TO RECEIVE NEW TILE TO MATCH NEW FLOOR TILE. PROVIDE BULLNOSE EDGE PIECES @ OUTSIDE EDGES
- 6 EXIST'G WALL TILE INSIDE SHOWER TO REMAIN
- 7 TILE T-7 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 8 TILE T-6 @ VERTICAL FACE OF TUB ENCLOSURE, VERIFY EXTENT
- 9 PREP GYP WALL FOR NEW VINYL WRAP PER SPECIFICATIONS
- 10 REMOVE EXIST'G WALL COV, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 11 EXIST'G WALL FINISHES (INCLUDING BASE) TO REMAIN
- 12 EXIST'G MILLWORK TO REMAIN
- 13 REMOVE EXIST'G WOOD PANEL SYSTEM @ WALLS, SKIM & PREP WALLS FOR PAINT PER SPECIFICATIONS
- 14 EXIST'G WD. BASE TO REMAIN, PAINT COLOR TBD PROVIDE NEW SECTIONS AT DEMO LOCATIONS
- 15 OWNER TO RE-UPHOLSTER EXIST'G BENCH, UP-3 @ BACK, UP-4 @ SEAT.
- 16 OWNER TO RE-UPHOLSTER EXIST'G WINDOW SEAT CUSHION, UP-2
- 17 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-3.
- 18 PT-8 ABOVE BACK SPLASH
- 19 WALLS TO RECEIVE PT-1, EXCEPT WHERE NOTED
- 20 EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH TO REMAIN
- 21 REMOVE EXIST'G STONE BATHTUB DECK, PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 22 REMOVE EXIST'G STONE COUNTERTOP, BACK/SIDE SPLASH. PROVIDE & INSTALL NEW QUARTZ MATERIAL @ THIS LOCATION, SS-1
- 23 NEW VANITY CABINET (SEE MILLWORK DETAILS) TO RECEIVE PLAM-1
- 24 EXIST'G VANITY CABINET TO RECEIVE DETAIL-1
- 25 REMOVE PORTION OF WD. FLOORING, ALIGN WITH ADJACENT WALLS PROVIDE NEW TACK STRIPS AT CARPET TRANSITION
- 26 REMOVE & REPLACE EXIST'G MOSAIC TILE & SHOWER PAN LINER @ SHOWER FLOOR. MOSAIC TILE, T-2.
- 27 REPLACE TROUGH SINK PER PLUMBING SPECIFICATIONS, MARBLE COUNTERTOP, BACK/SPLASH, PLUMBING & FAUCET TO REMAIN.
- 28 WALL INSET TO RECEIVE WC-1, VERIFY EXTENT.
- 29 NO BENCH LOCATED IN CELEBRITY SUITE, FURNISH & INSTALL NEW WOOD FLOORING @ FORMER BATHTUB LOCATION, MATCH ADJACENT TYPE & FINISH.
- 30 EXIST'G HEAD BOARD TO REMAIN
- 31 EXIST'G CARPET & RUBBER BASE TO REMAIN AT FLOORS 5-14
- 32 NEW RUBBER BASE RB-2 (MATCH EXIST'G @ FLOORS 5-14)
- 33 NEW CARPET (CP-8) & RUBBER BASE (RB-2) AT FLOORS 15-16
- 34 TOILET ROOM ACCENT PAINT COLOR SHALL BE EP-13 AT FLOORS 5-12, EP-14 AT FLOORS 14-16, AND EP-12 AT FLOOR 17.
- 35 PROVIDE AND INSTALL NEW ADA SHOWER THRESHOLD, SS-2. MATCH SIZE AND LOCATION OF EXIST'G. COMPLY WITH ACCESSIBILITY REQUIREMENTS.

FINISHES GENERAL NOTES

- 1 ALL WALLS & CEILINGS TO RECEIVE PT-1 UNLESS NOTED OTHERWISE.
- 2 ALL RESTROOMS TO RECEIVE EPOXY PAINT.
- 3 ALL CEILINGS TO BE REPAINTED. RE REFLECTED CEILING PLANS FOR FINISH LOCATIONS & MATERIAL EXTENTS.
- 4 PROVIDE & INSTALL TS-1 @ ALL CARPET TO PORCELAIN TILE TRANSITIONS.
- 5 ALL DOORS & DOOR FRAMES/TRIM @ CORRIDOR/LOBBY TO RECEIVE NEW EPOXY PAINT, BOTH SIDES, COLOR TBD.
- 6 FOR ALL FINISH EXTENTS, REFER TO ENLARGED FINISH PLANS & FINISH SCHEDULE.
- 7 SUBMIT FLOOR TILE LAYOUT FOR ALL TILE LOCATIONS PRIOR TO INSTALLATION.
- 8 CONTRACTOR TO PROVIDE ARCHITECT WITH DETAIL TO REPLACE SHOWER PANS & FLOOR TILE WHILE PRESERVING & PROTECTING WALL TILE @ ALL SHOWER LOCATIONS.
- 9 PAINT SLIDING CLOSET DOORS & DOOR TRIM AT FULL SUITES TO MATCH ADJACENT WALL.
- 10 2 1/2" X 2 1/2" X 4 CLEAR POLY-CARBONATE CORNER GUARDS WITH SELF TAPPING SCREWS AS MANUFACTURED BY INPRO AT ALL EXPOSED CORNERS IN PUBLIC SPACES UNLESS NOTED OTHERWISE.

FINISHES LEGEND


RE: FINISHES SCHEDULE FOR CODE DESCRIPTIONS

WALL	VARIES - REFER TO FINISHES PLAN & INTERIOR ELEVATIONS FOR MATERIAL LOCATIONS & EXTENTS
FLOOR	
BASE	
WALL	


4-BAY SUITE

LEVEL SEVENTEEN, 1734


NOTE: CONTRACTOR TO VERIFY ROOM COUNTS AND NUMBERS



6 ENLARGED TOILET - 4-BAY SUITE
1/2" = 1'-0"



5 ENLARGED TOILET - 4-BAY SUITE
1/2" = 1'-0"



4 ENLARGED TOILET - 4-BAY SUITE
1/2" = 1'-0"



This document, and the ideas and designs incorporated herein, are an instrument of professional service, and are the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W. 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S. LEWIS AVE.
TULSA, OK 74104
(918) 858-6510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

100% CONSTRUCTION DOCUMENTS

PROJECT NO: 111-032.18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A6.7
Scale As indicated



9/24/2019 2:15:05 PM



9/24/2019

This document, and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.


CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 276-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 888-6510


GENERAL NOTES

- 1 HEADBOARDS WITH UPHOLSTERED PANELS, WALL SCONCES, READING LIGHTS, USB/ELEC RECEPTS/DIMMER SWITCH BY SEPARATE CONTRACT. NIGHT STAND LEGS AND RELAMINATING BY GC.
- 2 PROVIDE MILLWORK SHOP DRAWINGS FOR ARCHITECT REVIEW PRIOR TO FABRICATION.
- 3 SHOP DRAWINGS TO INCLUDE SEAMING DIAGRAM FOR UPHOLSTERED PANEL.




TYPICAL KING SUITE - HEADBOARD

SCALE 3/4"=1'-0"





TYPICAL DOUBLE QUEEN SUITE - HEADBOARD

SCALE 3/4"=1'-0"




TYPICAL HEADBOARD SECTION

NOTE: REFER TO IMAGE FOR DESIGN INTENT OF NIGHTSTAND SUPPORTS/LEGS.



TYPICAL ROCK AND ROLL SUITE - HEADBOARD

SCALE 3/4"=1'-0"



CORRIDOR ACCENT DETAIL

SCALE 12" = 1'-0"

PROJECT
CHEROKEE NATION ENTERTAINMENT

KEY PLAN

No.	Description	Date
2	ADD. 2	9.24.19

PREP TITLE
HEADBOARD AND CORRIDOR ACCENT DETAILS

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: Checker
ISSUE DATE: 09/24/2019

A7.0
Scale As indicated

CODE	MANUFACTURER	PRODUCT NAME	PRODUCT NUMBER	COLOR - FINISH	PRODUCT DESCRIPTION	POSSIBLE SUPPLIER	PRODUCT DELIVERY	NOTES
T-1	Eleganza	Precious Marble	N/A	Cenia Grey, polished	12" x 36" Porcelain Tile	N/A	CONTRACTOR PROVIDED & INSTALLED (CP&I)	elev lobbies; limited qty avail, purchase asap
T-2	Happy Floors	Apollo	5963-G	Grey	2" x 2" porcelain mosaic tile	N/A	CP&I	shower floors
T-3	Happy Floors	Apollo	5953-G	Beige	2" x 2" porcelain mosaic tile	N/A	CP&I	shower floors
T-4	Happy Floors	Apollo	5960-G	Grey	12" x 24" porcelain tile	N/A	CP&I	guest room entry/bathroom floors
T-5	Happy Floors	Apollo	5950-G	Beige	12" x 24" porcelain tile	N/A	CP&I	guest room entry/bathroom floors
TB-1	Happy Floors	Apollo	5964-G	Grey	3" x 24" porcelain bullnose tile	N/A	CP&I	tile base
TB-2	Happy Floors	Apollo	5954-G	Beige	3" x 24" porcelain bullnose tile	N/A	CP&I	tile base
T-6	Crossville	Shades	AV241	Frost, honed	12" x 24" Cut tile to 4" wide	N/A	CP&I	tub enclosure, vertical
T-7	Crossville	Shades	AV249	Ink, honed	12" x 24" Cut tile to 4" wide	N/A	CP&I	tub enclosure, vertical - 17th flr
GT-1	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	elev lobby
GT-2	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	Apollo Grey
GT-3	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	Apollo Beige
GT-4	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	Shades Frost
GT-5	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	Shades Ink
GT-6	Mapei	Grout	N/A	TBD	Per specifications	N/A	CP&I	night stand tops
CP-1	Milliken	Custom Tier 1 Elev Lobbies	N/A	Raspberry	36 oz Broadloom carpet	N/A	OWNER PROVIDED, CONTRACTOR INSTALLED (OPCI)	
CP-2	Milliken	Custom Tier 1 Landing Lobbies	N/A	Raspberry	36 oz Broadloom carpet	N/A	OPCI	
CP-3	Milliken	Custom Tier 1 Corridors	N/A	Raspberry	36 oz Broadloom carpet	N/A	OPCI	
CP-4	Milliken	Custom Tier 1 Guest Rooms	N/A	Raspberry	36 oz Broadloom carpet	N/A	OPCI	
CP-5	Milliken	Custom Tier 2 Elev Lobbies	N/A	Carrot	36 oz Broadloom carpet	N/A	OPCI	
CP-6	Milliken	Custom Tier 2 Landing Lobbies	N/A	Carrot	36 oz Broadloom carpet	N/A	OPCI	
CP-7	Milliken	Custom Tier 2 Corridors	N/A	Carrot	36 oz Broadloom carpet	N/A	OPCI	
CP-8	Milliken	Custom Tier 2 Guest Rooms	N/A	Carrot	36 oz Broadloom carpet	N/A	OPCI	
CP-9	Milliken	Custom Tier 3 Elev Lobbies	N/A	Marigold	36 oz Broadloom carpet	N/A	OPCI	
CP-10	Milliken	Custom Tier 3 Landing Lobbies	N/A	Marigold	36 oz Broadloom carpet	N/A	OPCI	
CP-11	Milliken	Custom Tier 3 Corridors	N/A	Marigold	36 oz Broadloom carpet	N/A	OPCI	
CP-12	Milliken	Custom Tier 3 Guest Rooms	N/A	Marigold	36 oz Broadloom carpet	N/A	OPCI	
CP-13	Milliken	Background Neutral	N/A	Smoke	36 oz Broadloom carpet	N/A	OPCI	
WD-1	TBD	TBD	TBD	TBD	Wood flooring	N/A	CP&I	17th floor guest rooms
RB-1	Tarkett	Resilient Base - Millwork profile	MW-01-E	TBD	Millwork Attache profile	N/A	CP&I	
RB-2	Tarkett	Resilient Base - Baseworks	N/A	TBD	Traditional 4" Wall Base, rubber	N/A	CP&I	
PT-1	Sherwin Williams	Per specifications	SW6071	Popular Gray	Eggshell finish	N/A	CP&I	general wall color
PT-2	Sherwin Williams	Per specifications	SW6072	Versatile Gray	Eggshell finish	N/A	CP&I	furr dns
PT-3	Sherwin Williams	Per specifications	SW7024	Functional Gray	Eggshell finish	N/A	CP&I	accent walls
PT-4	Sherwin Williams	Per specifications	SW7019	Gauntlet Gray	Eggshell finish	N/A	CP&I	lobby ceiling furr dn
PT-5	Sherwin Williams	Per specifications	TBD	Blue - TBD	Eggshell finish	N/A	CP&I	accent walls
PT-6	Sherwin Williams	Per specifications	TBD	Red - TBD	Eggshell finish	N/A	CP&I	accent walls
PT-7	Sherwin Williams	Per specifications	TBD	Orange - TBD	Eggshell finish	N/A	CP&I	accent walls
PT-8	Kelly Moore	Per specifications	N/A	Pale Gold	metallic paint - match ERA sample	N/A	CP&I	elevator lobby/17 guest rm coffers
PT-9	TBD	TBD	TBD	TBD	TBD	N/A	CP&I	corridors below metal sheet
PT-10	Benjamin Moore	Latex Glitter Effect	N/A	N/A	topcoat over SW6258 Tricorn Black	N/A	CP&I	17 elev lobby focal wall, behind guitar head
EP-11	Sherwin Williams	Per specifications	SW6071	Popular Gray	Epoxy paint, eggshell finish	N/A	CP&I	bathroom walls
EP-12	Sherwin Williams	Per specifications	TBD	Blue - TBD	Epoxy paint, eggshell finish	N/A	CP&I	bathroom accent
EP-13	Sherwin Williams	Per specifications	TBD	Red - TBD	Epoxy paint, eggshell finish	N/A	CP&I	bathroom accent
EP-14	Sherwin Williams	Per specifications	TBD	Orange - TBD	Epoxy paint, eggshell finish	N/A	CP&I	bathroom accent
PT-15	Sherwin Williams	Per specifications	SW6258	Tricorn Black	Eggshell finish	N/A	CP&I	17th flr clg feature
EP-16	Sherwin Williams	Per specifications	SW6072	Versatile Gray	Epoxy paint, eggshell finish	N/A	CP&I	bathroom accent
ST-1	Sherwin Williams	Per specifications	N/A	Match ERA sample	Wood stain	N/A	CP&I	17th flr, RE: finishes plans
WC-1	Tri-kes	Louvre	2VLO-07	Artiste	Vinyl Wallcovering	N/A	CP&I	17th flr guest room accent walls
WR-1	3M (Meeks Group)	Vinyl wrap	N/A	N/A	Owner provided images, 11 qty	N/A	OWNER PROVIDED, OWNER INSTALLED	elev lobby focal wall
WR-2	3M (Meeks Group)	Vinyl wrap	N/A	N/A	Guitar body @ clg, 17th flr	N/A	OPOI	17 ceiling guitar body ombre
PLAM-1	Wilsonart	Field Elm	7999	Soft Grain finish	Plastic laminate	N/A	CP&I	headboard & restroom vanities
PLAM-2	Laminart	Bisque	2428	Gloss finish	Plastic laminate	N/A	CP&I	night stands, dressers
PLAM-3	TBD	TBD	TBD	TBD	Plastic laminate	N/A	CP&I	headboard accent
PLAM-4	TBD	TBD	TBD	TBD	Plastic laminate, metal	N/A	CP&I	headboard accent, metal
PLAM-5	Wilsonart	Decorative Metals	6277(419)	Alumasteel	Plastic laminate, metal	N/A	CP&I	
PLAM-6	Formica	Solid Colors	909-58	Black, matte finish	Plastic laminate	N/A	CP&I	night stand tops
SS-1	Cambria	Desert Collection	N/A	Winterbourne	Quartz	N/A	CP&I	tub, vanity tops (Cherokee)
SS-2	Corian	N/A	N/A	Cameo White	Solid Surface	N/A	CP&I	ADA bathroom threshold
MP-1	Moz	Aluminum metal sheets	N/A	Classic Light Champagne	Rattan pattern, polycoat matte finish	N/A	OPCI	corridor wall protection
	Moz	edge & corner trim	N/A	Classic Light Champagne	Rattan pattern, polycoat matte finish	N/A	OPCI	
MP-2	Moz	Aluminum metal sheets	N/A	162, Grain: coarse	Blendz Patina collection, polycoat gloss finish	N/A	OPCI	17 elev lobby guitar head
	Moz	edge & corner trim	N/A	162, Grain: coarse	Blendz Patina collection, polycoat gloss finish	N/A	OPCI	
AP-1	Meeks Group	Acrylic ceiling panels	N/A	Irridescent	Custom pattern, approx 30" x 72"	N/A	OPOI	17 elev lobby guitar neck
TS-1	Schluter	Schiene	N/A	TBD	match installed height of porcelain tile	N/A	CP&I	tile to carpet
TS-2	Schluter	Rondec-Step	N/A	TBD	match installed height of porcelain tile @ night stand top	N/A	CP&I	night stand edge
UP-1	Fabricut	Long Island	N/A	Golden	upholstery fabric	N/A	OPOI	headboards
UP-2	TBD	TBD	TBD	TBD	upholstery fabric	N/A	OPOI	17 window seat cushion reupholster
UP-3	TBD	TBD	TBD	TBD	upholstery fabric	N/A	OPOI	bench upholstery-back, 3-Bay
UP-4	TBD	TBD	TBD	TBD	upholstery fabric	N/A	OPOI	bench upholstery-seat, 3-Bay
UP-5	TBD	TBD	TBD	TBD	upholstery fabric	N/A	OPOI	window valance fabric
DR-1	Stout	Frasner	N/A	1 Aluminum	drapery fabric, liner fabric TBD	N/A	OPOI	Tier 1,2,3
DR-2	Mokum	Liquidity	12276	Crystal 663	sheer drapery fabric	N/A	OPOI	Tier 2,3, honeymoon, Cherokee
DR-3	Fabricut	Moceanu-F	N/A	Almond	drapery fabric, liner fabric TBD	N/A	OPOI	Tier 3 King/Dbl Queen only



This document and the ideas and designs incorporated herein, as an instrument of professional service, is the property of EDMONDSON REED & ASSOCIATES, and is not to be used, in whole or in part, for any other project, without the written authorization of EDMONDSON REED & ASSOCIATES.

CONSULTANTS

ARCHITECTURE
EDMONDSON REED & ASSOCIATES
15 W 6TH STREET, STE 2507
TULSA, OK 74119
(918) 576-6700

MEP ENGINEERING
HP ENGINEERING INC
16 S LEWIS AVE.
TULSA, OK 74104
(918) 995-8510

HARD ROCK TOWER RENOVATION

CHEROKEE NATION ENTERTAINMENT

REV PLAN



No.	Description	Date
1	ADD. 1	9.13.19
2	ADD. 2	9.24.19

SCHEDULES

BID DOCUMENTS - NOT FOR CONSTRUCTION

PROJECT NO: 111-032-18
DRAWN BY: Author
CHECKED BY: [Signature]
ISSUE DATE: 09/24/2019

A8.0
Scale 12" = 1'-0"

