

Work Write-Up and Bid Document/By Trade

Juanita Gay (Elec)

Contractor Name:

20628 S. 550 Rd. Welling, OK 7-4471

(918) 521-4261

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Electrical				
1 Area: ELECTRICAL				
	Main Service/200 Amp/Install. Replace Existing Main Service with new 200 AMP service with 18 branch breakers. Includes: Overhead Service Cable rated for 200 amp service, Entrance Cable, Weatherhead and Entrance Conduit.	Div.# 13.D. 1	1 Ea	<input type="text"/>
2 Area: ELECTRICAL				
	Underground Wiring/200 AMP service. Install new underground power wiring from the electric meter to new mobile service panel. All wire shall be placed in conduit, and buried min 2' underground. Add a service disconnect at the meter. 120' from pole to Trailer.	Div.# 13.D. 12	1 Ea	<input type="text"/>

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
<p>All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.</p>				
Total:				<input type="text"/>