


Project Quantity Reference Sheet Prepared for:

Cherokee Nation Wilma P. Mankiller Clinic
Stilwell, Oklahoma

Presented by:

Interior Logistics
1316 E. 35th Pl.
Tulsa, OK 74105
(918) 382-9120



Interior Logistics

PROJECT: CNH WPM STILWELL EXPANSION								
EQUIPMENT QTYS REFERENCE AS OF MAY 26, 2020								
EQNO	GROUP	QTY	DESCRIPTION	SIZE	LOCATION	MFG	MFGNO	UTILITIES
0150	OPVI	106	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms	27"w x18.5"d x 37-42"h	floor	OM	OM5-B +MR5	None
0150x	OPVI	9	Chair, Task; Rotary, Std.Back: EXISTING EQUIPMENT TO TRANSFER	approx 24.5" x28" x37"	floor	TBD	TBD	None
0151	OPVI	2	Chair, Rotary,Std.Back,5-Legged,Ergonomic,Adj.Short Arms, High Back	27"w x 18"d x 40-45"h	floor	OM	OM5-BEX +MR5	None
0152	OPVI	2	Chair, Rotary, Bariatric, Std.Back, On Casters, Adjustable Arms	28"w x21"d x40.5-45.5"h	floor	OM	OM5-BXT +MR5	None
0180	OPVI	24	Chair, Rotary,Std.Back,4-Legs, Nesting,Ergonomic,NO Arms	22"w x20"d x32"h	floor	SPEC	1715-US TWENTY2	None
0181	OPVI	11	Chair, Rotary,Std.Back,4-Legs, Ergonomic,NO Arms, Extended Height	24.5"w x28"d x48"h	floor	OM	IU77HD	None
0181x	OPVI	6	Chair, Rotary,Std.Back:Extended Height: EXISTING EQUIPMENT TO TRANSFER	approx 24.5"w x28"d x48"h	floor	TBD	TBD	None
0182	OPVI	1	Chair, Rotary,Std.Back,4-Legs, Nesting,Ergonomic, Partial Arm, Standing Height	24.5"w x28"d x48"h	floor	OM	IU77HD +ARMS	None
0200	OPVI	66	Chair, Fixed Back & Seat, Arms, No Casters, Desk Side Chair	22"w x20"d x32"h	floor	SPEC	1904 SNOWBALL 3 +ARMS	None
0211	OPVI	12	Chair, Conference Type, Highback, On Casters, w/arms	27"w x18.5"d x 37-42"h	floor	OM	CE88 EXEC + ARMS	None
0212	OPVI	162	Chair, Conference Type, Stacking, Upholstered, for high density area; high wt capacity	22"w x20"d x32"h	floor	SPEC	1705-US TWENTY2 +ARMS	None
0383	OPVI	6	Bookcase,Non-Sectional,Open, 3 Adj. Shelves	30"w x15"d x66"h	floor	Watson	ZSBK0A153066 ZO	None
0385	OPVI	3	Bookcase,Non-Sectional,Open, 5 Adj. Shelves	30"w x15"d x54"h	floor	Watson	ZSBK0A153054	None
0430d	OPVI	67	Cabinet, Filing,Lateral, Mobile Pedestal, Box/File	20"d x 15"w x22"h	floor	Watson	ZSPEBF201522M ZO	None
0431d	OPVI	4	Cabinet, Filing,Lateral, 2 drawer to fit under L desk top	30"w x20"d x26"h	floor	Watson	ZS2LF203026	None
0433d	OPVI	10	Cabinet, desk height, with doors, for storage of supplies, and worksurface for printers, etc...	36"w x 20"d x26"h	floor	Watson	ZSBKDA203326 ZO	None
0434d	OPVI	2	Cabinet, Filing,Lateral, 4 drawer	36"w x20"d x54"h	floor	Watson	ZS4LF203654 ZO	None
0435d	OPVI	4	Cabinet, Filing, Lateral, 5 high-(optional flip top door for 5th space), Locking	36"w x18.25"d x65.75"	floor	Trendway	PSLATD536W	None
0552	OPVI	1	Credenza, w/4 doors, 2 drawers	72"w x 24"d x36"h	floor	SPEC	BUF247236-2B4D	None
0680	OPVI	10	Cabinet, Storage, 6 Adj.Shelves,2 Doors,Lock	36'w x18'd x65'h	floor	Trendway	PSDD536	None
0681	OPVI	3	Cabinet Suitable for display of teaching materials or models, locking doors optional	36"w x 23"d x 65"h	floor	Trendway	PSLATSC2336	None
0700	OPVI	18	Bookcase/Lateral file combination unit	30"w x 20"d x 66"h	floor	Watson	ZSBKCOA203066	none
0700x	OPVI	1	Bookcase/Lateral file combination unit: EXISTING EQUIPMENT TO TX	36x18x64	floor	TBD	TBD	none
0701	OPVI	6	Bookcase/Lateral file/Tower combination unit	36"w x 24"d x 66"h	floor	TBD	TBD	none

1005	OPVI	33	Chair, Side, No Arms, Vinyl Upholstery, Stackable	18"w x19"d x32"h	floor	SPEC	1861 SNOWBALL 2	None
1006	OPVI	5	Chair, Plastic, 4 legs, stackable	approx 20'w x21'd x32h	floor	SPEC	1414 DURASPEC	None
1007	OPVI	34	Chair, Patient, 4 legs, with arms, Bariatric	approx 31"w x22"d x 33"h	floor	SPEC	1853 SNOWBALL 2	None
1008	OPVI	19	Chair, Patient, 4 legs, with arms, Bariatric, with vinyl upholstery, Midmark, wt capacity 650 lbs	30"w x20"d x seat ht 18"	floor	MIDMARK	282	None
1008a	OPVI	15	Chair, Patient, 4 legs, no arms, vinyl upholstery, Midmark, wt capacity 400 lbs	18.5"w x19.5"d x seat ht 18"	floor	SPEC	1861 SNOWBALL 2	None
1010	OPVI	6	Chair, Child	15.25"w x15"d d 24"h	floor	SPEC	1855 SNOWFLAKE	None
1019	OPVI	71	Chair, Tandom, 1/2/3 seats w/various arm arnagements	23.5"w x 24"d x32"h	floor	CORIANDER	2020 MEDINA +ARMS	None
1024	OPVI	10	Seating, 3 Person, Couch Type	74"w x29"d x30.75"h	floor	CORIANDER	9043-3	None
1025	OPVI	8	Seating, 2 Person, Couch Type	52"w x29"d x30.75"h	floor	CORIANDER	9043-2	None
1026	OPVI	36	Seating, 1 Person, Upholstered	30"w x29"d x30.75"h	floor	CORIANDER	9043-1	None
1051	OPVI	13	Clock, Battery Operated-Atomic, Size Appropriate to space	11.75" Diameter	wall	PETER PEPPER PRO	343	Battery Op
1052	OPVI	1	Clock, Decorative, Battery Operated, Size TBD By Design	16" Diameter	wall	PETER PEPPER PRO	386	Battery Op
1092	OPVI	1	Rug, Area: Easy Clean up: Childrens Theming	60"w x78"l	floor	WAYFAIR	ZMIE4053	None
1095	CPCI	3	Lockers, Type & Qty TBD: Either Built In or Mfg	Per Design	floor	TBD	TBD	None
1160	OPVI	1	Recliner, Patient, with Glider Option; Wall Saver, Clean Out,	27.75"w x 29.5"d x 40.5"h	floor	CAROLINA	1476 +1481	None
1202	OPVI	2	Lighting, Task, Overhead, LED, Warm Light (electrical behind upper cabinets)	31"W	under overheads	Trendway	LEDTL31DCMP & LEDTL31DCJC	E 115V Receptacle Behind Uppers
1205	OPVI	1	Lamp, Table, Decorator, 3 level bulb	15"w x15"d x 29"h	desktop	WAYFAIR	W000451187	E 115V
1302	OPVI	2	Rack, Magazine/Pamphlets,Wall Mounted 1 Pocket	14" w x4"d x14.5"h	wall	PETER PEPPER PRO	388P ONE POCKET	None: Consider Backing
1302a	OPVI	2	Rack, Magazine/Pamphlets,Wall Mounted 3 Pocket	14" w x4"d x23"h	wall	PETER PEPPER PRO	484P THREE POCKET	None: Consider Backing
1303	OPVI	4	Rack, Pamphlet/Magazine w/adj dividers: BACKING REQUIRED	36" w x4"d x24"h	wall	PETER PEPPER PRO	486-2P TWO POCKET HIGH	None: Consider Backing
1333	OPVI	4	Stool, Clinical, with Backrest, Pneumatical Adjustable Base	Overall Width 25": Seat 16" Diameter	floor	OM	CL15	None
1334	OPVI	9	Stool, Backrest, Footring, Adj.Ht., No arms,Casters	Overall Width 25": Seat 16" Diameter	floor	OM	CL23	None
1335	OPVI	1	Stool, Clinical, NO Backrest, Pneumatical Adjustable Base, Optional Footring	Overall Width 22": Seat 16"Diameter	floor	OM	CL14	None
1335a	OPVI	4	Stool, No Backrest, Adj. Ht. Casters, Foot ring (22"-32" adj ht)	Overall Width 22": Seat 16"Diameter	floor	OM	CL13	None
1338	OPVI	3	Stool, Backrest, Adj.Ht with footring, casters optional, for standing height workstations	Overall Width 25": Seat 16" Diameter	floor	OM	CL23+BACK & FOOTRING	None
1402	OPVI	1	Table, Formal Conference Shape & Preferred Base Type TBD; (phone & computers)	60"w x168"l	floor	SPEC	TC60168BT-TGRE-L TAILGATE	E 115V-floor; Data-Com
1402a	OPVI	44	Table, Educational Type, Flip Top, Nesting, w/Optional Casters	60"lx 24"d x30"h	floor	SPEC	2460RE-MRC	E 115V-floor: Data-Com

1405	OPVI	2	Mail Cubbies (Risers) Optional 24 or 36 mail slots (REQUIRES BACKING)	34"w x 12"d x15"h	wall mounted	ULINE	H-29221BL	None
1406	OPVI	3	Common Work Surface/Table Top Suitable for Function of Room/will have storage underneath	72"lx36"d x42"h	floor	TBD	TBD	None
1409	OPVI	2	Table, Child Use, Square or Round (optional shape & colors)	24" square x22"h	floor	SPEC	24SFSQ SNOWFLAKE	None
1410a	OPVI	43	Table, End, Drum Round 24" Diameter	24" Diameter x22"h	floor	SPEC	24DRM ROUND	None
1411	OPVI	5	Table, Square; With Conductor X Base	36" Square x 30"h	floor	SPEC	36SQ-CX	None
1412	OPVI	2	Table, Round, Diameter, 35"	35" diameter x29"h	floor	Watson	STRND3535-29	None
1413d	OPVI	2	Table, Work, Rectangular, Static, Standing Height	48"l x18"d x36"h	floor	SPECIAL T	KING-1848 KINGSTON	None
1417	OPVI	2	Table/Stand, For Computer, Printer, or opt paper storage below, On Casters	30"w x 24"d x 29"h	floor	SPECIAL T	KING 2430 KINGSTON	None
1419	OPVI	2	Table, Rectangular, On Casters, Optional Flip Top, Optional Drawer	30"w x 24"d x 30"h	floor	SPEC	2430RE-MRC	None
1421	OPVI	4	Table, Sofa Suitable for Lounge/Waiting Areas	30" diameter x 22"h	floor	SPEC	30DRM ROUND	None
1470	OPSVI	14	Furnishing, Cabinetry, Shelving For Pharmaceutical Areas-Per RC Smith	Per Design	floor/walls	RC Smith	TBD	Per Design
1480	OPVI	6	Pneumatic Sit-to-Stand Adjustable Single Column Riser Desk Converter	30.7"W X 6.9-17.9" ht adjustability	desktop	Seville	AIRLIFT 30	None
1500	OPVI	55	Workstation, Furniture System, Style, Size TBD Designer	Various	floor	Watson	Desk Systems	E 115V Quads: Data-Comm
1500a	OPVI	1	Workstation, Furniture System, With Transaction Top: Style, Size TBD Designer	Various	floor	Watson	Transaction Top Desk	E 115V Quads: Data-Comm
1500b	OPVI	8	Workstation,Open Office Furniture System,Modular, Small Scale	Various	floor	Watson	Small Desk System	E 115V Quad: Data-Com
1500c	OPVICI	3	Workstation,Open Office Furniture System,Modular, 2 person	Various	floor	Watson	2 Person Desk System	E 115V Quad: Data Com
1500d	OPVICI	1	Workstation,Open Office Furniture System,Modular, 3 person	Various	floor	Watson	3 Person Desk System	E Quad x 3: Data Com x 3
1500g	OPVICI	1	Workstation,Open Office Furniture System,Modular, 8 staff	See Design	floor	Watson	8 Person Desk System	E Quad x 8; data/com x4
1500l	OPVICI	1	Workstation,Open Office Furniture System,Modular, 5 staff	See Design	floor	Watson	5 Person Desk System	E Quad x 8; data/com x4
1501	OPVI	1	Workstation, Office Furniture System, Sit To Stand	See Design Details	floor	TBD	TBD	E 115V Quad; Data; Com
1750	OPVI	12	Casework, Modular, Designed to Meet Space Req: TYPICAL EXAM ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	MIDMARK	Casework	See Mfg Details
1751	OPVI	3	Casework, Modular, Designed to Meet Space Req: TYPICAL MED ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1752	OPVI	1	Casework, Modular, Designed to Meet Space Req: TYPICAL TREATMENT ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1753	OPVI	6	Casework, Modular, Designed to Meet Space Req: TYPICAL EYE CARE REFRACTION ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details

1754	OPVI	1	Casework, Modular, Designed to Meet Space Req: LACTATION ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1755	OPVI	1	Casework, Modular, Designed to Meet Space Req: BREAST FEEDING ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1756	OPVI	1	Casework, Modular, Designed to Meet Space Req: SOILED ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1757	OPVI	1	Casework, Modular, Designed to Meet Space Req: CLEAN ROOM: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1758	OPVI	2	Casework, Modular, Designed to Meet Space Req: WEIGHT ALCOVE: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1759	OPVI	1	Casework, Modular, Designed to Meet Space Req: DENTAL DEPT: SEE BACKING DETAILS	See Mfg Design Details	floor/wall	Midmark	Casework	See Mfg Details
1805	CPCI	2	Mirror, Full Length	18x.5x60	wall	TBD by Contractor	TBD by Contractor	None
2201	OPVI	1	Cabinet, Storage: Flammable Liquid: up to 30 gal: self closing door	43"w x 18"d x 44"h	floor	Eagle	3010	None
2254	OPVI	52	Shelving Unit, Open Wire Shelves, Mobile, With Liner for Bottom Shelf	36"w X21"d x69"h	floor	EAGLE GROUP	DT2136-CSBP	None
2254a	OPVI	10	Shelving Unit, Open Wire Shelves, Mobile, w/drawer glide system & bins(optional solid bottom shelf)	60"w x21"d x69"h	floor	EAGLE GROUP	ECT2160C or ECTS2160C	None
2254b	OPVI	3	Shelving Unit, Open Wire Shelves, Mobile, w/drawer glide system & bins(optional solid bottom shelf)	60"w x21"d x72"h	floor	EAGLE GROUP	ECDT2160C or ECDTS2160C	None
2256a	OPVI	1	Shelving Unit,Mobile, Adj Shelves, Bins, Bumper, Door Type TBD	37.5"wx28.75"d x75.25"h	floor	Innerspace	ROAM2	None
2256b	OPVI	3	Shelving Unit, Open Wire Shelves, 4 Shelf Unit, Static	48"w X24"d x74"h	floor	EAGLE GROUP	2448C74	None
2256c	OPVI	20	Shelving Unit, Open Wire Shelves,Static; Starter Units Total of 4800 lb cap: Add on units 3000lb cap	60"w x30"d x86"h	floor	ULINE	H-6761-86	None
2268	OPVI	3	Shelves, Suitable for storage of toys, games, must be child accessible, secure to wall	34"w x 13"d x 19"h	floor/secure	SAFECO	9452MO	None
2294	OPVI	2	Diaper Pail, with Step	12"w x 10"d x 32H	floor	Munchkin	Step Unit	None
2403	OPVI	2	Cart, Stainless Steel, 3 Shelf, Heavy Duty, 1000 lb capacity	22 3/4" w x 49 3/8" x 55"h	floor	Lakeside	4959	None
2425	OPSVI	1	Rack, Cylinder tank, to hold 6 cylinders; SPECS & DETAILS BY BENCO; WILL REQUIRE WALL BACKING	30"w x 30"d x 36"h	wall mount	JT RACKING SYSTEMS	3D2W	NONE
2519	OPVI	3	Board,Chalkless,Cleanable Surface,w/Tray,	48" w x1" d x48"h	wall	CLARIDGE	EV-0404-MB EVOLVE	None
2521	OPVI	1	Board, Combination, Bulletin-Chalkless Marker 50/50	36" w x1" d x24"h	wall	CLARIDGE	LCS5034 LCS DELUXE COMBO	None
2524	OPVI	2	Board, Marker, Cleanable, OPTIONAL AS PORTABLE	36" w x 72" h	wall	Claridge	X2-MM-7230-MB-MB	None
2603	OPVI	1	Bench, Work for I.T. Technician Repair Area: Lights/Bins/Power/Data Strip	60" w x 24" d x Adj Ht	floor	Mayline	TBD	E 115V x 2 Quad: 2 Data-com
2609	OPVI	1	Rack, Wall Mounted to hold mops, etc...	34" w x 1.5" d x4.2 5" h	wall mount	RubberMaid	FG199300GRAY	None
2810	OPVI	1	Vacuum, Hand, Portable, Rechargeable	16"l x 9"w x 10"h	stored	Black & Decker	HNV215BW52	E 115V for charging
2941	OPOI	91	Telephone, Standard: TO BE SPECIFIED BY OWNER	10"D X 8"W X 4"H	desktop	TBD BY OWNER	TBD	Data-Com

2941x	OPOI	47	Telephone, Standard: EXISTING EQUIPMENT TO TRANSFER	10"D X 8"W X 4"H	desktop	TBD BY OWNER	TBD	Data-Com
2944	OPOI	7	Telephone, Wall Mounted: TO BE SPECIFIED BY OWNER	8x3X10	wall	TBD BY OWNER	TBD	Comm.
2945	OPOI	2	Telephone, Conference: TO BE SPECIFIED BY OWNER	14X13X3	desktop	TBD BY OWNER	TBD	E 115V; Data-Com
3005	OPVI	2	Cart, Linen, w/ 4 shelves and Staph Check enclosure	50"w x 29"d x 69"h	floor	NEXEL	436934	None
3005a	OPVI	1	Cart, Linen, w/ 4 shelves and Staph Check enclosure	36"w x 18"d x 69"h	floor	NEXEL	436913	None
3016	OPVI	3	Hamper, Linen, Mobile, Foot Operated Lid, Space Saver, Fits in Corners	18"w x 18"l x 32"h	floor	Blickman	2301ss	None
3017	OPVI	1	Hamper, Laundry: round, mobile	24"diameter x 34"h	floor	Forbes	1100	None
3020	OPCI	1	Washer, Extractor, Front Load, Commercial, Energy Star Rated, 20 lb capacity	27"w x27.6"d x42.5"h	floor	Continental-Girbau	EHO20	E 208-240/60/1, 2W+G,20AMP; SEE ADDITIONAL DETAILS
3021	OPCI	1	Dryer, Front Load, Commercial, Electric, 7 Cu Ft Capacity	26.88"w x28" install depth x44.34"h	floor	Continental-Girbau	KDE	E 240/60/1, 3-prong cord, 30 AMP; SEE ADD DETAILS
3023	OPVI	1	Dispensing System, Laundry Detergent (LIKELY TO BE SOURCED THRU OWNER JANITORIAL SUPPLIER)	19.75"l x 6.75"w x29"h	wall mount	ZEP Inc	1045914	E 115V?; Water Supply
3032	OPVI	1	Container, Bio Hazard; Rated-Med Waste: Hinged Lid; Red 65 Gal Cap; mobile	32.3"l x 25.3"w x 41.8"h	floor	Rubbermaid	1971977-Red	None
3039a	OPVI	110	Wastebasket, Rectangular, plastic, water/fire resistant,28qt	14"l x11"w x16"h	floor	Rubbermaid (2541)	254300	None
3039b	OPVI	23	Wastebasket, HIPPA Compliant, with paper slot, locking top, 24 gallon	15.25"w x 15.25"l x24.25"h	floor	GLOBAL INDUSTRIAL	24MSR-CB	None
3040	OPVI	3	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 23 gallon	19.75"w x 16.5"d x 32.63"h	floor	Rubbermaid	FG614600RED	None
3040a	OPVI	20	Wastebasket, Step-On,Plastic,Rectangular, 23 gallon	19.75"w x 16.5"d x 32.63"h	floor	Rubbermaid	FG614600BEIG	None
3041	OPVI	10	Wastebasket, Step-On,Plastic,Rectangular, Red/Bio Hazard 8 gallon	16.25"w x15.75"d x17.125"h	floor	Rubbermaid	FG614300RED	None
3041a	OPVI	1	Wastebasket, End Step-On, Plastic, Rectangular, Color Beige, 8 Gallon	approx 12.3"w x19.6"d x22.3"h	floor	Rubbermaid	1883457BEIG	None
3043	OPVI	24	Wastebasket, Fiberglass, Half Moon Shape 12 gal, Open Top; Textured Black Powder Coat; Perforated	18"w x9"d x32"h	floor	RUBBERMAID	FGSH12EPLTBK	None
3043b	OPVI	20	Wastebasket, Round, Open Top, 12 gallon, with rigid liner, floor protective base, fire safe	15" diameter x 30"h	floor	RUBBERMAID	FGAOT15BKPL	None
3044	OPVI	2	Wastebasket, Decorative Type, Perforated Steel Panels Square Open Top, 20 Gallon Rigid Liner	16.30"w x 16.30"d x27"h	floor	Rubbermaid	FGSC18EPLTBK	None
3045	OPVI	1	Wastebasket, 25 gallon, with rigid Liner, UL rated,	18" diameter x 42"h	floor	Rubbermaid	FG817088BRN	None
3046	OPVI	4	Trash Collector, 32 Gal Brute, Round, with lid, dolly & wrap around caddy for janitorial services	22"diameter x37.5"h with dolly & lid	floor	Rubbermaid	FG263200 +FG263100+LID	None
3047	OPVI	1	Trash Collector, 1/2 Cubic Yd, poly construction,color TBD on wheels with lid, color to be selected	60"L X28"W X38.75"H	floor	Rubbermaid	FG9T1700BIA	None
3047a	OPVI	4	Trash Collector w/Lid,and Dolly, 44 gallons (color TBD by Function)	24"diameter x 37.5"h	floor	Rubbermaid	FG264360BLA+264000+264560	None

3061	OPVI	1	Wastebasket, Office, 16 Gallon Slim Jim w/ Venting Channels Pack of 4	22"w x11"l x25"h	floor	Rubbermaid	1955959	None
3062	OPVI	33	Wastebasket, Office,Tall, 23 gal, with flip lid (COLOR TBD)	22"l x11"w x30"h	floor	Rubbermaid	FG354060	None
3062x	OPVI	4	Wastebasket, Office,Tall, 23 gal, with flip lid (Blue Recycling-HIPPA): EXISTING EQUIPMENT TO TX	20lx11wx30h	floor	Rubbermaid	TBD	None
3079	OPVI	2	Bucket, Mop with ringer (SIZE & COLOR TBD)	TBD	floor	Rubbermaid	TBD	None
3083	OPSVI	3	Station, Sanitizing Suitable for Gym Areas;Wipe & Hand Sanitizer Dispenser, Waste Container; Tex Blk	47" H x 12" W x 17" D	floor	Zogics	TCS-B-9325	None
3087	OPOI	7	Dispenser, Glove for Single Box, CLEAR (HORIZONTAL OR VERTICAL MOUNT)	5.5"w x 3.75"d x 10"h	wall mount	ALIMED	SINGLE	None
3088	OPSVI	21	Container, Sharps: Wall Mountable or Countertop: Lockable: 5 QUART	1.7513"w x 18"h x5.5"d	wall mount	COVIDIEN	WMU100609	None
3089	OPSVI	13	Dispenser, Quad Glove Box: CLEAR (HORIZONTAL OR VERTICAL MOUNT)	22.25"w x 10"h x 3.75"d	wall mount	ALIMED	QUAD	None
3100	OPSVI	37	Dispenser, Paper Towel: TYPE TBD BY OWNER BASED UPON CURRENT JANITORIAL SERVICE	TBD	wall mount	TBD	TBD	None
3102	OPSVI	37	Dispenser, Soap:Type TBD BY OWNER-CURRENT JANITORIAL SERVICE	7"w x4"d x11.5"h	wall mount	TBD	TBD	None
3102a	OPSVI	21	Dispenser, Waterless Hand Sanitizer: Type TBD BY OWNER-CURRENT JANITORIAL SERVICE	TBD	wall	TBD	TBD	None
3115	CPCI	58	Robe Hook, Double: TO BE PROVIDED & INSTALLED BY CONTRACTOR	6x6x3	wall	Bradley	932	
3125	OPCI	1	Rack, Coat, Size for up to 12 hooks for staff: TO BE PROVIDED & INSTALLED BY CONTRACTOR	REFER TO DESIGN PKG	wall	SEE DESIGN PKG	SEE DESIGN PKG	None
3135	CPCI	2	Diaper Changing Station, Horizontal Drop Down: TO BE PROVIDED & INSTALLED BY CONTRACTOR; COLOR GRAY	35.25"L X3.75"D X22.25"H	wall	Koala Kare Corp.	KB200-01 GRAY	None
3159	CPCI	1	Sink, Handwashing, w/Eye Wash station	10"d x 15"w x 5"h	wall	Advance Tabco	7-PS-55	H/C water; drain
3160	CPCI	1	Sink, 3 Well, SS, Drop In, Deep Bowl, Goose Neck Faucet	56"w x 25"d x 12"h	drop in sink	Advance Tabco	K55-DI-3-1612	H & C Water, Drain
3192	CPCI	1	Hood Exhaust with Required Fire Suppression for cooking areas; optional CFM	TBD	wall mount	TBD	TBD	TBD
3215	OPVI	1	Coffeemaker, Automatic, Air Pot Twin Brewing System	17.75"w x17.25"d x22"h	countertop	Bloomfield	4A-8792AF Gourmet 1000	E 120/240V Dedicated; 4 Wire;17 amp; Water Supply
3216	OPVICI	5	Coffeemaker, Automatic, Low Profile, 3 warming Burners	16.5"w x 17.75"d x 17"h	countertop	Bloomfield	8572	E 120V Dedicated; 15 amp;Water Supply;NEMA 5-15P
3216b	OPVI	1	Rack, Coffee Container for Air Pots, with drip trays	20.5"w x 11.5"d x 15"h	stored	Wilbur Curtis	CAR-3-BLK	None
3216c	OPVI	1	Pots, Air; Glass lined; 2.2 liter; lever action; hot up to 8 hrs (pkg 6 qty per case)	brew ht 12.25"h/lid closed 14 9/16" h	stored	Bloomfield	7760ALM	None
3216d	OPVI	1	Coffeemaker,Pour Over, 12 cup, always ready, 1 burner; with 2 EASY POUR DECANTERS	8"w x17.7"d x17.3"h	countertop	Bunn	VP17-1+06100.0102	E Ded 120V
3250	OPSVCI	1	Ice Station, Floor Model, Bulk: With Optional Hotel Ice Dispensary	22"w x31"d x 75.5"h	floor	Manitowoc	ID-0322A-SPA-160 22	See Mfg Details

3255	OPVI	2	Microwave Oven,Commercial	22"w x 19"d x 14"h	overshelf	Amana	ALD10D	E 120V: 15 amp: NEMA 5-15
3266	OPCI	1	Range, Free Standing, Electric, Dual Oven Compartments	29 15/16"w x 26 1/8"d x 47 1/8"h	floor	Kitchenaid	KFED500ESS	E Ded 120-240V;60Hz; 40-50 Amp
3268	OPVI	1	Refrigerator, Freezer: Commercial, SS, 2 Doors, on casters, 6 shelves, 1HP, exterior temp display	54 1/8"w x 29.5"d x 84"h	floor	True	T-49DT-HC	E Ded 115V; 9.6 amps;NEMA 5-15P
3269d	OPVI	7	Refrigerator, 2 door, freezer in lower section, 24 Cu Ft, w/icemaker, SS	32.6" x 35"d x 70"h	floor	LG	LDCS24223S	E 115V; Water Supply for Icemaker
3307	OPSVCI	5	Ice Maker, Countertop, Nugge Ice/Water Disp, air cooled, 20# ice bin, up to 250# ice in 24 hr period	16.25"w x 24"d x 42"h (includes 6" legs)	countertop	Manitowoc	CNF0202	E 115V, Ded 15 Amp Brkr, H2O, see details for Drain
3307a	OPSVCI	1	Ice Maker, Countertop, Nugge Ice/Water Disp, air cooled, 10# ice bin, up to 315# ice in 24 hr period	16.25"w x 24"d x 35"h (includes 6" legs)	countertop	Manitowoc	CNF0201	E 115V, Ded 15 Amp Brkr, H2O, see details for Drain
3310	OPSVI	2	Refrigerator, Undercounter, ADA 5.5 cubit ft, auto defrost, SS	23.63"w x 23.63"d x 32"h	floor	Summit	AL54CSSTB	E 115V
3349	OPVI	7	Microwave Oven,Household Type, 2.2 Cu Ft, 1100 watt	13.5"h x 24"w x 18.5"d	countertop	GE	PES7227DL	E 120V: 13.9 amp
3352b	OPCI	1	Dishwasher, Automatic, Undercounter, Commercial Unit; Reaches 185 degree water temp on final rinse	33"h x 24"w x 24"d; See Details	floor	Miele	PG 8061	E 3AC-208V;3x20 Amp;NEMA L15-20;1 Hot,2 Cold;drain
3758	OPVI	5	Copier, High Vol, 55ppm, MF, networkable: EQUIP TO LEASED?- SPECS TBD BY OWNER	60"w x 30"d x 42"h	floor	TBD	TBD	E V-TBD; Data-Comm
3760	OPVI	3	Copier,Medium Volume, 40 PPM; Multi Function,w/Stand: EXISTING EQUIPMENT TO TX	51"w x 26"d x 45"h	floor	Xerox	5740	E-Ded 115V NEMA 5-15R
3780	OPVI	1	Meter, Postage, Automatic: High Productivity Unit;EXISTING EQUIPMENT TO PLACE ON COUNTERTOP	65"l x 25"d x 26"h	countertop	Pitney Bowes	Connect + 3000	E 120V; Data/Com x 2
3900	CPCI	8	Data-Com, Spare for future use (to be located per instruction)	N/A	wall	N/A	N/A	Data-Com
3902	OPOI	17	Workstation On Wheels; Securable for Laptop:	18"w x 20"d x 42"h	floor	MIDMARK	6211	E 115V for Charging
3903	OPOI	98	Computer,Personal & Monitor for Desk Use: TO BE SPECIFIED BY OWNER	24"w x 18"d x 22"h	desktop	TBD	TBD	E 115V; Data Com
3903x	OPOI	33	Computer, Personal, Complete with Monitor, Keyboard, etc: EXISTING EQUIPMENT TO TX	TBD	desktop	TBD	TBD	E 115V; Data Com
3905	OPVI	21	Computer, Laptop, To be used with MOBILE Workstation:SPECIFIED & PROVIDED BY OWNER	TBD	stored	TBD	TBD	E 115V; Wireless Data Com
3907	OPOI	15	Computer & Dual Monitor, Mounting Option TBD	TBD	desk top	TBD	TBD	E 115; Data-Com
3907x	OPOI	7	Computer & Dual Monitor, Existing Equipment To Transfer, Mounting Option TBD	TBD	desk top	TBD	TBD	E 115; Data-Com
3909	OPCI	1	Kiosk Center, Check In: Informational (???FUTURE PURCHASE)	24"w x 42"h x 24"d	floor	TBD	TBD	E 115V; Data Com
3913	OPOI	4	Printer, Laser, Individual B & W, Size & PPM TBD BY OWNER	16.3"w x 16.6"d x 17.7"h	countertop	Xerox	3335	E 115V; Data Comm
3913x	OPOI	1	Printer, Laser, Individual EXISTING EQUIPMENT TO TX	TBD	countertop	TBD	TBD	E 115V; Data Comm
3914	OPOI	1	Printer, Multifunction, LaserJet mf copy/scan/fax	15"w x 18"d x 16"h	countertop	Xerox	3220	E 115V: Data/Com

3914x	OPOI	4	Printer, Multifunction: EXISTING EQUIPMENT TO TRANSFER	15"w x 18"d x 16"h	countertop	TBD	TBD	E 115V: Data/Com
3916	OPOI	12	Printer, Multi Function, Fax/Copy/Scan	24.5"w x 19"d x 25.5"h	countertop	Xerox	Work Center 4260X	E 115V:Data Com
3929	OPOI	1	Copier, Multifunction, 44 ppm, Color/B/W (stand optional)	22.3"w x 23.4"d x 24.2"h	countertop	Xerox	Color Qube 8900	E 115V; Data/Com
3936a	OPOI	14	Scanner, Desktop, Auto document feeder, Duplex, Color: EXISTING EQUIPMENT TO TX	11.5"w x 6.2"d x 6.6"h	desktop	Fujitsu	ScanSnap iX500	E 110V; Data
3936b	OPOI	12	Scanner, Desktop, Auto document feeder, Duplex, Color	11.5"w x 6.2"d x 6.6"h	desktop	Fujitsu	ScanSnap iX500	E 110V; Data
3940	OPVI	49	Keyboard Tray	22" work track	under desk	Workrite	REVO	None
3972	OPVI	4	Cart, Trades Utility; for Facilities Maintenance or I.T. Dept, w/doors/drawers/poly	38"l x 19/25"w x33.5"h	floor	Rubbermaid	FG618088BLA	None
4112	OPCI	2	Projector, Ceiling Mount, wireless capability TO BE SPECIFIED BY OWNER: STRUCTURAL CONSIDERATIONS	13"w x 10.5"d x 4.8"h	ceiling	TBD	TBD	E 115V; Data-Com
4120b	OPCI	2	Screen, Projection, Powered, HDTV Format; Concealed in Ceiling: STRUCTURAL CONSIDERATIONS	139"w x8"d x78"h	wall/ceiling	DaLite	TBD	E 120V, Control Switch
4123	OPVI	1	Board, Smart; Portable on Casters	75" panel	FLOOR	Aver Media	CP754L & MOBCART1	None
4131	OPCI	3	Television, Flat Panel, 65"; LED; Smart TV; with mount; owner to coordinate: REQUIRES BACKING	57.6"w x 2.5"d x 33.2"h	wall/ceiling mt	Samsung	UN65JU6500FXZA	E 115V; Cabling; Data
4132	OPCI	4	TV, Monitor Smart LED, 42" WITH WALL MOUNT: OWNER TO SPECIFY: REQUIRES BACKING	37.8"w x 22.1"h x2.2"d	wall mount	LG530S	42LX530S	E 115V; cabling; Data
4133	OPCI	11	TV, Flat Panel, LED, Healthcare Grade, 22" Diagonal screen: DENTAL OPEN OP BAYS	24.6"w x 15.5"h x 1.6"d	wall mount	LG	22LT560C	E 115V; cabling; Data
4133a	OPCI	8	Mount, Wall, Swing out arm, Highly Articulating; REQUIRES BACKING	12"w x 13"h x 1.5"d	wall mount	Chief Mfg	TBD	None: Note utility location
4134	OPCI	5	Television, Flat Panel, LED, Healthcare Grade, 27";DENTAL CLOSED OPS; IF NOT CABINET MT, REQ BACKING	38.1"w x 22.8"h x 4"d	wall	HP	HC270	E-Comm-Cable
4136	OPCI	9	Television, Flat Panel, 55" Wall Mount: OWNER TO SPECIFY: REQUIRES BACKING FOR SUPPORT	49.2"w x 29"h x 3.1"d	wall mount	LG	55LN549E	E 115V; Cabling; Data
4136a	OPCI	2	Television, Flat Panel, 55" Ceiling Mount: OWNER TO SPECIFY: REQUIRES ABOVE CEILING SUPPORT	49.2"w x 29"h x 3.1"d	wall mount	LG	55LN549E	E 115V; Cabling; Data
4138	OPCI	2	Wall Mount for TV Monitors up to 55"; movement action TBD: OWNER TO SPECIFY: REQUIRES BACKING	See Details	wall	Chief	RLT2	None
4138a	OPCI	2	Ceiling Mount for TV Monitors up to 55"; movement action TBD: REQUIRES BACKING	See Details	wall	Chief	TBD by Owner	None
4144	OPOI	1	Home Video Game Console (Wii station): EXISTING EQUIPMENT TBD?????	3"w x 9"d x 8"h	countertop	Nintendo	WII	video cable connection
4149	OPOI	3	Scheduling System for Conference Room areas; 7" monitor display to be mtd outside of mtg space	8.07"w x5.12"h x2.6"d	wall mount	Steelcase	RoomWizard II	POE
4151	OPVI	1	Lectern, For Education Environments	30"w x 42"h x 24"d	floor	SPEC	CCLEC	None
5006	OPCI	1	Filtered Water System, Digital, Fillmaster with 4 satellite stations	varying sizes see mfg details	wall-undercount	Fillmaster	FMD 940-550 & 1000E	E 115V; Water Supply
5010	OPVI	1	Medication Disposal System; Drop Box; ??? 18 or 38 Gal; for Schedules II-V; Secures to Wall or Floor	22.5"w x 22.5"l x 43.75"h	floor	Sharpsinc.com	17838	None

5018	OPOI	2	Sink, Smart for drug waste containment	15.5"w x 12.5"h x 9.5"d	countertop	Cactus LLC	Smart Sink	E 115V or Battery
5018x	OPOI	4	Sink, Smart for drug waste containment: EXISTING EQUIPMENT TO TX	15.5"w x 12.5"h x 9.5"d	countertop	Cactus LLC	Smart Sink	E 115V or Battery
5021	OPOI	2	Counter, Tablet-Kirby Lester; with built in scanning: EXISTING EQUIPMENT TO TRANSFER	8"w x 12.5"d x14.6"	countertop	Kirby Lister	KL1Plus	E 110V
5027	OPSVI	1	Pharmacy, Robotic Medication Dispensing, EXISTING TO BE TRANSFERRED & COORDINATED BY OWNER	152x35x76.5	floor	ScriptPro	200	See Scriptpro Design
5030b	OPSVI	2	Controlled Dispensing System - 2 Drawer Main-Countertop Unit (LEASE ITEM?)	23"W x27"D x29"H	Countertop	Omniceil	2000MS	E 115V, Data-Com x 2
5042	OPSVI	3	Checkpoint, SP: Interactive RX verification, tracking, mgmt	15.5"w x 22"h x 10"d	countertop	Script Pro	SP CHECKPOINT	E115V;50/60hz;1.5amp;dat a/com
5042x	OPSVI	3	Checkpoint, SP: Interactive RX verification, tracking, mgmt: EXISTING EQUIP TO TRANSFER	15.5"w x 22"h x 10"d	countertop	Script Pro	SP CHECKPOINT	E115V;50/60hz;1.5amp;dat a/com
5043	OPOI	1	Printer, Thermal, Label; (sits on ScriptPro System) EXISTING EQUIPMENT TO TX:	5.5"d x 14.5"h x 12"w	countertop	TBD	TBD	E115V;50/60hz;2amp;data-com
5043x	OPOI	1	Printer, Thermal, Label; (sits on ScriptPro System) EXISTING EQUIPMENT TO TX:	5.5"d x 14.5"h x 12"w	countertop	TBD	TBD	E115V;50/60hz;2amp;data-com
5044	OPSVI	1	Signature Pad, Electronic: Integrated PC via USB port; Specified by Owner	7.5"w x 4.75"h x7.5"d	countertop mt	TBD	TBD	None
5044x	OPSVI	2	Signature Pad, Electronic: Integrated PC via USB port; EXISTING EQUIPMENT TO TX	7.5"w x 4.75"h x7.5"d	countertop mt	TBD	TBD	None
5048	OPSVI	1	Kiosk, Script Pro: FUTURE CONSIDERATION (for waiting area)	TBD	TBD	Script Pro	TBD	E 115V Ded; Data-Com
5049	OPSVI	2	Monitor, Status Message System: Bingo Boards, Script Pro: BACKING REQUIRED	36.2"w x21"h x2.12"d	wall mount	Script Pro	TBD	E 115V Ded; Data-Com
5049x	OPSVI	1	Monitor, Status Message System: Bingo Boards, Script Pro: BACKING REQ;EXISTING EQUIPMENT TO TX	TBD	TBD	Script Pro	TBD	E 115V Ded; Data-Com
5050	OPSVI	6	Refrigerator, Scientific;Single door; 2-10 degree C;Onboard monitoring sys;	29"w x 79.6h"h x 34.2"d	floor	Helmer	IPR125-GX	E-Ded 115V; 7.5 FLA;data-com
5051x	OPSVI	1	Refrigerator, Scientific;Double door; EXISTING EQUIPMENT TO TX	60"w x 80"h x 30"d	floor	UNKNOWN	TBD	E-Ded 115V; 11.5 FLA;data
5054	OPSVI	4	Freezer, Undercounter:ADA:Scientific;-15 to-30 Deg C;Onboard monitoring sys	24"w x 32"h x 26.75"d	floor	Helmer	iLF104ADA	E-Ded 115V; 5.75 FLA; Data
5055	OPSVI	1	Refrigerator, Undercounter:ADA:Scientific;2-10 deg C;Onboard monitoring sys	24.3"w x 31.9"h x 26.75"d	floor	Helmer	iLR104ADA	E-Ded 115V; 5 FLA;data
5274	OPOI	2	Incubator, Dry Heat, Open, 10/20 well, digital	11.3"w x 7.9"d x 3.9"h	countertop	Fisher Scientific	S28681	E 115V
5706	OPVI	10	Apron,XRay Protective,AdultDental Patient w/Collar: BY BENCO	n/a	stored	TBD	TBD	None
5706a	OPVI	10	Apron,XRay Protective,Child Dental Patient w/Collar: BY BENCO	21x22	stored	TBD	TBD	None
5760	OPSVI	6	Radiography, Dental, Digital Intra Oral: PassThru CENTRAL CONSOLE; SEE MFG DETAILS	SEE MFG DETAILS	stored/wall	Plan Meca	ProMax	PER PLAN MECA/BENCO DRWGS
5760a	OPSVI	5	Radiography, Dental, Digital Intra Oral: WALL MOUNTED UNIT-REQUIRES BACKING; See Mfg Details	SEE MFG DETAILS	FLOOR	Plan Meca	Pro Max	E 115V; DATA/COM
5761	OPSVI	1	Radiographic, Dental, Panoramic-Digital: WALL MOUNT REQUIRES BACKING SEE PLAN MECA DETAILS	See MFG Details	floor	Plan Meca	Pro Max	SEE PLAN MECA DETAILS

5761a	OPSVI	1	Radiographic, Dental, Panoramic-Digital:REQUIRES BACKING: EXISTING EQUIP TO TX	See MFG Details	floor	Plan Meca	Pro Max	SEE PLAN MECA DETAILS
5768a	OPVI	2	Rack, Apron; Single; BACKING REQUIRED: BY BENCO	3"H • 5"L prongs; on 16" centers	wall-Backing	Alimed	920713	PER BENCO DRWG
6002	OPVI	18	Amalgamator High Speed: BY BENCO	TBD	countertop	TBD	TBD	E 115V
6004	OPSVCI	1	Microscope, Dental Procedure; A Series; SEE MFG DETAILS; ceiling mount structure to support 500 lbs	4.70"w x3.25"h x3.0"d + column length	ceiling	Global	M A730C	PER BENCO DRWGS
6007	OPSVI	1	3 O'Clock Upper Storage, 3 door unit Wall mounted; Open Bay With Owner Preferred Dispensers-ADEC	PER ADEC DESIGN DRWGS	wall	ADEC	TBD	SEE ADEC DESIGN DRWGS
6008	OPSVI	5	3 O'Clock, Accessory Console 3 door unit Wall mounted;Closed Op; Owner Preferred Dispensers ADEC	PER ADEC DESIGN DRWGS	floor	ADEC	TBD	SEE ADEC DESIGN DRWGS
6008b	OPSVI	1	9 O'Clock, Accessory Console, 3 door unit Wall mounted;	86x33x16	floor	ADEC	5531.58	E, Data, H/C water
6008c	OPSVI	5	9 O'Clock, Accessory Console With Sink; Closed Op-PER ADEC DESIGN	PER ADEC DESIGN DRWGS	floor	ADEC	TBD	SEE ADEC DESIGN DRWGS
6009	OPSVI	16	12 O'Clock Dental Cabinetry: ear Delivery Sys-Dental & Dental Assist Control,PC Mount & Access: ADEC	PER ADEC DESIGN DRWGS	floor	ADEC	TBD	SEE ADEC DESIGN DRWGS
6010a	OPSVI	1	Dental Cabinetry System: Clean Sterile: PER ADEC DESIGN	PER ADEC DESIGN DRWGS	floor	ADEC	TBD	SEE ADEC DESIGN DRWGS
6010e	OPSVI	1	Dental Cabinetry System: Soiled Room Processing: PER ADEC DESIGN	PER ADEC DESIGN DRWGS	floor	ADEC	TBD	SEE ADEC DESIGN DRWGS
6010f	OPSVI	2	Dental Cabinetry System: Tech Workspace: Design by Midmark & Benco	See Midmark-Benco Details	floor	TBD	See Details	See Midmark-Benco Details
6011	OPSVCI	10	Console, Central W/End Sink : storage for Radiographic Unit & Supplies, ETC.: PER ADEC DESIGN	PER ADEC DESIGN DRWGS	floor	ADEC	PER ADEC DESIGN DRWGS	SEE ADEC DESIGN DRWGS
6019	OPSVCI	16	Chair, Dental 511; With Chair Mount and Monitor Mount: PER ADEC DESIGN	PER ADEC DESIGN DRWGS	floor	ADEC	PER ADEC DESIGN DRWGS	SEE ADEC DESIGN DRWGS
6021a	OPVI	2	Disinfectant, Thermal, for Dental Instruments, Undercounter: SEE BENCO DETAILS	24x24x33.5	undercounter	Miele	TBD	SEE BENCO DESIGN DRWGS
6037	OPOI	60	Handpiece, High Speed, Fiberoptic 5 hole: Impact Air 45:	stored	stored	PALIS	Impact Air 45-#401	None
6043	OPSVI	12	Intra Oral Camera-CS 1500: BY BENCO	See Benco Details	attached	Carestream Dental	CS1500	None
6047	OPSVI	5	Light, Dental Operating, Single Head, Console Mounted		floor/stored	Adec	TBD	See ADEC Details
6048	OPSVI	1	Light, Dental Operating, Single Head, Wall Mount	6x48x24	ceiling	Adec	TBD	See ADEC Details
6050	OPOI	2	Macro Cab with Dust Collector: BY BENCO	12x12x15	countertop	DANVMA	Macro Cab + Dust Collecto	E 115V
6052	OPVI	1	Mixer, Combination,Power/Vacuum,w/bench stand, complete: SEE BENCO DETAILS	8x8x12	countertop	Whip Mix	29181w/06149	E 115V
6054	OPVI	1	Bin,Plaster,3 Compartment, 75# capacity (REQUIRES SUPPORT BACKING) SEE BENCO DETAILS	21x8x18	wall	Nevin Labs	Triplex 666B	None
6056	OPSVCI	1	Autoclave:Single or Double Door-Pass Thru: CONTRACTOR TO REFER TO MFG DESIGN DETAILS	30."w x40.25"d x 74.5"h	floor	STERIS-AMSCO	400	SEE MFG DETAILS
6058	OPSVI	2	Pot, Curing, Pressure: 8 quart: By BENCO	12" diameter x 10"h	countertop	Almore	66041	E 115V

6059	OPSVI	2	Knife, Proform Electric for dental labs: By BENCO	8"w x 6"d x 3"h	countertop	Keystone Industries	Proform	E 110V
6060a	OPSVI	16	Scaler, Dental: Owner to Specify	13x15x4	Attached	TBD	TBD	SEE DESIGN DRWGS
6063	OPSVI	16	Stool, Footplate,Adj.Ht.,(Dental Assistant): ADEC	22diam x36	SEE ADEC DRWGS	Adec	TBD	PER ADEC DESIGN DRWGS
6064	OPSVI	16	Stool, Adj.Ht.,(Dentist): ADEC	22diam x36	floor	Adec	1601	PER ADEC DESIGN DRWGS
6065	OPSVCI	13	Switch, Additional; Tech Use for Radiography Exposure: BENCO SEE MFG DETAILS	3"w x 4"h	wall	TBD	TBD	SEE BENCO/PLAN MECA DESIGN DRWGS
6067	OPSVI	6	Sensor Kit Combo: MFG TBD; BENCO ITEM	varies	stored	Plan Meca	TBD	None
6069	OPSVI	16	Sensor Kit Size 2: MFG TBD; BENCO ITEM	varies	stored	Plan Meca	TBD	None
6124	OPVI	2	Cleaner/Lubricator, Handpiece, Air Driven, w/ handpiece: SEE BENCO DETAILS	7.5"w x 16.3"d x8.5"h	countertop	TBD	TBD	Air Supply 65 psi not to exceed 140 psi
6400	OPSVI	1	Eye Wear Dispensing Furnishing Package by Fashion Optical: SEE FASHION OPTICAL DETAILS	See Design	floor	Fashion Optical Displays	TBD	See Design
6402	OPVI	2	Chair, Optometric Dispensing Technician, w/Back,Casters	24x24x30	floor	Fashion Optical	R-CH-103A	None
6402a	OPVI	4	Chair, Optometric Dispensing, No arms, For Patient Use	24x24x30	floor	Fashion Optical	R-CH-114A	None
6403	OPVI	1	Ocular Coherence Tomography, with monitor, software & table (EXISTING EQUIPMENT TO TX)	table: 39"l x 22"w x adj ht	tabletop	Carl Zeiss	Cirrus HD 5000-500	E 115V-DED, Data-Com
6404	OPVI	1	Camera, Fundal/Pt Mgmt Software System/on table (EXISTING EQUIPMENT TO TX)	table: 36"w x 20"d x adj ht	sits on table	Carl Zeiss	Visu Cam Pro NM	E 115V,-Dedicated, Data-Com
6406	OPVI	3	Chair, Eye Exam, Powered	22.05"w x48" in upright position xadj ht	floor	Reliance	7000 HFC	E Ded 110V, Lighting Control
6406a	OPVI	3	Floor Unit, Stand & Instrument Control	21.25"w x 21.25"d x74.44"h	floor	Reliance	7800-IC	E-115V
6406c	OPVI	2	Chair Glide, Mover, To Accommodate Wheelchairs, for bases up to 22.5" wide; under exam	52"l x 26"w x 0.75"h	under chair	Reliance	CS1ZZMO1	None
6407	OPVI	1	Cleaner, Ultrasonic; With Digital Timer (BENCO) Drain, Mounting Rim: By BENCO	See Benco Details	Countertop	SweepZone	650R-AG917	See Benco Details
6411	OPVI	1	Cart, Supply-Portable, Soft Edge w/Handle Top;Optional lock;(TO BE PART OF THE MIDMARK CASEWORK PKG)	18"w x 18"d x33"h	floor	MidMark	MA9500-18	None
6412	OPOI	1	Safe, Small, for storing moneys; EXISTING EQUIPMENT TO TX	TBD		N/A	N/A	None
6417	OPVI	9	Handles, Rechargable, Contained in wells on stand	n/a	stored	Welch Allyn	71670	E 115V:(located at base)
6420	OPVI	1	Ultrasound, B Scan, handheld	n/a	stored	TBD	TBD	Battery Operated
6421	OPVI	1	Pachymeter, System, blue tooth technology, printer (EXISTING EQUIPMENT TO TX)	printer 4"w x 6"d x1.54"h	countertop	DGH TECH	Pachmate 2	E 115 for printer & charging
6422	OPVI	1	Refractor/Keratometer/Topographer, Automated; Sits on a table top #6439	13.5"w x 21.18"d x18.77"h	tabletop	Topcon	KR800-S	E-Ded: Data
6424	OPVI	3	Refractor for Stand	n/a	attached	Marco	RT700	None
6425	OPVI	3	Ophthalmoscope,Indirect,Binocular	n/a	stored	Welch Allyn	12500	Battery Operated

6425a	OPVI	3	Power Source, BIO & wall rack for equipment #6425; wall hung	8"w x 8"h x 5"d	wall mount	Welch Allyn	74350	E 115V above counter/wall mount
6426	OPVI	3	Ophthalmoscope, Direct Coax	n/a	stored in stand	Welch Allyn	11720	Stand Charge
6429a	OPOI	3	Visual Acuity System, All In One , Wall Mount w/ Remote Control: BACKING REQUIRED	18.6"w x15"h x 2.9"d	wall mount	Acuity Pro	Acuity Pro	E 115V-Data
6430	OPVI	3	Transilluminator, 3.5V Halogen	n/a	stored in stand	Welch Allyn	41100	None
6431	OPVI	3	Retinoscope, Streak, Welch Allyn Elite	varies	stored in stand	Welch Allyn	18245	None
6435	OPVI	3	Lamp, Slit: Marco G5 Ultra	n/a	attached	Marco	G5 Ultra	On Stand
6437	OPVI	9	Stool, Backrest, Adj.Ht., On Casters (Is foot ring required)	15"diameter x 19-27" ht	floor	Reliance	4246	None
6439	OPVI	1	Tables, Instrument,Casters, Motorized, height adjustable, Visual Field Analyzer, Automated; SITS ON ITS OWN TABLE:	36"wx 24"d x adj ht	floor; mobile	Topcon	AIT-250W	E-Dedicated, 1 Data
6444	OPVI	1	EXISTING EQUIPMENT TO TX	36"w x24"d x ADJ HT	tabletop	Humphrey	HFA3 860	E 115V-Dedicated; Data
6444b	OPVI	1	Visual Field Analyzer, Automated Humphrey Matrix 800: EXISTING EQUIPMENT TO TX	12"w x 22"d x17"h	shared table to	Humphrey	Matrix 800	E-115V Dedicated; Data
6445	OPVI	3	Tonometer, Applanation with 2 Prisms	N/A	stand attached	Haag Streit	R700	None
6445a	OPVI	3	Tonometer Mount	N/A	attached	Marco	G5 Ultra	None
6446	OPVI	2	Tonometer, Hand Held	n/a	stored	iCare	TA01i	None
6448	OPVI	3	Frame,Trial Lens,Adult, Light Weight, Metal, Holds 5 pairs	n/a	stored	Univeral	TFOLOMTF	None
6449	OPVI	3	Trial Lens Set,Minus cylinders, full diameter, 191 lenses:	n/a	stored	Marco	280-OTLO191-00	None
6450	OPVI	1	Warming Unit,for Frame Adjustment, Hot Air Warmed	8"w x5.25"l x8.5"h	desktop	Western Optical	TBD	E 110V
6452	OPOI	3	Monitor, Tel Screen Digital Imaging System, with out the slit lamp: software:Wall Mount: BACKING REQ	TBD	wall	TBD	TBD	E 115V: Data-Com
6481	OPVI	3	Lens, Volk, 20D Large, aspheric, in case	n/a	stored	Volk	2090C	None
6482	OPVI	3	Lens, Volk, 60D, Large, aspheric	n/a	stored	Volk	60DL	None
6484	OPVI	3	Lens, Volk, Superfield	stored	stored	Volk	Superfield NC VSFNC	Volk
6487	OPVI	3	Lens, 3 mirror Diagnostic: Gonio	N/A	stored	Gonio	TBD	None
6489	OPVI	0	Lensometer, Computerized	6.3"w x 16.53"d x12.2"h	countertop	TopCon	LM-8E	E 115; Data
6490	OPVI	1	Lensometer, Computerized w/printer; TO DETERMINE IF TABLE COMES WITH UNIT	48"w x 24"d x adj ht	tabletop	TopCon	CL-300	E 115; data com
6495	OPVI	3	Kit, Foreign Body and Therapeutic Kit, Potaznick	n/a	stored	Miltex	FBKIT A1	None
6496	OPVI	3	Forceps, Jeweler	n/a	stored	Karl Storz	E19473c	None
6500	OPOI	3	EXISTING COMPLETE EYE EXAM ROOM EQUIPMENT TO TRANSFER	VARIES	VARIES	N/A	N/A	MEP SEE RM 10-02
6501	OPVI	1	Monitor, Blood Pressure on stand (EXISTING EQUIPMENT TO TX)	18" diameter	floor	Welch Allyn	PRO BP3400	E 115V for charging

6509	OPVI	1	Tester, Brightness Acuity	n/a	stored	Marco	TBD	None
6510	OPVI	1	Tests, Optometric, Various: EXISTING EQUIPMENT TO TRANSFER	n/a	stored	Bernell	See Quote	None
6528	OPVI	1	Test, Color Vision: HHR standard version/with illuminator (EXISTING EQUIPMENT TO TX)	6"w x 5"h x .5"d	stored	HHR	Std Version + illuminator	None
7102a	OPVI	1	Upper Body Exerciser-Step Thru Seating: SciFit Pro 1	61"l x 30"w x 77"h	floor	SCI-Fit	Pro I	E Ded 115V; Data
7103	OPVI	1	Bike, Exercise, Upright, With Monitor: Precor (unit 169 lbs)	48" x 21" w x 62" h	floor	Precor	UBK 885	E Ded 120V; 15 amp; Data
7103a	OPVI	1	Bike, Exercise, Recumbent, Walk Thru Design, With Monitor; (For PT Area)	64"l x 25.4"w x 47.5"h	floor	BH Fitness	LK700R	E Ded 120V; 15 amp; Data
7103c	OPVI	2	Bike, Exercise, Recumbent; No step thru With Monitor: Precor (unit 219 lbs)	67"l x 23"w x 54"h	floor	Precor	RBK885	E Ded 120V; 15 amp; Data
7103d	OPVI	2	Bike, Air: Assault	51"l x 23.5"w x 35.5"h	floor	Assault	Air	None
7107	OPOI	1	Exercise Unit, Upper and Lower Body, BowFlex XLT Gym: EXISTING EQUIPMENT TO TX	98lx50wx83h	floor	BowFlex	Ultimate 2	None Req
7107b	OPOI	1	Exercise Unit, Total Gym, Fit: CLINICAL PKG	106"l x 38"w x 65"h	floor	Total Gym	Encompass Power Tower	None
7108	OPVI	1	Chilling Unit, Cold Packs, Complete w/packs, side table	27"l x 16"d x 31"h	floor	Chattanooga Group	C5	E 115; near drain
7108a	OPVI	1	Hydrocolator, Hot Pack, Unit: EXISTING EQUIPMENT TO TX	27"l x 16"d x 33"h	floor	Chattanooga	24-02 M2	E 115; near drain
7108b	OPVI	2	Rack for Hydrocolator towels/covers, folding hooks, 6/rack: REQUIRES BACKING	36x15x2	wall	Preston	3536	None
7110a	OPVI	1	Mirror, Glass, Tempered, 3 Section, Mobile: EXISTING EQUIPMENT TO TX	30"w x 10"d x 72"h	floor	Preston	PC1600	None
7110b	OPVI	1	Storage, Multipurpose, for weights, includes rack, peg hooks: EXISTING TO TX	24x18x72	floor	927616	C9276-16	None
7110c	CPCI	3	Mirror(s), Wall (Size, Design Determined by Architect)	TBD: SEE ARCHITECTURAL	wall	TBD	TBD	None
7113	OPVI	1	Parallel Bars, Powered, Adult Adj Ht. & Width, 10' long: EXISTING EQUIPMENT TO TX	up to 25"w x 10'l x 42"h	floor	Hausman	1362	E 120V-5 Amp: floor outlet
7115a	OPVI	3	Table, Treatment, Tilt, Hi/Low, Powered, 3 section	78"l x 30"w x adj ht	floor	Hausman	6053	E 115V
7115b	OPVI	2	Table, Treatment; EXISTING EQUIPMENT TO TX	TBD	floor	TBD	TBD	E 115V
7118	OPVI	2	Stimulator, Multi and Ultrasound, 2 Channel on portable cart: EXISTING TO TX	20"w x 15"d x 48"h	floor	TBD	TBD	E 115V
7118a	OPVI	2	Stimulator, Multi and Ultrasound, 2 Channel on portable cart	17"w x 16.25"d x 44"h	floor	Chattanooga	2760k	E 115V
7120a	OPVI	1	Rack, Combination weight and dumbbells-opposite sides	31"w x 53"h x 24"d	floor	Clinton	7019-F	None
7120b	OPVI	1	Rack, Progression Weight, Static With 1 Pair 5#, 10#, 15#, 20#, 25# & 30# Dumbbells	62"w x 23"d x 32"h	floor	Body Solid	GDRT6 Medicine Ball Tier	None
7122	OPCI	1	Rack, Wall for Cane & Crutch, capacity of 6 crutch sets per support: REQUIRES BACKING	66"l x 5.25"w x with hooks 9"d	wall/backing	Sammons Preston	C7297	None:Requires Backing

7128b	OPVI	3	Treadmill, Individual Walking Exercise, W/Handrails	80"l x39.5"w x73.5"h	floor	ProForm	9000	E Dedicated 120V; Data-Com
7128c	OPVI	1	Treadmill, Individual Walking Exercise, W/Handrails: EXISTING EQUIPMENT TO TX	80"l x39.5"w x73.5"h	floor	TBD	TBD	E Dedicated 120V; Data-Com
7129a	OPVI	2	Exercise Unit, Elliptical Trainer, w/progress monitor	80"l x 28" w x"72h	floor	Precor	EFX 761	E 120V Data-Com
7129b	OPVI	1	Stepper, Recumbent: Sci Fit Step1; EXISTING EQUIPMENT TO TX	68"l x30"w x48"h	floor	SCI Fit	Step1	E 115V; Data
7135	OPVI	1	Dynamometer, Hand, Hydraulic: EXISTING TO TX	n/a	stored	JAMAR	5030J1	None
7136	OPVI	1	Biomechanical Ankle Platform System (BAPS): EXISTING TO TX	n/a	stored	BAPS	6400-0	None
7137b	OPVI	1	Rack for Storing Therapy Balls-Mobile	64"l x 19"d x64"h	floor	MJM	TBD	None
7163	OPVI	1	Body Solid Universal Gym	12' w x 12'd x unknown ht	floor	BODY SOLID	TBD	None
8166	OPVI	1	Cart, Procedures Set Up (to be part of the casework package from Midmark)	approx 24.25"w x 30"l x38.25"h	floor	Midmark	TBD	None
8202	OPOI	6	Defibrillator, External, Automated (AED) *TO BE STORED INSIDE OF 8202a	8.9"w x7.1"h x2.4"d	stored	Philips	FrX AED	None
8202a	OPCI	6	Cabinet, Semi Recessed for AED Defibrillator: PROVIDED & INSTALLED BY CONTRACTOR	see mfr details	recessed/wall	JL Industries-AmeraProducts	1417F12	battery operated
8261	OPVI	1	Electrosurgical Unit, (Hyfrecator) Minor Procedures - Cautery, on stand	18"diam x60	floor	ConMed	Hyfrecator 2000	E 115V
8301	OPVI	8	Flag Set, Coded, 6 colors, (Located Exterior to Room)	8"w x8"l x10"h	wall	Medicus Health	6 Flags	None
8570b	OPCI	1	Light, Minor Surgical,Ceiling Pedestal Mount Single Arm: CEILING SUPPORT REQUIRED	22 diam., 30-54	ceiling	MidMark/Ritter	255	E,Struc.Support, 120VAC
8572	OPVI	8	Light, Examination,Halogen, Table Mounted	6x6x30	wall or table	Welch Allyn	48810-M3001	E 115V
8573	OPVI	7	Light Source for Vaginal Speculum with Transformer (stored item)	6" l x 4"w x 4"h	countertop	Welch Allyn	78810	E 120V for charger or Battery Operated
8700	OPVI	11	Monitor, Vital Signs, BP, Temp, Pulse, Optional SPO2, Portable On Stand	11"wx10"hx6"d w/stand21" diameter x 44"h	stand	Welch Allyn	Connex Spot	E 115V
8705	OPSVI	1	Monitor, Vital Signs; BP, Pulse, SPO2, Resp, EKG, On Optional Cart	10.2"w x8.6"h x5.7"d	stand or cart	Phillips	VS4	E 115V; Data/Com
8777	OPOI	8	Otoscope-Ophthalmoscope Wall Unit with Speculum Cover Dispenser	7.1"w x 9.2"h x 3.9"d	wall mount	Midmark	TBD	E 115V
8791	OPVI	1	Oximeter, Pulse, Handheld/Portable	1.5"w x 3.25"l	stored	Concord	Sapphire Deluxe	battery operated
8801	OPVI	1	Pump, Infusion on Mobile Stand; MFG & MODEL TBD	20diam x65	floor	TBD	TBD	E 115V(recharging)
8911	OPVI	1	Scale,Person Weighing, 1000 lb capacity, for wheelchair access, with stadiometer	28"w x32"dx 55"h	floor	Scaletonix	6702W +Stadiometer	E 115V; or battery op
8915	OPVI	1	Scale,Multipurpose, Stand On, Bariatric, Low Profile, With Stadiometer	24"w x26"d 46"h	floor	Scale-tronix	5702	E 115V; or Batter Operated
9127	OPVI	3	Sphygmomanometer,Aneroid,Hand Use,Portable, With Assortment	n/a-stored item	stored	Welch Allyn	DS58-MC	None

9221	OPVI	3 Sterilizer, Table Top,Electric,Steam Type,w Printer & Pouch Rack: SEE MFG DETAILS	23.8"w x17.8"d x17.8"h	countertop	Midmark/Ritter	Ultraclave M11	E Ded 115 VAC, 50/60 Hz, 15 A Single Phase
9299	OPVI	1 Stand, IV, with 4 hangers, 5 legged, mobile	16" diameter	floor	McKesson	407332	None
9301	OPVI	1 Stand, Mayo, Removable Tray,Adj.Ht.	16.25"w x 21.25"l x 37-61" h	floor	Pedigo	P-1069-A-SS	None
9310	OPVI	1 Table, Pediatric Exam, Digital Weight with Measurement, Storage underneath	42"l x20.8"d x41.9	floor	Midmark	640	E115V;
9312	OPVI	2 Table, Patient Examination, Powered (Midmark 626) 32" width seat with built in I.Q. Scale System	32"w x 60"-76"l x 15.5"-37"h	floor	Midmark	626	E 115VAC
9312a	OPVI	5 Table, Patient Examination, Powered, Lowers to 14" w/clean assist roller sys, heated drawer, recep	28"w x18"-37"h x76" ext'd	floor	Ritter/MidMark	Model 225	E 115VAC,50/60Hz, 8amps
9312c	OPVI	1 Table, Universal Procedure,(lithotomy/trendelenberg/podiatry)	28"-31"w x18"-40"h x72	floor	Midmark	630	E,115VAC, 10amp, 50/60Hz
9312x	OPVI	1 Table, Patient Examination, Powered EXISTING EQUIPMENT TO TRANSFER	TBD	floor	TBD	TBD	E 115VAC
9854	OPVI	9 Sundry Jar Set of 5, for Exam Room Supplys (tongue depressors, alcohol wipes, cotton balls, etc...)	4.2l x3.9w x7"h	countertop	Medical Device Depot	10487048	None
9858a	OPOI	1 Wheelchair: EXISTING EQUIPMENT TO TX	24x30x42	floor	Invacare	T4	None
9901	OPSVCI	1 Compressor, Dental Air: with switch & intake kit: EXISTING TO TRANSFER:DETAILS BY BENCO	PER DESIGN DRWGS	floor	Air Techniques	Airstar 100	SEE DESIGN DETAILS
9902	OPSVCI	2 Vacuum Pump System-Dry Vac: w/remote control panel 2 switch: EXISTING TO TRANSFER: DETAILS BY BENCO	PER DESIGN DRWGS	floor	Air Technique	Mojave Dry Vac	SEE DESIGN DETAILS
9903	OPSVI	2 Separator, Almagam for 10 to 20 Users: By Benco: Midmark HG5 HV: EXISTING TO TX: DETAILS BY BENCO	PER DESIGN DRWGS	floor	Midmark	HG5-HV	SEE DESIGN DETAILS
9904	OPSVI	2 Reverse Osmosis Univeral Dental Water Supply; High Efficiency: EXISTING TO TX: DETAILS BY BENCO	PER DESIGN DRWGS	floor	OSO	DWS-HERO	SEE DESIGN DETAILS
9907	OPSVCI	16 Nitrous Supply System;accepts an IEC/EN 60320-1 C13 connector; DETAILS BY BENCO	8"w x4"d x7.5"h	cabinetry mount	Accutron	See BENCO details	Nitrous/O2,IEC/EN 60320-1 C14
9993	CPCI	8 Track, Cubicle Privacy Curtain, of Appropriate Size & fabric type	as required-see layout	ceiling	Fantagraphics	CM02201M-CM425306	None:
9996	OPVI	4 Bench, Sitting Suitable for Location	60"w x approx 20"d x 18"h	floor	CORIANDER	9092-B60-SS	None
9996a	OPVI	2 Bench, With 3 Cubbies, Suitable for Shoe Changing Areas in Gym	36" Long x 13-1/2" Deep x 20" High	floor	LENOX	LEN-PBC-36	None
9997	OPVI	1 Bench, Sitting Suitable for Location, Padded Seat, ADA/Bariatric	48" x20.25"d x18"h	floor	CORIANDER	7095-B48	None