## WorkWrite-Up and Bid Document/By Trade

anice wright	Contractor Name:			
2003 S Muskogee Claremore, OK	Contractor Signature:			
	This docur	This document must be signed to be a valid bid	to be a valid bid.	
PROJECT	PROJECT TYPE: Rehabilitation	Bid	Bid Due Date:	
Trade Work Description / Comments	nents Gen. Spec.		Qty Unit It	Item Bid
Electrical				
Area: INTERIOR	<i>Div.</i> # 13.D.		5 Ea	
Smoke Detector/Battery Operated/Install new smoke detector, battery operated (10 year ithium battery). All bedrooms and hallways adjacent to bedrooms. Use Firex #4015 or written approved equal.	e detector, battery operated (10 y t to bedrooms. Use Firex #4015	year or	_	
eplace smoke alarms and one fire extinguisher  Plumbing				
Area: INTERIOR	Div.# 11.A		1 Ea	
Nater Heater/Gas/40 Gallon/Replace. Replace existing gas water heater with new 40 yal. gas water heater. Work shall include elevating to 18" (if in garage), replacement of IPR, all combustion air and gas & electrical hook-ups for code legal installation.	sting gas water heater with new 4 o 18" (if in garage), replacement os for code legal installation.	of to		
Roofing				

Trade Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing			
3 Area: EXTERIOR	Div.#7.A.	26 Sq	
Roofing/architectural/30 year warranty. Install fiberglass shingles/minimum 30 year	imum 30 year		
replace shingles, drip edge, felt flashing, roof jacks			
All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-	facturers' recommended feneral Specifications and	d Lead-	Total:
Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement. Contractor awarded the job will be responsible	requirements will be reso rarded the job will be reso	olved by ponsible	
for conducting safe work practices that comply with OSHA Construction Standards for Asbestos Workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See	struction Standards for A	eater. See	
attached Asbestos Sampling Report for location and testing of Planned Work Activities.	Planned Work Activities.		