

WorkWrite-Up and Bid Document/By Trade

Patty Jo Fry

Contractor Name: _____

16609 e. 83rd St. North Owasso, OK 7-40
 (918) 272-8880

Contractor Signature: _____

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date: _____

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing				
1	Area: ROOF Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarky/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, and Metal Slant Back Vents. Install inshingles according to the manufactures recommendations. Install 8 slant back attic vents on the back side. spaced out evenly.	Div.# 7.A.	50 Sq	
2	Area: ROOF Roofing/Strip/Asphalt-Fiberglass. Tear off all of the old shingles, vent pipe flashing and drip edging. Haul off all debris to a legal waste site.	Div.# 7.C	50 Sq	

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.

Total:



HACN HOUSING REHAB SITE DIRECTIONS

Name: Patty Jo Fry

Telephone: (918)-272-8880

Address: 16609 E.83 St. North
Owasso, 74055

County: Rogers **Year Built:** 1987

GPS Coordinates: 36.27634,-95.78732 **Drive Time:** 1-hour 15-min



Directions: From Cherokee Nation, Why 82 North 27 miles to Locust Grove, then Cherokee Turnpike 412 west toward Tulsa, Then Hwy 169 north toward Owasso, the exit onto East 86th N and go east 2.5 miles, and turn right onto N 167th East Ave, and go 2/10 mi and turn right on E. 83rd Street, the project house will be on the right.

Mike Dreadfulwater
Cost Estimator/Inspector

7/20/21
Date