




HACN HOUSING REHAB SITE DIRECTIONS

Name: Willie Mae Vann
Telephone: (918)519-2469

Address: 60515 S 4646 Rd
Watts, OK 74964

County: Adair **Year Built:** _____

GPS Coordinates: 36.14076,-94.74511 **Drive Time:** _____



Directions: From Cherokee Nation, HWY 62 NE TO HWY 51 E TURN N ON HWY 10 GO 19.2 MILES TURN RIGHT ON CHEWEY RD GO 3.1 MILES PAST OLD SKELLY SCHOOL TURN LEFT GO 2.8 MILES TURN LEFT ON 4650 RD GO 0.7 MILES HOUSE ON THE RIGHT

John Easter 918-316-4051
Cost Estimator/Inspector

8/10/2022
Date

WorkWrite-Up and Bid Document/By Trade

Willie Mae Vann

60515 S 4646 Rd Watts, OK 7-4964
 (918) 519-2469

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs **Bid Due Date:**

| Trade | Work Description / Comments | Gen. Spec. | Qty Unit | Item Bid |
|------------------------------------|---|------------|----------|---|
| <u>Drywall & Finish</u> | | | | |
| 1 | Area: BATHROOM #1 Drywall/Ceiling/Replace 1/2" drywall on ceiling/Finish completely. Work shall include tape, bed & texture to match existing surfaces. | Div.# 9.D | 32 SF | <input style="width: 50px; height: 30px;" type="text"/> |
| <u>Roofing</u> | | | | |
| 2 | Area: EXTERIOR Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarky/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, and Metal Slant Back Vents. | Div.# 7.A. | 20 Sq | <input style="width: 50px; height: 30px;" type="text"/> |
| 3 | Area: EXTERIOR Roofing/Strip/Asphalt-Fiberglass 1 Layers. Strip roof--asphalt/fiberglass/1 layers. | Div.# 7.C | 20 Sq | <input style="width: 50px; height: 30px;" type="text"/> |
| <u>Thermal Protection</u> | | | | |
| 4 | Area: ATTIC Insulation/Add/Attic/R-19. Add R-19 Fiberglass batts in attic. | Div.# 14 | 16 SF | <input style="width: 50px; height: 30px;" type="text"/> |

| Trade | Work Description / Comments | Gen. Spec. | Qty Unit | Item Bid |
|-------|-----------------------------|------------|----------|----------|
|-------|-----------------------------|------------|----------|----------|

All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.

Total: