

HACN HOUSING REHAB SITE DIRECTIONS

Name: Lindsey Knight

Telephone: (918) 440-8144

Address: 5518 Harvard Dr
Bartlesville, OK 74006

County: Washington **Year Built:** 1963

GPS Coordinates: 36.74584,-95.91524 **Drive Time:** 1 hour & 50 min



Directions: From Cherokee Nation, Highway 82 North to Locust Grove, then Cherokee Turnpick [412 west] to Tulsa, then highway 75 north to Bartlesville, then turn right onto Nowata Road and go east for 1-mile, then turn left at S Madison Blvd and go 1.2 miles, the turn right onto Harvard Dr and go to 5518 on the left side of street.

Mike Dreadfulwater
Cost Estimator/Inspector

5/1/23
Date

WorkWrite-Up and Bid Document/By Trade

Lindsey Knight [Roof]

5518 Harvard Dr. Bartlesville, OK 7-4006

(918) 440-8144

Contractor Name:

Contractor Signature:

This document must be signed to be a valid bid.

PROJECT TYPE: Emergency Repairs

Bid Due Date:

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Roofing				
1	Area: ROOF Roofing/Heritage/30 Year Warranty. Install fiberglass shingles/Minimum 30 year warranty/Use Marlarky/Tamko or written approved equal. 30 lb Felt, Painted Style D Drip Edge, Pipe Flashing, Valley Flashing, and Metal Slant Back Vents. Replace the shingles, flashing, drip edge, pipe flashings, and add 6 slant back roof vents. Home owner is to choose the shingle color. Use painted drip edge to match shingle color, plain galvanized will not be accepted.	Div.# 7.A.	26 Sq	
2	Area: ROOF Roofing/Strip/Asphalt-Fiberglass. Remove all layers, and haul roofing debris to a Legal Waste Dump for disposal. Remove all of the shingles from the roof and check the decking for weak or damaged areas, report to the inspector if damaged decking is found.	Div.# 7.C	26 Sq	

<i>Trade</i>	<i>Work Description / Comments</i>	<i>Gen. Spec.</i>	<i>Qty Unit</i>	<i>Item Bid</i>
	All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement.			
	Total:			