

## HACN HOUSING REHAB SITE DIRECTIONS

Name: Michail Jones Telephone: (918)617-3095

Address:

110230 S 4280 rd

Checotah, OK 74426

County: Mcintosh

Year Built: 1993

GPS Coordinates: <u>35.41728,-95.39817</u> Drive Time: <u>1hr 10 min</u>



**Directions:** From Cherokee Nation, From Checotah take I-40 E. go 5 mi take exit 270 turn right on \$ 4250 rd go 2mi turn left on E 1100 rd go 3 mi turn right on \$ 4280 rd go 0.2mi house will be on the left

Maurice Gifford 918-506-9860

4/3/24

Cost Estimator/Inspector

Date



## WorkWrite-Up and Bid Document/By Trade

Michail Jones	Contractor Name:		
110230 S 4280 rd Checotah, OK 7-4426 (918) 617-3095	Contractor Signature:		
(0.0) 0.0000	This document n	This document must be signed to be a valid bid.	bid.
PROJEC	PROJECT TYPE: Rehabilitation	Bid Due Date:	
Trade Work Description / Comments	nents Gen. Spec.	Qty Unit	Item Bid
Carpentry			
1 Area: EXTERIOR	Div.# 8.A.	4 Ea	
Door/Exterior/6-Panel Steel/Pre-Hung/Replace. Replace exterior entrance door with new pre-hung-steel six panel door. Work shall include paint-both sides, lockset, deadbolt &	place exterior entrance door with new aint-both sides, lockset, deadbolt &		
2 Area: GARAGE	Div.#8.C	1 Ea	
Garage Vehicle Door/Steel/9' x 7'/Replace. Replace existing garage vehicle door with new steel overhead garage vehicle door9' X 7'.	e existing garage vehicle door with		
3 Area: EXTERIOR	<i>Div.</i> #8.B	4 Ea	
Storm Door/Vinyl Clad/Install. Install new storm door, vinyl clad. Use Larson model 298-SS or written approved equal.	r, vinyl clad.Use Larson model 298-		
4 Area: EXTERIOR	<i>Div.</i> # 8.G	8 Ea	
Window/Replace/Vinyl Thermopane/Low-E Replacement window, with Grids, Locks, and Tilt window for cleaning. White Vinyl, American Craftsman Series, or written approved equal. Includes frame, sill, sash, trim, hardware, screen.	ment window,with Grids,Locks,and ftsman Series, or written approved een.		
Fireplace			

Print Date: Friday, April 5, 2024

110230 S 4280 rd Checotah, OK 7-4426

Page 1 of 2

Trade	Work Description / Comments	Gen. Spec.	Qty Unit	Item Bid
Fireplace				
5 Area: ATTIC		Div.# 5.1	8 1	
Chimney Flue/Stainles chimney flue.	Chimney Flue/Stainless Steel. Replace existing chimney flue kite. Replace stainless steal chimney flue.	place stainless steal		
HVAC				
6 Area: UTILITY ROOM #1	OOM #1	Div.# 12	1 Ea	
HVAC Equipment Rep COOLING. COMPLET REGISTERS, THERM	HVAC Equipment Replace/ Replace existing with 3.0 Ton 16 seer ELECTRIC HEAT & COOLING. COMPLETE CHANGE OUT /INCLUDING: PLENUM, FILTER GRILL, REGISTERS, THERMOSTAT, ALL WIRING & CONDENSOR LINES. CHECK; Duct	ECTRIC HEAT & TER GRILL, . CHECK; Duct		
All nessecery wiring to	All nessecery wiring to convert from natural gas to ele. And diconect for AC	for AC.		
Plumbing				
7 Area: UTILITY ROOM #1	OOM #1	Div.# 11.A	1 Ea	
Water Heater/Electric/40 Gallon/Replace. R new 40 gal. electric water heater. Install new include all electrical hook-ups and plumbing	Water Heater/Electric/40 Gallon/Replace. Replace existing Electric water heater with new 40 gal. electric water heater. Install new electric water heater to code. Work shall include all electrical hook-ups and plumbing.	vater heater with code. Work shall		
Will need to replace el under water heater	Will need to replace ele. Wire from breaker box to water heater. And replace rotten floor under water heater	replace rotten floor		
All construction sha installation procedu Based Paint requirer compliance with the for conducting safe Workers. Asbestos r	All construction shall be in accordance with local codes, manufacturers' recommended installation procedures, good quality workmanship practices, General Specifications and Lead-Based Paint requirements when applicable. Conflicts between requirements will be resolved by compliance with the more stringent requirement. Contractor awarded the job will be responsible for conducting safe work practices that comply with OSHA Construction Standards for Asbestos workers. Asbestos report, where required, will be attached if areas tested are 1% or greater. See	acturers' recommended eneral Specifications ar requirements will be restarded the job will be restruction Standards for struction are 1% or grees tested are 1% or grees		Total:
attached Asbestos S	attached Asbestos Sampling Report for location and testing of Planned Work Activities.	Planned Work Activities		